# SAFETY DATA SHEET **spectrum**<sup>®</sup>

Revision date 21-February-2024

| 1. Identification  |   |  |
|--|---|--|
| Product identifier   |   |  |
| Product Name   | ACETIC ACID, GLACIAL                      |  |
| Other means of identification  |   |  |
| Product Code(s)  | A1720                                     |  |
| UN/ID no   | UN2789                                    |  |
| Synonyms   | None                                      |  |
| Recommended use of the chemical and restrictions on use                              |   |  |
| Recommended use  | For manufacturing or laboratory use only. |  |
| Restrictions on use  | No information available                  |  |
| Details of the supplier of the safety data sheet                                     |   |  |
| <u>Supplier Address</u><br>Spectrum Chemical Mfg. Corp.<br>14422 South San Pedro St. |   |  |

Gardena, CA 90248 (310) 516-8000

Emergency telephone number

**Emergency Telephone** 

Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

#### Classification

| Acute toxicity - Dermal                   | Category 4                |
|---|---------------------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4                |
| Skin corrosion/irritation                 | Category 1 Sub-category A |
| Serious eye damage/eye irritation         | Category 1                |
| Flammable liquids                         | Category 3                |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements Harmful in contact with skin Harmful if inhaled



**Revision Number** 3

Causes severe skin burns and eye damage Flammable liquid and vapor



Appearance clear

Physical state Liquid

Odor Vinegar-like

#### **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Do not breathe dusts or mists Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) Immediately call a POISON CENTER or doctor Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor Call a POISON CENTER or doctor if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed.

#### 3. Composition/information on ingredients

#### Substance

| Chemical name        | CAS No  | Weight-% |
|----------------------|---------|----------|
| Acetic Acid, glacial | 64-19-7 | 100      |

#### 4. First-aid measures

#### **Description of first aid measures**

**General advice** 

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

|  | required.  |  |
|--|--|--|
| Inhalation   | Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. |  |
| Eye contact  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.   |  |
| Skin contact   | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.  |  |
| Ingestion  | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.<br>Never give anything by mouth to an unconscious person. Get immediate medical<br>advice/attention.  |  |
| Self-protection of the first aider   | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists.  |  |
| Most important symptoms and effects, both acute and delayed                |  |  |
| Symptoms   | Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.   |  |
| Indication of any immediate medical attention and special treatment needed |  |  |
| Note to physicians   | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br>Possible perforation of stomach or esophagus should be investigated. Do not give<br>chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood<br>pressure may occur with moist rales, frothy sputum, and high pulse pressure.  |  |
| 5. Fire-fighting measures  |  |  |

| Suitable Extinguishing Media<br>Large Fire               | Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam.<br>CAUTION: Use of water spray when fighting fire may be inefficient.   |
|--|--|
| Unsuitable extinguishing media                           | Do not scatter spilled material with high pressure water streams.  |
| Specific hazards arising from the chemical               | risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. |
| Hazardous combustion products                            | Carbon monoxide. Carbon dioxide (CO2).   |
| Explosion data<br>Sensitivity to mechanical impact none. |  |
| Sensitivity to static discharge                          | yes.   |
| Special protective equipment for fire-fighters           | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.<br>Use personal protection equipment.  |

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| Personal precautions                                 | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material. Avoid breathing vapors or mists. |  |
|--|--|--|
| Other information                                    | Ventilate the area. Refer to protective measures listed in Sections 7 and 8.   |  |
| Methods and material for containment and cleaning up |  |  |
| Methods for containment                              | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.  |  |
| Methods for cleaning up                              | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.   |  |

## 7. Handling and storage

#### Precautions for safe handling

| Advice on safe handling                                      | Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |  |
|--|--|--|
| Conditions for safe storage, including any incompatibilities |  |  |
| Storage Conditions   | Hygroscopic. It absorbs moisture from the air. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.  |  |

Store away from other materials.

## 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

| Chemical name        | ACGIH TLV         | OSHA PEL     | NIOSH IDLH |
|----------------------|-------------------|--------------|------------|
| Acetic Acid, glacial | No data available | 10 ppm TWA   | -          |
| 64-19-7              |                   | 25 mg/m³ TWA |            |

#### Appropriate engineering controls

**Engineering controls** 

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

| Eye/face protection            | Tight sealing safety goggles. Face protection shield.   |
|--------------------------------|---|
| Hand protection                | Wear suitable gloves. Impervious gloves.  |
| Skin and body protection       | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.<br>Antistatic boots.  |
| Respiratory protection         | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.  |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Contaminated work clothing should not<br>be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is<br>recommended. Wash hands before breaks and immediately after handling the product.<br>Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.<br>Remove and wash contaminated clothing and gloves, including the inside, before re-use. |

# 9. Physical and chemical properties

| Information on basic physical and o |  |                  |
|-------------------------------------|--|------------------|
| Physical state                      | Liquid                                 |                  |
| Appearance                          | clear                                  |                  |
| Color                               | Colorless                              |                  |
| Odor                                | Vinegar-like                           |                  |
| Odor threshold                      | No information available               |                  |
|                                     |  |                  |
| Property                            | Values                                 | Remarks • Method |
| рН                                  | pH of a 1% solution: 2 [Acidic]        | None known       |
| Melting point / freezing point      | 16.6 °C / 61.9 °F                      | None known       |
| Boiling point / boiling range       | 118 °C / 244.4 °F                      | None known       |
| Flash point                         | 40 °C / 104 °F                         | None known       |
| Evaporation rate                    | no data available                      | None known       |
| Flammability (solid, gas)           | no data available                      | None known       |
| Flammability Limit in Air           |  | None known       |
| Upper flammability or explosive     | No data available                      |                  |
| limits                              |  |                  |
| Lower flammability or explosive     | No data available                      |                  |
| limits                              |  |                  |
| Vapor pressure                      | 1.5                                    | None known       |
| Vapor density                       | no data available                      | None known       |
| Relative density                    | 1.05                                   | None known       |
| Water solubility                    | Miscible in water                      | None known       |
| Solubility(ies)                     | Miscible with alcohol                  | None known       |
|                                     | Miscible in Benzene                    |                  |
|                                     | Soluble in Acetone                     |                  |
|                                     | Soluble in Ether                       |                  |
|                                     | Soluble in Glycerin                    |                  |
| Partition coefficient               | No data available                      | None known       |
| Autoignition temperature            | no data available                      | None known       |
| Decomposition temperature           | na data availabla                      | None known       |
| Kinematic viscosity                 | no data available<br>No data available | None known       |
| Dynamic viscosity                   | NO data avaliable                      | None known       |
| Other information                   |  |                  |
| Explosive properties                | No information available               |                  |
| Oxidizing properties                | No information available               |                  |
| Softening point                     | No information available               |                  |
| Molecular weight                    | 60.05                                  |                  |
| VOC Content (%)                     | No information available               |                  |
| Liquid Density                      | No information available               |                  |
| Bulk density                        | No information available               |                  |
| Lan achony                          |  |                  |

## 10. Stability and reactivity

| Reactivity   | No information available.  |
|--|--|
| Chemical stability   | Stable under normal conditions.  |
| Possibility of hazardous reactions   | None under normal processing.  |
| Conditions to avoid  | Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive heat. |
| Incompatible materials   | Acids. Bases. Oxidizing agent.   |
| Hazardous decomposition products None known based on information supplied. |  |

## 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

| Inhalation   | Specific test data for the substance or mixture is not available. Corrosive by inhalation.<br>(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking,<br>headache, dizziness, and weakness for several hours. Pulmonary edema may occur with<br>tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and<br>increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.<br>Pulmonary edema can be fatal. Harmful by inhalation. |
|--|---|
| Eye contact  | Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.   |
| Skin contact   | Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May be absorbed through the skin in harmful amounts. Harmful in contact with skin.  |
| Ingestion  | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.     |
| Symptoms related to the physical, chemical and toxicological characteristics |   |

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

#### **Component Information**

| Chemical name                   | Oral LD50          | Dermal LD50           | Inhalation LC50      |
|---------------------------------|--------------------|-----------------------|----------------------|
| Acetic Acid, glacial<br>64-19-7 | = 3310 mg/kg (Rat) | = 1060 mg/kg (Rabbit) | = 11.4 mg/L (Rat)4 h |

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes burns.

| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes.<br>Causes burns. |  |
|-----------------------------------|--|--|
| Respiratory or skin sensitization | No information available.  |  |
| Germ cell mutagenicity            | No information available.  |  |
| Carcinogenicity                   | No information available.  |  |
| Reproductive toxicity             | No information available.  |  |
| STOT - single exposure            | No information available.  |  |
| STOT - repeated exposure          | No information available.  |  |
| Target organ effects              | respiratory system, Eyes, Skin, Teeth.   |  |
| Aspiration hazard                 | No information available.  |  |
| Other adverse effects             | No information available.  |  |
| Interactive effects               | No information available.  |  |

## 12. Ecological information

#### Ecotoxicity

| Chemical name                   | Algae/aquatic plants | Fish   | Toxicity to<br>microorganisms | Crustacea  |
|---------------------------------|----------------------|--|-------------------------------|--|
| Acetic Acid, glacial<br>64-19-7 | -                    | LC50: =75mg/L (96h,<br>Lepomis macrochirus)<br>LC50: =79mg/L (96h,<br>Pimephales promelas) | -                             | EC50: =47mg/L (24h,<br>Daphnia magna) EC50:<br>=65mg/L (48h, Daphnia<br>magna) |

Persistence and degradability

No information available.

**Bioaccumulation** 

Inherently biodegradable.

#### **Component Information**

| Chemical name        | Partition coefficient |
|----------------------|-----------------------|
| Acetic Acid, glacial | -0.31                 |
| 64-19-7              |                       |

Other adverse effects

No information available.

| 13. Disposal considerations            |  |  |  |
|--|--|--|--|
| Waste treatment methods                |  |  |  |
| Waste from residues/unused<br>products | Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |  |  |
| Contaminated packaging                 | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.  |  |  |

## 14. Transport information

| UN/ID no<br>Proper shipping name<br>Hazard class<br>Subsidiary Class<br>Special Provisions<br>Special Provisions<br>Marine Pollutant<br>Description<br>Emergency Response Guide<br>Number | UN2789<br>Acetic acid, glacial<br>8<br>3<br>II<br>A3, A7, A10, B2, IB2, T7, TP2<br>Severe Marine Pollutant<br>UN2789, Acetic acid, glacial, 8 (3), II<br>132 |
|---|--|
| TDG<br>UN/ID no.<br>Proper shipping name<br>Hazard class<br>Subsidiary Class<br>Packing Group<br>Description  | UN2789<br>Acetic acid, glacial<br>8<br>3<br>II<br>UN2789, Acetic acid, glacial, 8 (3), II  |
| MEX<br>UN-No<br>Proper Shipping Name<br>Hazard class<br>Subsidiary Class<br>Packing Group<br>Description  | UN2789<br>Acetic acid, glacial<br>8<br>3<br>II<br>UN2789, Acetic acid, glacial, 8 (3), II  |
| <u>ICAO (air)</u><br>UN/ID no.<br>Hazard class<br>Subsidiary hazard class<br>Packing Group  | UN2789<br>8<br>3<br>II   |
| IATA<br>UN number<br>Hazard Class<br>Subsidiary hazard class<br>Packing group<br>Emergency Response Guide<br>Number   | UN2789<br>8<br>3<br>II<br>8F   |
| IMDG<br>UN number<br>Hazard Class<br>Subsidiary hazard class<br>Packing group<br>EmS-No<br>Marine Pollutant   | UN2789<br>8<br>3<br>II<br>F-E, S-C<br>NP1  |
| <u>RID</u><br>UN number<br>Proper shipping name<br>Hazard Class<br>Packing group<br>Classification code<br>Description<br>Labels  | UN2789<br>ACETIC ACID, GLACIAL<br>8<br>II<br>CF1<br>UN2789, ACETIC ACID, GLACIAL, 8 (3), II<br>8 + 3   |
| ADR<br>UN number<br>Proper shipping name<br>Hazard Class<br>Subsidiary hazard class<br>Packing group<br>Classification code<br>Tunnel restriction code                                    | UN2789<br>Acetic acid, glacial<br>8<br>3<br>II<br>CF1<br>(D/E)   |

| Description<br>Labels   | UN2789, Acetic acid, glacial, 8 (3), II, (D/E)<br>8 + 3  |
|---|--|
| ADN<br>UN/ID No<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>Classification code<br>Description<br>Hazard label(s)<br>Limited quantity (LQ)<br>ventilation<br>Equipment Requirements | UN2789<br>Acetic acid, glacial<br>8<br>II<br>CF1<br>UN2789, Acetic acid, glacial, 8 (3), II<br>8 + 3<br>1 L<br>VE01<br>PP, EP, EX, A |
|   |  |

### 15. Regulatory information

International Inventories

**TSCA** 

Complies

| DSL/NDSL Complies   EINECS/ELINCS Complies   ENCS This product complies with ENCS:   IECSC This product complies with China:   KECL Complies   PICCS Complies   AICS All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS). | nical |
|--|-------|
|--|-------|

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name        | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|----------------------|--------------------------|------------------------------------|
| Acetic Acid, glacial | 5000 lb final RQ         | -                                  |
| 64-19-7              | 2270 kg final RQ         |                                    |

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Chemical name        | New Jersey | Massachusetts | Pennsylvania         |
|----------------------|------------|---------------|----------------------|
| Acetic Acid, glacial | 0004       | Present       | Environmental hazard |
| 64-19-7              |            |               |                      |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. Other information

NFPA Health hazards 3 Flammability 2 Instability 0 Physical and chemical properties -HMIS Health hazards 3 Flammability 2 Physical hazards 0 Personal protection X Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average) TWA STEL STEL (Short Term Exposure Limit) Maximum limit value Ceiling Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization ~ - - -.....

| Revision date | 21-February-2024          |  |  |
|---------------|---------------------------|--|--|
| Revision Note | No information available. |  |  |
| Disclaimer    |                           |  |  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet