# SAFETY DATA SHEET

Revision date 21-February-2024

1. Identification		
Product identifier		
Product Name	GLACIAL ACETIC ACID, USP, EP, BP, JP, bioCERTIFIED™	
Other means of identification		
Product Code(s)	A9014	
UN/ID no	UN2789	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	For manufacturing or laboratory use only.	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
Supplier Address Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000		

Emergency telephone number

**Emergency Telephone** 

Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

#### **Classification**

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Flammable liquids	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements Harmful in contact with skin Harmful if inhaled



Revision Number 2

Causes severe skin burns and eye damage Flammable liquid and vapor



Appearance clear

Physical state Liquid

Odor Vinegar-like

#### **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Do not breathe dusts or mists Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) Immediately call a POISON CENTER or doctor Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor Call a POISON CENTER or doctor if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed.

#### 3. Composition/information on ingredients

#### Substance

Chemical name	CAS No	Weight-%
Acetic Acid, glacial	64-19-7	100

#### 4. First-aid measures

#### **Description of first aid measures**

**General advice** 

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

	required.	
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.	
5. Fire-fighting measures		

Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).
Explosion data Sensitivity to mechanical impact none.	
Sensitivity to static discharge	yes.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material. Avoid breathing vapors or mists.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	

## 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Hygroscopic. It absorbs moisture from the air. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.	

Store away from other materials.

## 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic Acid, glacial	No data available	10 ppm TWA	-
64-19-7		25 mg/m³ TWA	

#### Appropriate engineering controls

**Engineering controls** 

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

# 9. Physical and chemical properties

Information on basic physical and o		
Physical state	Liquid	
Appearance	clear	
Color	Colorless	
Odor	Vinegar-like	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	pH of a 1% solution: 2 [Acidic]	None known
Melting point / freezing point	16.6 °C / 61.9 °F	None known
Boiling point / boiling range	118 °C / 244.4 °F	None known
Flash point	40 °C / 104 °F	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	1.5	None known
Vapor density	no data available	None known
Relative density	1.05	None known
Water solubility	Miscible in water	None known
Solubility(ies)	Miscible with alcohol	None known
	Miscible in Benzene	
	Soluble in Acetone	
	Soluble in Ether	
	Soluble in Glycerin	
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature	na data availabla	None known
Kinematic viscosity	no data available No data available	None known
Dynamic viscosity	NO data avaliable	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	60.05	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Lan achony		

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Excessive heat.
Incompatible materials	Acids. Bases. Oxidizing agent.
Hazardous decomposition products None known based on information supplied.	

## 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. Harmful by inhalation.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May be absorbed through the skin in harmful amounts. Harmful in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetic Acid, glacial 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.	
Respiratory or skin sensitization	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Target organ effects	respiratory system, Eyes, Skin, Teeth.	
Aspiration hazard	No information available.	
Other adverse effects	No information available.	
Interactive effects	No information available.	

## 12. Ecological information

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetic Acid, glacial 64-19-7	-	LC50: =75mg/L (96h, Lepomis macrochirus) LC50: =79mg/L (96h, Pimephales promelas)	-	EC50: =47mg/L (24h, Daphnia magna) EC50: =65mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

**Bioaccumulation** 

Inherently biodegradable.

#### **Component Information**

Chemical name	Partition coefficient
Acetic Acid, glacial	-0.31
64-19-7	

Other adverse effects

No information available.

13. Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.		

## 14. Transport information

UN/ID no Proper shipping name Hazard class Subsidiary Class Special Provisions Special Provisions Marine Pollutant Description Emergency Response Guide Number	UN2789 Acetic acid, glacial 8 3 II A3, A7, A10, B2, IB2, T7, TP2 Severe Marine Pollutant UN2789, Acetic acid, glacial, 8 (3), II 132
TDG UN/ID no. Proper shipping name Hazard class Subsidiary Class Packing Group Description	UN2789 Acetic acid, glacial 8 3 II UN2789, Acetic acid, glacial, 8 (3), II
MEX UN-No Proper Shipping Name Hazard class Subsidiary Class Packing Group Description	UN2789 Acetic acid, glacial 8 3 II UN2789, Acetic acid, glacial, 8 (3), II
<u>ICAO (air)</u> UN/ID no. Hazard class Subsidiary hazard class Packing Group	UN2789 8 3 II
IATA UN number Hazard Class Subsidiary hazard class Packing group Emergency Response Guide Number	UN2789 8 3 II 8F
IMDG UN number Hazard Class Subsidiary hazard class Packing group EmS-No Marine Pollutant	UN2789 8 3 II F-E, S-C NP1
RID UN number Proper shipping name Hazard Class Packing group Classification code Description Labels	UN2789 ACETIC ACID, GLACIAL 8 II CF1 UN2789, ACETIC ACID, GLACIAL, 8 (3), II 8 + 3
ADR UN number Proper shipping name Hazard Class Subsidiary hazard class Packing group Classification code Tunnel restriction code	UN2789 Acetic acid, glacial 8 3 II CF1 (D/E)

Description Labels	UN2789, Acetic acid, glacial, 8 (3), II, (D/E) 8 + 3
ADN UN/ID No Proper shipping name Hazard Class Packing Group Classification code Description Hazard label(s) Limited quantity (LQ) ventilation Equipment Requirements	UN2789 Acetic acid, glacial 8 II CF1 UN2789, Acetic acid, glacial, 8 (3), II 8 + 3 1 L VE01 PP, EP, EX, A

### 15. Regulatory information

International Inventories

**TSCA** 

Complies

DSL/NDSL Complies   EINECS/ELINCS Complies   ENCS This product complies with ENCS:   IECSC This product complies with China:   KECL Complies   PICCS Complies   AICS All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).	nical
--	-------

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetic Acid, glacial	5000 lb final RQ	-
64-19-7	2270 kg final RQ	

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetic Acid, glacial	0004	Present	Environmental hazard
64-19-7			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. Other information

**NFPA** Health hazards 3 Flammability 2 Instability 0 Physical and chemical properties -HMIS Health hazards 3 Flammability 2 Physical hazards 0 Personal protection X Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average) TWA STEL STEL (Short Term Exposure Limit) Maximum limit value Ceiling Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization ~ - - -.....

Revision date	21-February-2024		
Revision Note	No information available.		
Disclaimer			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet