spectrum



SAFETY DATA SHEET

Preparation Date: 09/09/2015	Revision Date: 09/09/2015	Revision Number: G1
	1. IDENTIFICATION	
Product identifier		
Product code:	AA270	
Product Name:	SELENIUM ATOMIC ABSORPTION STANDARD	
Other means of identification		
Synonyms:	No information available	
CAS #:	Mixture	
RTECS #	Not available	
CI#:	Not available	
Recommended use of the chemi	cal and restrictions on use	
Recommended use:	No information available.	
Uses advised against	No information available	
Supplier:	Spectrum Chemical Mfg. Corp	
	14422 South San Pedro St.	
	Gardena, CA 90248	
Order Opline At	(310) 516-8000	
Order Online At:	https://www.spectrumchemical.com	
Emergency telephone number	Chemtrec 1-800-424-9300	
Contact Person:	Martin LaBenz (West Coast)	
Contact Person:	Ibad Tirmiz (East Coast)	

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Hazards not otherwise classified (HNOC) Not Applicable

Other hazards Not available

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician Specific treatment (see .? on this label) Absorb spillage to prevent material damage IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Water 7732-18-5	7732-18-5	95.5	*
Nitric Acid, fuming 7697-37-2	7697-37-2	4.41	*

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Selenium Metal Powder 7782-49-2	7782-49-2	0.1	*		

4. FIRST AID MEASURES				
First aid measures General Advice:	Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.			
Skin Contact:	Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Immediate medical attention is required. Call a physician or Poison Control Centre immediately.			
Eye Contact:	Flush eye with water for immediately.	15 minutes. Immediate medical attention is required. Call a physician		
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.			
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Call a physician or Poison Control Center immediately.			
Most important symptoms and effe Symptoms	effects, both acute and delayed Causes severe skin burns and eye damage. Irritating to mucous membranes. Severe irritation of the upper respiratory tract. Coughing. Choking sensation. Dyspnea (Shortness of breath and difficulty breathing). Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering and itching. Skin contact may result in redness, pain, inflammation, itching, scaling.			
Indication of any immediate medic		atment needed		
Notes to Physician:	Treat symptomatically			
Protection of first-aiders First-Aid Providers: Avoid exposure to contaminated clothing and equipment		r gloves and other necessary protective clothing. Dispose of		
	5. FIRE-FIGH	TING MEASURES		
Extinguishing Media Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.				
Unsuitable Extinguishing Media:		No information available.		
Specific hazards arising from	n the chemical			
Hazardous Combustion Products: No information available.				

Slightly explosive to explosive in presence of reducing materials, of combustibles materials, of organic materials

Special Protective Actions for Firefighters

Specific Methods:

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Prevent entry into waterways, sewers, basements or confined areas. Methods and material for containment and cleaning up Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. Methods for cleaning up Neutralize the residue with a dilute solution of sodium carbonate. Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. May corrode metallic surfaces. Do not store in uncoated metallic containers. Store in a coated fiberboard drum using a strong polyethylene inner package. Store in a segrated and approved area. Store away from incompatible materials.

Incompatible Materials:

Alkalis. Reducing agents. Combustible materials. Organic materials. Metals. Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Product code: AA270

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Water 7732-18-5	None	None	None	None
Nitric Acid, fuming 7697-37-2	2 ppm TWA 5 mg/m³ TWA	2 ppm TWA 5 mg/m ³ TWA 4 ppm STEL 10 mg/m ³ STEL	4 ppm STEL 2 ppm TWA	None
Selenium Metal Powder 7782-49-2	None	0.2 mg/m³ TWA	0.2 mg/m³ TWA	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Water 7732-18-5	None	None	None	None
Nitric Acid, fuming 7697-37-2	2 ppm TWA 5.2 mg/m ³ TWA 4 ppm STEL 10 mg/m ³ STEL	2 ppm TWA 4 ppm STEL	2 ppm TWA	2 ppm TWAEV 5.2 mg/m ³ TWAEV 4 ppm STEV 10 mg/m ³ STEV
Selenium Metal Powder 7782-49-2	0.2 mg/m³ TWA	0.1 mg/m³ TWA	0.2 mg/m ³ TWA	0.2 mg/m³ TWAEV

Australia and Mexico

Components	Australia	Mexico
Water	None	None
7732-18-5		
Nitric Acid, fuming	None	2 ppm TWA
7697-37-2		5 mg/m³ TWA
		4 ppm STEL
		10 mg/m ³ STEL
Selenium Metal Powder	0.1 mg/m ³ TWA	None
7782-49-2		

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Face-shield
Skin and body protection:	Chemical resistant protective suit. Gloves. Boots.
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid.

Odor: No information available

Formula: No information available

Flashpoint (°C/°F): No information available.

Lower Explosion Limit (%): No information available

Melting point/range(°C/°F): May start to solidify at -41.6°C/ -42.9°F 82.6°C/ 180.7°F (Nitric acid, fuming) (Nitric acid, fuming)

Decomposition temperature(°C/°F): No information available

Vapor pressure @ 20°C (kPa): 5.99 (Nitric acid, fuming) Weighted average: 2.5

VOC content (g/L): No information available

Viscosity: No information available Appearance: No information available

Taste No information available

Flammability: No information available

Flash Point Tested according to: Not available

Upper Explosion Limit (%): No information available

Boiling point/range(°C/°F): Weighted average: 99.23°C/ 210.6°F

Density (g/cm3): No information available

Evaporation rate: No information available

Odor threshold (ppm): 0.29 (Nitric acid, fuming)

Miscibility: No information available Color: Clear. Colorless.

Molecular/Formula weight: No information available

Flash point (°C): No data available

Autoignition Temperature (°C/°F): No information available

pH: Acidic

Bulk density: No information available

Specific gravity: Weighted average: 1.02

Vapor density: 0.62 (Water)

Partition coefficient (n-octanol/water): No information available

Solubility: Easily soluble in cold water

10. STABILITY AND REACTIVITY

Reactivity

Slightly reactive with reducing agents, combustible materials, organic materials, metals, acids. Highly reactive with alkalis.

Product code: AA270	Product name: SELENIUM ATOMIC	6/13
Special Remarks on Corrosivity:	No information available	
Other Information Corrosivity:	Highly corrosive in the presense of aluminum, of zinc Highly corrosive in presence of copper Corrosive in presence of steel Slightly corrosive in presence of stainless steel (304) Slightly corrosive in presence of stainless steel (316) Non-corrosive in presence of glass.	
Hazardous decomposition products:	No information available	
Incompatible Materials:	Alkalis. Reducing agents. Combustible materials. Organic materials. Metals. A	cids.
Conditions to avoid:	Incompatible materials.	
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur	
Chemical stability Stability:	Stable under recommended storage conditions.	

ABSORPTION STANDARD

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Skin. Eyes. Inhalation. Ingestion.

Acute Toxicity

Component Information

Water - 7732-18-5

LD50/oral/rat = > 90 mL/kg Oral LD50 Rat LD50/oral/mouse = No information available LD50/dermal/rat = No information available LD50/dermal/rabbit = No information available LC50/inhalation/rat = No information available LC50/inhalation/mouse = No infomation available Other LD50 or LC50information = No information available

Nitric Acid, fuming - 7697-37-2

LD50/oral/rat = No information available LD50/oral/mouse = No information available LD50/dermal/rat = No information available LD50/dermal/rabbit = No information available LC50/inhalation/rat = 67 ppm Inhalation LC50 Rat 4 h LC50/inhalation/mouse = No information available Other LD50 or LC50information = No information available

Selenium Metal Powder - 7782-49-2

LD50/oral/rat = 6700 mg/kg Oral LD50 Rat LD50/oral/mouse = No information available LD50/dermal/rat = No information available LD50/dermal/rabbit = No information available LC50/inhalation/rat = No information available LC50/inhalation/mouse = No infomation available Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat = VALUE- Acute Tox Oral = No information available

LD50/oral/mouse = Value - Acute Tox Oral = No information available

LD50/dermal/rabbit VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat VALUE-Vapor = No information available

Product code: AA270

Product name: SELENIUM ATOMIC ABSORPTION STANDARD VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available VALUE - Gas = No information available

VALUE - Dust/Mist = No information available Symptoms

Skin Contact:	Corrosive. Causes severe irritation and burns.			
Eye Contact:	Corrosive. Causes severe irritation and burns.			
Inhalation Ingestion	Inhalation of mist or vapors may cause respiratory tract irritation. May cause digestive (gastointestinal) tract irritation.			
Aspiration hazard	No information available			
Delayed and immediate effects as	well as chronic effects from short and long-term exposure			
Chronic Toxicity	No information available			
Sensitization:	No information available			
Mutagenic Effects:	No information available			

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Water	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Nitric Acid, fuming	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Selenium Metal Powder	Supplement 7 [1987]	Not listed	Not listed	Not listed	Not listed	Not listed
	Monograph 9 [1975]					

Reproductive toxicity	No data is available				
Reproductive Effects:	Expected to cross the placenta Excreted in maternal mulk in human				
Developmental Effects:	No information available				
Teratogenic Effects:	No information available				
Specific Target Organ Toxicity					
STOT - single exposure STOT - repeated exposure	No information available No information available				

STOT - repeated exposureNo information availableTarget Organs:No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:

No data available.

Product code: AA270

Product name: SELENIUM ATOMIC ABSORPTION STANDARD

Persistence and degradability:	No information available
Bioaccumulative potential:	No information available

No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Mobility:

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Water	None	None	None	None
Nitric Acid, fuming	None	None	None	None
Selenium Metal Powder	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No:	UN2031
Proper Shipping Name:	Nitric acid
Hazard Class:	8
Subsidiary Risk:	
Packing Group:	II
ERG No:	157
Marine Pollutant	No data available
DOT RQ (Ibs):	No information available
Symbol(s):	

TDG (Canada)

UN-No:	UN2031
Proper Shipping Name:	Nitric acid
Hazard Class:	8
Subsidiary Risk:	No information available
Packing Group:	II
Description:	No information available

ADR

UN-No:	UN2031
Proper Shipping Name:	Nitric acid
Hazard Class:	8
Packing Group:	II
Subsidiary Risk:	No information available
Classification Code:	No information available
Description:	No information available
CEFIC Tremcard No:	No information available

IMO	/ IMDG	
	UN-No:	UN2031
	Proper Shipping Name:	Nitric acid
	Hazard Class:	8
	Subsidiary Risk:	No information available
	Packing Group:	11
	Description:	No information available
	IMDG Page:	No information available
	Marine Pollutant	No information available
	EMS:	F-A
	MFAG:	No information available
	Maximum Quantity:	No information available
	-	
RID		
	UN-No:	UN2031
	Proper Shipping Name:	Nitric acid
	Hazard Class:	8
	Subsidiary Risk:	No information available
	Packing Group:	

Proper Snipping Name:	INITIC ACID
Hazard Class:	8
Subsidiary Risk:	No information available
Packing Group:	II
Classification Code:	No information available
Description:	No information available

ICAO

UN-No:	UN2031
Proper Shipping Name:	Nitric acid
Hazard Class:	8
Subsidiary Risk:	No information available
Packing Group:	II
Description:	No information available

ΙΑΤΑ

UN-No:	UN2031
Proper Shipping Name:	Nitric acid
Hazard Class:	8
Subsidiary Risk:	No information available
Packing Group:	II
ERG Code:	8L
Description:	No information available
Hazard Class: Subsidiary Risk: Packing Group: ERG Code:	No information available II 8L

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Water	Present	Present KE- 35400	Present	Not present	Present	Present	Present 231-791-2
Nitric Acid, fuming	Present	Present KE- 25911	Present	Present (1)- 394	Present	Present	Present 231-714-2
Selenium Metal Powder	Present	Present KE- 30924	Present	Not present	Present	Present	Present 231-957-4

U.S. Regulations

Nitric Acid, fuming Massachusetts RTK: Present Nitric Acid. fumina New Jersey RTK Hazardous Substance List: 1356 New Jersey (EHS) List: 1356 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present New Jersey TCPA - EHS: 15000lbTQ 450lbTQ Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present New York Release Reporting - List of Hazardous Substances: 1000 lb RQ 100 lb RQ Louisana Reportable Quantity List for Pollutants: 1000lbfinal RQAs listed in 40 CFR 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4 454kgfinal RQAs listed in 40 CFR 117.3 Table 117.3 and 40 CFR 302.4 Table 302.4 1000lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into or onto all media within any consecutive 24-hour period 100lbRQAs listed in Louisiana Administrative Code, Title 33, Part 1, Subpart 2, Chapter 39, Subchapter E. Applies to unauthorized emissions based on total mass emitted into the atmosphere California Directors List of Hazardous Substances: Present Selenium Metal Powder Massachusetts RTK: Present New Jersey RTK Hazardous Substance List: 1648 New Jersey (EHS) List: 1648 500 lb TPQ New Jersev - Discharge Prevention - List of Hazardous Substances: Present Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Michigan - Critical Materials List: Present New York Release Reporting - List of Hazardous Substances: 100 lb RO Louisana Reportable Quantity List for Pollutants: 100lbfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >=100 µm 45.4kgfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >=100 um California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity		Female Reproductive
			Toxicity	Toxicity:
Water	Not Listed	Not Listed	Not Listed	Not Listed
Nitric Acid, fuming	Not Listed	Not Listed	Not Listed	Not Listed
Selenium Metal Powder	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Hazardous	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Water	None	None	None	None	None
	1000 lb final RQ 454 kg final RQ	1000 lb TPQ	None		1.0 % de minimis concentration
	100 lb final RQ 45.4 kg final RQ	None	None		1.0 % de minimis concentration

U.S. TSCA

	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Water	Not Applicable	Not Applicable

	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Nitric Acid, fuming	Not Applicable	Not Applicable
Selenium Metal Powder	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

E Corrosive material

Water

Uncontrolled product according to WHMIS classification criteria

Nitric Acid, fuming

C E including 61.3%, 67.18%, 70% E 0.63%, 6.3%

Selenium Metal Powder

Uncontrolled product according to WHMIS classification criteria including amorphous and crystalline

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Nitric Acid, fuming	1 %
Salanium Matal Powdar	0.1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Water	Present	Not Listed
Nitric Acid, fuming	Present	Not Listed
Selenium Metal Powder	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Manditory	
-		Reporting	
Water	Not listed	Not listed	
Nitric Acid, fuming	Not listed	Not listed	
Selenium Metal Powder	Not listed	Not listed	

EU Classification

R-phrase(s)

R 8 - Contact with combustible material may cause fire.

R35 - Causes severe burns.

S -phrase(s)

S23 - Do not breathe gas/fumes/vapor/spray.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36 - Wear suitable protective clothing.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

S 1/2 - Keep locked up and out of the reach of children.

S20/21 - When using, do not eat, drink or smoke.

Components	Classification		Safety Phrases
Water		No information	

Nitric Acid, fuming	C; R35	No information	S1/2 S23 S26 S36 S45
Selenium Metal Powder	O; R8 T; R23/25 R33 R53	No information	S1/2 S20/21 S28 S45 S61

The product is classified in accordance with Annex VI to Directive 67/548/EEC

09/09/2015 09/09/2015 Sonia Owen

Indication of danger:

C - Corrosive.



16. OTHER INFORMATION

Preparation Date:
Revision Date:
Prepared by:

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product name: SELENIUM ATOMIC ABSORPTION STANDARD