



## SAFETY DATA SHEET

Preparation Date: 10/12/2016 Revision Date: 11/17/2017 Revision Number: G1

## 1. IDENTIFICATION

**Product identifier** 

Product code: B1051

Product Name: BARIUM PERCHLORATE, ANHYDROUS

Other means of identification

**Synonyms:** Barium diperchlorate

CAS #: 13465-95-7
RTECS # SC7550000
CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** For manufacturing or laboratory use only.

Uses advised against Not for food or drug use.

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Oxidizing solids	Category 1

#### Label elements

## Danger

#### Hazard statements

Causes skin irritation Causes serious eye irritation Harmful if swallowed Harmful if inhaled

May cause fire or explosion; strong oxidizer

Product code: B1051 Product name: BARIUM 1 / 12



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Not available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep/Store away from clothing and other combustible materials

Take any precaution to avoid mixing with combustibles

Wear fire/flame resistant/retardant clothing

#### **Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell

IN CASE OF FIRE: Flood with water to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water

If skin irritation occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you

feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

	Components	CAS-No.	Weight %
Ī	Barium Perchlorate, Anhydrous	13465-95-7	100

## 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Product code: B1051 Product name: BARIUM 2 / 12

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

**Symptoms** Causes skin irritation

Causes serious eye irritation Harmful by inhalation Harmful if swallowed

May cause respiratory irritation

May cause digestive (gastrointestinal) tract irritation

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Water. CO2 may be of no value in extinguishing fires

involving oxidizers and may only provide limited control.

Unsuitable Extinguishing Media: Dry chemical. Halons. Foam.

Specific hazards arising from the chemical

Hazardous Combustion Products: Metallic Oxides. Hydrogen Chloride Gas. Barium oxides.

Specific hazards: Oxidizer. Keep away from combustible materials (wood,

paper, oil, clothing, etc.) The product is not flammable, but it may cause fire when in contact with other material. Contact with combustible or organic materials may cause fire. Contact with finely divided (powdered) metals may cause ignition (fire) or explosion. Will accelerate burning when involved in a fire. Container explosion may occur

under fire conditions or when heated.

**Special Protective Actions for Firefighters** 

**Specific Methods:** For large fires, flood fire area with water from a distance.

Cool affected containers with flooding quantities of water.

Do not get water inside containers. DO NOT use

combustible materials such as sawdust.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: B1051 Product name: BARIUM 3 / 12

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid dust formation. Remove all sources of ignition. Keep combustibles (wood, paper, oil, clothing,

etc.) away from spilled material.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

## Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Do not use combustible

materials such as paper towels, sawdust, clothing, etc. to clean up spill. Clean

contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Ensure adequate ventilation. Avoid dust formation. Keep away from incompatible materials.

## Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust. Keep away from combustible material. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

## **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Do not store near combustible materials. Store in a segregated and approved area.

## **Incompatible Materials:**

Strong reducing agents Combustible materials Strong oxidizing agents Alcohols Organic materials

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## National occupational exposure limits

## **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Barium Perchlorate, Anhydrous	13465-95-7	0.5 mg/m³ (as Ba)	0.5 mg/m³ (as Ba)	0.5 mg/m³ (as Ba)	None

## Canada

Product code: B1051 Product name: BARIUM 4 / 12
PERCHLORATE. ANHYDROUS

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Barium Perchlorate,	13465-95-7	0.5 mg/m³ TWA(as Ba)	0.5 mg/m³ TWA(as Ba)	0.5 mg/m <sup>3</sup> TWA (as	0.5 mg/m³ TWAEV(as
Anhydrous				Ba)	Ba)

## **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Barium Perchlorate, Anhydrous	13465-95-7	0.5 mg/m³ TWA(as Ba)	0.5 mg/m <sup>3</sup> TWA(as Ba)

## Appropriate engineering controls

**Engineering measures to reduce exposure:** Ensure adequate ventilation, especially in confined areas.

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure

limit.

## Individual protection measures, such as personal protective equipment

## **Personal Protective Equipment**

**Eye protection:** Goggles or Safety glasses with side-shields

Skin and body protection: Gloves

Long sleeved clothing Chemical resistant apron

**Respiratory protection:** Wear respirator with dust filter. or. Effective dust mask. Use a dust respirator

under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidPowder.White.

Odor:TasteFormula:Odorless.No information available.Ba(ClO4)2

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):336.27No information availableNo information available.

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): Not available

No information available

No information available

Not available No information available No information available

Upper Explosion Limit (%):Melting point/range(°C/°F):Decomposition temperature(°C/°F):No information available505°C (941°F)> 700°C (> 1292°F)

303 C (341 F) > 700 C (3 1292 F)

Boiling point/range(°C/°F):

Product code: B1051 Product name: BARIUM 5 / 12

No information available **Bulk density:** Density (g/cm3):

> No information available 3.2

> > Vapor pressure @ 20°C (kPa):

Viscosity:

Specific gravity:

No information available No information available No information available

**Evaporation rate:** Vapor density:

VOC content (g/L): No information available No information available No information available

Partition coefficient Odor threshold (ppm):

No information available No information available (n-octanol/water):

No information available

Miscibility: Solubility:

Soluble in cold water No information available

> Soluble in hot water Soluble in Acetone

## 10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents Reactive with reducing agents

Reactive with alcohols

Oxidizer. Reacts with reducing agents, organic material, combustible materials, and powdered metals

**Chemical stability** 

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Avoid dust formation. Contact with combustible materials (wood, paper, oil, Conditions to avoid:

clothing, etc.). Heat. Ignition sources.

Strong reducing agents **Incompatible Materials:** 

Combustible materials Strong oxidizing agents

**Alcohols** 

Organic materials

Hazardous decomposition

products:

No information available.

Other Information

No information available Corrosivity:

Special Remarks on Corrosivity: No information available

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Principal Routes of Exposure:** Skin. Eyes. Ingestion. Inhalation.

**Acute Toxicity** 

Product code: B1051 Product name: BARIUM 6/12

# The following values are calculated based on chapter 3.1 of the GHS document Component Information

Barium Perchlorate, Anhydrous

CAS-No. 13465-95-7

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

**LD50/dermal/rabbit** = No information available

**LD50/dermal/rat** = No information available

**LC50/inhalation/rat** = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

**VALUE- Acute Tox Oral =** No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

**VALUE-Acute Tox Dermal** = No information available

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available

**VALUE-Gas** = No information available

**VALUE-Dust/Mist** = No information available

LC50/Inhalation/mouse

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Causes skin irritation.

**Eye Contact:** Causes serious eye irritation.

**Inhalation** May cause irritation of respiratory tract. May be harmful if inhaled.

Ingestion Harmful if swallowed. May cause digestive (gastointestinal) tract irritation. May

cause abdominal pain, nausea, vomiting, diarrhea. May affect behavior/central nervous system (tremors, muscle twitiching). May affect respiration (dyspnea - difficulty breathing and shortness of breath). May affect the cardiovascular system (hypotension or hypertension, tachycardia). May affect the cardiovascular system

(cardiac arrhythmias). May affect urinary system (kidneys). May cause

hypokalemia.

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Chronic exposure may affect the kidneys and cause kidney damage. Prolonged or

repeated inhlalation may cause Baritosis. Baritosis is one of the benign

Product code: B1051 Product name: BARIUM 7 / 12

pneumoconioses in which inhaled particulate matter lies in the lungs for years without producing symptoms of bronchitis or emphysema, or without abnormal physical signs, incapacity for work, interference with lung function, or liability to

develop pulmonary or bronchial infections or other thoracic disease.

Sensitization: No information available.

No information available **Mutagenic Effects:** 

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Barium Perchlorate, Anhydrous	13465-95-7		A4 - Not Classifiable as a Human Carcinogen (as barium soluble compounds)		Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

No information available **Reproductive Effects:** No information available **Developmental Effects: Teratogenic Effects:** No information available

**Specific Target Organ Toxicity** 

STOT - single exposure STOT - repeated exposure No information available. No information available.

**Target Organs:** Kidneys.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

No data available. **Ecotoxicity effects:** 

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

No information available. Mobility:

## 13. DISPOSAL CONSIDERATIONS

**Disposal Methods** 

Product code: B1051 Product name: BARIUM 8/12

## Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

#### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Barium Perchlorate, Anhydrous	13465-95-7	None	None	None	None

## 14. TRANSPORT INFORMATION

DOT

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.1
Subsidiary Class 6.1
Packing group: ||
Emergency Response Guide 141

Number

Marine Pollutant
DOT RQ (lbs):
Special Provisions
Symbol(s):
No data available
No information available
IB6, IP2, T3, TP33
No information available

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

TDG (Canada)

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

**ADR** 

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.1 Packing Group:

Subsidiary Risk: No information available

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

IMO / IMDG

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-H

**Description** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

**RID** 

**UN-No:** UN1447

**Proper Shipping Name:** Barium perchlorate, solid

Hazard Class: 5.1

Product code: B1051 Product name: BARIUM 9 / 12

Subsidiary Risk: No information available

Packing Group:

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

**ICAO** 

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

**IATA** 

**UN-No:** UN1447

Proper Shipping Name: Barium perchlorate, solid

Hazard Class: 5.4

Subsidiary Risk: No information available

Packing Group: II 5P

Special Provisions No information available

**Description:** UN1447, Barium perchlorate, solid, 5.1 (6.1), II

## 15. REGULATORY INFORMATION

#### International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Barium Perchlorate, Anhydrous	13465-95-7	Present	Present KE-02082	Present	Present (1)-80	Present	Present	Present 236-710-4

## **U.S. Regulations**

Barium Perchlorate, Anhydrous

New Jersey RTK Hazardous Substance List: sn 0188

New Jersey (EHS) List: SN 2146 500 lb. TPQ (as barium compounds)

New Jersey - Discharge Prevention - List of Hazardous Substances: Present (as barium compounds)

Pennsylvania RTK - Environmental Hazard List Present (as barium compounds)

Pennsylvania RTK - Special Hazardous Substances Environmental hazard (as barium compounds)

Minnesota - Hazardous Substance List: Present (as barium soluble compounds)

California Directors List of Hazardous Substances: Present (as barium soluble compounds)

## California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

## Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Barium Perchlorate, Anhydrous	13465-95-7	Not Listed	Not Listed	Not Listed	Not Listed

#### CERCLA/SARA

ſ	Components	CAS-No.	CERCLA -	Section 302	Section 302	Section 313 -	Section 313 -
1	•		Hazardous	Extremely	Extremely	Chemical Category	Reporting
1			Substances and	Hazardous	Hazardous		de minimis
1			their Reportable	Substances	Substances and		
L			Quantities	and TPQs	RQs		

Product code: B1051 Product name: BARIUM 10 / 12

Barium Perchlorate,	13465-95-7	None	None	None	None	None
Anhydrous						

#### U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Barium Perchlorate, Anhydrous	13465-95-7	Not Applicable	Not Applicable

#### Canada

#### WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Barium Perchlorate, Anhydrous 13465-95-7 (100) WHMIS 2015 Hazard Classification

Oxidizing solids - Undefined: Oxidizing solids - undefined category (hazard class was established from consulted scientific literature but did not allow to specify hazard category); Specific target organ toxicity - Repeated exposure - Category 1: H372 Causes damage to organs through prolonged or repeated exposure. (due to lack of data, this classification was established by analogy to Sodium perchlorate)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

#### WHMIS 1988 Hazard Class

C Oxidizing materials D1B Toxic materials

**Components**Barium Perchlorate, Anhydrous

WHMIS 1988 C,D1B

#### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

## Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)	
Barium Perchlorate, Anhydrous	13465-95-7	Present	Not Listed	

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Barium Perchlorate, Anhydrous	13465-95-7	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Barium Perchlorate, Anhydrous	13465-95-7	Not listed

## **EU Classification**

#### EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Barium Perchlorate, Anhydrous	13465-95-7	Oxidizing solids - Ox. Sol. 1: H271
		May cause fire or explosion, strong
		oxidizer.; Acute toxicity - Oral - Acute
		Tox. 4: H302 Harmful if swallowed.
		(Minimum classification); Acute toxicity
		- Inhalation - Acute Tox. 4: H332

Product code: B1051 Product name: BARIUM 11 / 12

	Harmful if inhaled. (Minimum
	classification)017-007-00-X

#### EU - CLP (1272/2008)

## R-phrase(s)

R 9 - Explosive when mixed with combustible material.

R20/22 - Harmful by inhalation and if swallowed.

## S -phrase(s)

S 2 - Keep out of the reach of children.

S27 - Take off immediately all contaminated clothing.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Barium Perchlorate, Anhydrous		Xn; R20/22 O; R9	No information	S:(2)-27

The product is classified in accordance with Annex VI to Directive 67/548/EEC

## Indication of danger:

Xn - Harmful. O - Oxidising.





#### 16. OTHER INFORMATION

 Preparation Date:
 10/12/2016

 Revision Date:
 11/17/2017

Prepared by: Roumann Pangilinan

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: B1051 Product name: BARIUM 12 / 12
PERCHLORATE, ANHYDROUS