# spectrum®

Preparation Date: 11/29/2016



Revision Number: Not Applicable

## SAFETY DATA SHEET

Revision Date: Not Applicable

•	
	1. IDENTIFICATION
Product identifier	
Product code:	B1440
Product Name:	2-Bromoethyl Ethyl Ether
Other means of identification	
Synonyms:	1-Bromo-2-ethoxyethane
	1-Ethoxy-2-bromoethane
	2-Bromoethoxyethane
	2-Ethoxyethyl bromide
	Ethane, 1-bromo-2-ethoxy-
	Ether, 2-bromoethyl ethyl (8CI)
CAS #:	592-55-2
RTECS #	Not available
Cl#:	Not available
Recommended use of the chem	nical and restrictions on use
Recommended use:	For manufacturing or laboratory use only.
Uses advised against	Not for food or drug use.
Supplier:	Spectrum Chemical Mfg. Corp
<b>++</b>	14422 South San Pedro St.
	Gardena, CA 90248
	(310) 516-8000.
Order Online At:	https://www.spectrumchemical.com
Emergency telephone number	Chemtrec 1-800-424-9300
Contact Person:	Martin LaBenz (West Coast)
Contact Person:	Ibad Tirmiz (East Coast)
	· · ·

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

#### Label elements

Danger

Hazard statements Causes skin irritation Causes serious eye irritation May cause respiratory irritation Highly flammable liquid and vapor



#### Hazards not otherwise classified (HNOC) Not Applicable

Other hazards Not available

#### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ .? /equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves Wear eye/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Keep container tightly closed Keep cool

#### **Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell IN CASE OF FIRE: Use dry chemical, water spray, alcohol-resistant foam or CO2 to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
2-Bromoethyl Ethyl Ether	592-55-2	100

#### 4. FIRST AID MEASURES

First aid measures

**General Advice:** 

National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call

Product code: B1440

	1-800-222-1222.	
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.	
Eye Contact:	Flush eyes with water for 15 minutes. Get medical attention.	
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Obtain medical attention.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Causes skin irritation. Causes serious eye irritation. Irritating to respiratory system.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician: Treat symptomatically.

#### Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

#### **5. FIRE-FIGHTING MEASURES**

## Extinguishing Media

Suitable Extinguishing Media:	Dry chemical. Carbon dioxide (CO2). Water spray, mist, or foam.
Unsuitable Extinguishing Media:	Do not use a solid (straight) water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	
Hazardous Combustion Products:	Carbon Oxides. Hydrogen Bromide Gas. Halogenated Compounds.
Specific hazards:	Highly flammable May be ignited by heat, sparks or flames Vapor may travel considerable distance to source of ignition and flash back Vapors may form explosive mixtures with air Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks) Container explosion may occur under fire conditions or when heated Fire may produce irritating and/or toxic gases
Special Protective Actions for Firefighters	
Specific Methods:	Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for conta	inment and cleaning up
Methods for containment	Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

#### Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharges. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

#### Technical Measures/Storage Conditions:

Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Heat sensitive. Freeze. Store at -20 °C (-25 °C to -10 °C). Store under inert gas. Packed under Argon.

## Incompatible Materials:

Strong oxidizing agents Strong bases

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

#### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
2-Bromoethyl Ethyl Ether	592-55-2	None	None	None	None

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
2-Bromoethyl Ethyl Ether	592-55-2	None	None	None	None

#### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
2-Bromoethyl Ethyl Ether	592-55-2	None	None

#### Appropriate engineering controls

#### Engineering measures to reduce exposure:

Ensure adequate ventilation, especially in confined areas. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

#### Individual protection measures, such as personal protective equipment

#### **Personal Protective Equipment**

Eye protection:	Goggles
Skin and body protection:	Gloves. Long sleeved clothing. Chemical resistant apron.
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Appearance:	<b>Color:</b>
Liquid	Clear.	Colorless to pale yellow.
<b>Odor:</b>	<b>Taste</b>	<b>Formula:</b>
No information available.	No information available.	C4H9BrO
Molecular/Formula weight: 153.02	Flammability: Highly Flammable	<b>Flashpoint (°C/°F):</b> 21°C (70°F)
Flash Point Tested according to:	Autoignition Temperature (°C/°F):	Lower Explosion Limit (%):
Closed cup	No information available	No information available
<b>Upper Explosion Limit (%):</b>	Melting point/range(°C/°F):	<b>Decomposition temperature(°C/°F):</b>
No information available	No information available	No information available
Boiling point/range(°C/°F):	Bulk density:	<b>Density (g/cm3):</b>
126°C (259°F)	No information available	1.357
Specific gravity:		
Product code: B1440	Product name: 2-Bromoethyl Ethyl	5/11

Ether

No information available

**Evaporation rate:** No information available

Odor threshold (ppm): No information available

Miscibility: Not miscible with water **pH:** No information available

Vapor density: No information available

Partition coefficient (n-octanol/water): No information available

**Solubility:** No information available Vapor pressure @ 20°C (kPa): No information available

**VOC content (g/L):** No information available

Viscosity: No information available

## 10. STABILITY AND REACTIVITY

<u>Reactivity</u> Reactive with oxidizing agents

Chemical stability	
Stability:	Heat sensitive. Stable under recommended storage conditions.
Possibility of Hazardous Reactions	: Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Incompatible materials.
Incompatible Materials:	Strong oxidizing agents Strong bases
Hazardous decomposition products:	Carbon oxides. Hydrogen bromide gas. Halogenated compounds.

 Other Information

 Corrosivity:
 No information available

Special Remarks on Corrosivity: No information available

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Skin. Eyes. Ingestion. Inhalation.

#### Acute Toxicity

#### **Component Information**

2-Bromoethyl Ethyl Eth	n and a second se	
CAS-No.	592-55-2	
LD50/oral/rat = 1	lo information available	
LD50/oral/mouse	= No information available	
LD50/dermal/rab	bit = No information available	
LD50/dermal/rat	<ul> <li>No information available</li> </ul>	
LC50/inhalation/	at = No information available	
LC50/inhalation/	nouse = No infomation available	
Other LD50 or LO	C50information = No information available	

#### **Product Information**

LD50/oral/rat =	
VALUE- Acute Tox Oral =	No information available

LD50/oral/mouse = Value - Acute Tox Oral = No information available

LD50/dermal/rabbit VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse VALUE-Vapor = No information available VALUE - Gas = No information available VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:	Causes skin irritation.
Eye Contact:	Causes eye irritation.
Inhalation	Irritating to respiratory system. Symptoms may include coughing and wheezing. Other symptoms may include sore throat, chest tightness, coughing.
Ingestion	Health injuries are not known or expected under normal use.
Aspiration hazard	No information available.
Delayed and immediate effects a	s well as chronic effects from short and long-term exposure
Chronic Toxicity	No information available.
Sensitization:	No information available.
Mutagenic Effects:	No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
2-Bromoethyl Ethyl Ether	592-55-2	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Product code: B1440

Reproductive toxicity	No data is available
Reproductive Effects:	No information available
Developmental Effects:	No information available
Teratogenic Effects:	No information available

Specific Target Organ Toxicity

STOT - single exposure	Respiratory system.
STOT - repeated exposure	No information available.
Target Organs:	No information available.

#### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Ecotoxicity effects:	No data available.
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility:	No information available.

#### **13. DISPOSAL CONSIDERATIONS**

#### Disposal Methods

#### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

#### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
2-Bromoethyl Ethyl Ether	592-55-2	None	None	None	None

#### 14. TRANSPORT INFORMATION

DOT

UN2340
2-Bromoethyl ethyl ether
3
No information available
ll
130
No data available
No information available
IB2, T4, TP1
No information available
UN2340, 2-Bromoethyl ethyl ether, 3, II

TDG (Canada) UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant Description:	UN2340 2-Bromoethyl ethyl ether 3 3 II No Information available UN2340, 2-Bromoethyl ethyl ether, 3, II
ADR UN-No: Proper Shipping Name: Hazard Class: Packing Group: Subsidiary Risk: Description:	UN2340 2-Bromoethyl ethyl ether 3 II 3 UN2340, 2-Bromoethyl ethyl ether, 3, II
IMO / IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS: Description	UN2340 Butyl mercaptan 2-Bromoethyl ethyl ether 3 3 II No information available F-E UN2340, 2-Bromoethyl ethyl ether, 3, II
RID UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description:	UN2340 2-Bromoethyl ethyl ether 3 3 II UN2340, 2-Bromoethyl ethyl ether, 3, II
ICAO UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description:	UN2340 2-Bromoethyl ethyl ether 3 3 II UN2340, 2-Bromoethyl ethyl ether, 3, II
IATA UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: ERG Code: Special Provisions Description:	UN2340 2-Bromoethyl ethyl ether 3 3 II 3L No information available UN2340, 2-Bromoethyl ethyl ether, 3, II

### **15. REGULATORY INFORMATION**

#### **International Inventories**

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
2-Bromoethyl Ethyl Ether	592-55-2	Present	Not present	Present	Not present	Not present	Not present	Present 209-763-6

#### **U.S. Regulations**

2-Bromoethyl Ethyl Ether

New Jersey RTK Hazardous Substance List: 0261

#### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

<u>Chemicals Known to the State of California to Cause Cancer:</u> This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen		Reproductive	Female Reproductive
				Toxicity	Toxicity:
2-Bromoethyl Ethyl Ether	592-55-2	Not Listed	Not Listed	Not Listed	Not Listed

#### CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
2-Bromoethyl Ethyl Ether	592-55-2	None	None	None	None	None

#### **U.S. TSCA**

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	
2-Bromoethyl Ethyl Ether	592-55-2	Not Applicable	Not Applicable

#### Canada

#### WHMIS hazard class:

B2 Flammable liquid D2B Toxic materials

#### Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

#### Inventory

2-Bromoethyl Ethyl Ether 592-55-2 Not Listed Present	Components	CAS-No.	Canada (DSL)	Canada (NDSL)
		592-55-2	Not Listed	Present

Components	CAS-No.	CEPA Schedule I - Toxic Substances
2-Bromoethyl Ethyl Ether	592-55-2	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
2-Bromoethyl Ethyl Ether	592-55-2	Not listed

#### **EU Classification**

#### R-phrase(s)

R11 - Highly flammable. R36/37/38 - Irritating to eyes, respiratory system and skin.

#### S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 - Wear suitable gloves.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
2-Bromoethyl Ethyl Ether	592-55-2		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

#### Indication of danger:

F - Highly flammable.

Xi - Irritant.



#### **16. OTHER INFORMATION**

Preparation Date:	11/29/2016
Revision Date:	Not Applicable
Prepared by:	Roumann Pangilinan

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

#### End of Safety Data Sheet