



SAFETY DATA SHEET

Preparation Date: 10/14/2016 Revision Date: Not Applicable Revision Number: Not Applicable

1. IDENTIFICATION

Product identifier

Product code: B1655

Product Name: BUCHU LEAF OIL

Other means of identification

Synonyms: BUCCHU BETULINA OIL

BUCCHU CRENULATA OIL

CAS #: 68650-46-4
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: For manufacturing or laboratory use only.

Uses advised against Not for food or drug use.

Supplier: Spectrum Chemical Mfg. Corp 14422 South San Pedro St.

Gardena, CA 90248

(310) 516-8000.

Order Online At: https://www.spectrumchemical.com
Chemtrec 1-800-424-9300

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Label elements

Danger

Hazard statements

Harmful if swallowed

May cause an allergic skin reaction

May be fatal if swallowed and enters airways

Combustible liquid

Product code: B1655 Product name: BUCHU LEAF OIL 1 / 11



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear eye/face protection Wear protective gloves

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IN CASE OF FIRE: Use dry chemical, water spray, alcohol-resistant foam or CO2 to extinguish.

IF ON SKIN: Wash with plenty of water Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention IF SWALLOWED: Rinse mouth, DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Buchu Leaf Oil	68650-46-4	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

Product code: B1655 Product name: BUCHU LEAF OIL 2 / 11

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Causes sensitization. May cause sensitization by skin contact. May

cause an allergic skin reaction. May be fatal if swallowed and enters airways. Aspiration

hazard if swallowed - can enter the lungs and cause damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Water spray, mist, or

foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: Combustible material

May be ignited by heat, sparks or flames

Container explosion may occur under fire conditions or

when heated

Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers,

basements, tanks)

Special Protective Actions for Firefighters

Specific Methods: For larger fires, use water spray or fog. Cool containers

with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the

material.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: B1655 Product name: BUCHU LEAF OIL 3 / 11

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the

product must be grounded. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containmentAbsorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large

spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning upUse appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Use only non-sparking tools. Clean contaminated surface

thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Keep away from sources of ignition - no smoking. Handle in accordance with good industrial hygiene and safety practice. Do not ingest.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Buchu Leaf Oil	68650-46-4	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Buchu Leaf Oil	68650-46-4	None	None	None	None

Product code: B1655 Product name: BUCHU LEAF OIL 4/11

Australia and Mexico

Components	CAS-No.	Australia	Mexico	
Buchu Leaf Oil	68650-46-4	None	None	

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation, especially in confined areas.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below

their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Gloves. Long sleeved clothing. Chemical resistant apron.

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

Formula:

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid No information available. Yellow to brownish-yellow.

Odor: Taste

Strong sweet aroma. No information available. No information available

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):No information availableNo information available67°C (153°F)

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available No information available No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

No information available No information available 0.922

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.89 - 0. 951 @25°C No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

No information available

Miscibility: Solubility:

0.893 - 0.954 @20°C

No information available Practically insoluble in water

Product code: B1655 Product name: BUCHU LEAF OIL 5 / 11

10. STABILITY AND REACTIVITY

Reactivity

Reactive with strong oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Strong oxidizing agents

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion. Inhalation.

Acute Toxicity

Component Information

Buchu Leaf Oil

CAS-No. 68650-46-4

LD50/oral/rat = No information available

LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LD30/definal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

Product code: B1655 Product name: BUCHU LEAF OIL 6 / 11

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. May cause sensitization by skin contact. May cause

allergic skin reaction.

Eye Contact: May cause eye irritation.

Inhalation Inhalation of high concentrations may cause central nervous system effects

characterized by headache, dizziness, loss of coordination, drowsiness, lightheadness, narcosis, unconciousness, coma. May cause central nervous

system effects, central nervous system depression.

Ingestion Harmful if swallowed. May cause digestive (gastointestinal) tract irritation. May

cause digestive (gastrointestinal) tract burns. Aspiration hazard if swallowed. Aspiration may lead to pulmonary edema. Aspiration into the lungs can cause

chemical pneumonitis.

Aspiration hazard May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Buchu Leaf Oil	68650-46-4	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available Developmental Effects: No information available Teratogenic Effects: No information available

Product code: B1655 Product name: BUCHU LEAF OIL 7/11

Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure Target Organs: No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series	RCRA - K Series	RCRA - P Series	RCRA - U Series
		Wastes	Wastes	Wastes	Wastes
Buchu Leaf Oil	68650-46-4	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Class
Packing group:
No information available

Number

Marine Pollutant
DOT RQ (lbs):
Special Provisions
Symbol(s):
Description:
No data available
No information available
No information available
No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

Product code: B1655 Product name: BUCHU LEAF OIL 8 / 11

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Buchu Leaf Oil	68650-46-4	Present	Present KE-26842	Present	Not present	Present	Present	Not present

U.S. Regulations

Buchu Leaf Oil

FDA - 21 CFR - Total Food Additives 172.510

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive

Product code: B1655 Product name: BUCHU LEAF OIL 9 / 11

				Toxicity	Toxicity:
Buchu Leaf Oil	68650-46-4	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Buchu Leaf Oil	68650-46-4	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Buchu Leaf Oil	68650-46-4	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

B3 Combustible liquid D2B Toxic materials

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Buchu Leaf Oil	68650-46-4	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Buchu Leaf Oil	68650-46-4	Not listed
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Buchu Leaf Oil	68650-46-4	Not listed

EU Classification

R-phrase(s)

R43 - May cause sensitization by skin contact.

R65 - Also harmful: may cause lung damage if swallowed

S -phrase(s)

S24 - Avoid contact with skin.

S37 - Wear suitable gloves.

S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Components	CAS-No.	Concentration Limits:	Safety Phrases
Buchu Leaf Oil	68650-46-4	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xn - Harmful. Xi - Irritant.

Product code: B1655 Product name: BUCHU LEAF OIL 10 / 11





16. OTHER INFORMATION

Preparation Date: 10/14/2016
Revision Date: Not Applicable
Prepared by: Roumann Pangilinan

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: B1655 Product name: BUCHU LEAF OIL 11 / 11