



# SAFETY DATA SHEET

Preparation Date: 9/16/2015 Revision Date: 9/16/2015 Revision Number: G1

1. IDENTIFICATION

**Product identifier** 

Product code: C1199

Product Name: CERIC AMMONIUM NITRATE, CP

Other means of identification

**Synonyms:** Ammonium hexanitratocerate(IV)

Diammonium Hexanitratocerate Ammonium Cerium (IV) NItrate

CAS #: 16774-21-3
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use:
Uses advised against
No information available.
No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation                        | Category 2  |
|--|-------------|
| Serious eye damage/eye irritation                | Category 2A |
| Specific target organ toxicity (single exposure) | Category 3  |
| Oxidizing solids                                 | Category 3  |

#### Label elements

Product code: C1199

Product name: CERIC AMMONIUM 1 / 12

#### Warning

#### Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation
May intensify fire; oxidizer



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Not available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep/Store away from clothing/ .? /combustible materials Take any precaution to avoid mixing with combustibles .? Wear protective gloves Wear eye/face protection

### **Precautionary Statements - Response**

Specific treatment (see .? on this label)

IN CASE OF FIRE: Use water to extinguish. Do not use dry chemicals or foams. CO₂or Halon may provide limited control.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product code: C1199 Product name: CERIC AMMONIUM 2 / 12

| 3. COMPOSITION/INFORMATION ON INGREDIENTS |            |     |   |  |  |  |
|---|------------|-----|---|--|--|--|
| Components CAS-No. Weight % Trade Secret  |            |     |   |  |  |  |
| Ceric Ammonium Nitrate                    | 16774-21-3 | 100 | * |  |  |  |
| 16774-21-3                                |            |     |   |  |  |  |

# 4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eye with water for 15 minutes. Get medical attention. If symptoms persist, call a

physician.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation. Causes serious eye irritation. Symptoms may include redness, itching,

and pain of the skin and eyes. Irritating to respiratory system. Causes digestive

(gastrointestinal) tract irritation. May cause abdominal pain, nausea, vomiting, diarrhea. May cause methemoglobinemia and cyanosis. May affect the cardiovascular system. May cause

central nervous system effects.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Water. CO2 may be of no value in extinguishing fires

involving oxidizers and may only provide limited control.

Unsuitable Extinguishing Media: Dry chemical. Foam. Halons.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: Oxidizer. Keep away from combustible materials (wood,

paper, oil, clothing, etc.)

The product is not flammable, but it may cause fire when in

contact with other material

Contact with combustible or organic materials may cause

fire

Will accelerate burning when involved in a fire

Container explosion may occur under fire conditions or when

heated

Product code: C1199 Product name: CERIC AMMONIUM 3/12

# **Special Protective Actions for Firefighters**

**Specific Methods:** For large fires, flood fire area with water from a distance.

Cool affected containers with flooding quantities of water. Do not get water inside containers. DO NOT use combustible

materials such as sawdust.

Special Protective Equipment for Firefighters: As in any

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Keep combustibles (wood, paper, oil, clothing, etc.) away from spilled material.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

#### Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

**Methods for cleaning up**Sweep up and shovel into suitable containers for disposal. Do not use combustible

materials such as paper towels, sawdust, clothing, etc. to clean up spill. Clean

contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

#### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice. Keep away from combustible material.

# Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Do not store near combustible materials. Store in a segrated and approved area. Deliquescent.

## **Incompatible Materials:**

Reducing agents. Organic materials. Combustible materials. Aluminum.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

## National occupational exposure limits

Product code: C1199 Product name: CERIC AMMONIUM 4 / 12

#### **United States**

| Components             | OSHA | NIOSH | ACGIH | AIHA WHEEL |
|------------------------|------|-------|-------|------------|
| Ceric Ammonium Nitrate | None | None  | None  | None       |
| 16774-21-3             |      |       |       |            |

#### Canada

| Components             | Alberta | British Columbia | Ontario | Quebec |
|------------------------|---------|------------------|---------|--------|
| Ceric Ammonium Nitrate | None    | None             | None    | None   |
| 16774-21-3             |         |                  |         |        |

#### **Australia and Mexico**

| Components             | Australia | Mexico |
|------------------------|-----------|--------|
| Ceric Ammonium Nitrate | None      | None   |
| 16774-21-3             |           |        |

# **Appropriate engineering controls**

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures, local

exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure

limit.

# Individual protection measures, such as personal protective equipment

### **Personal Protective Equipment**

**Eye protection:** Safety glasses with side-shields or Goggles

Skin and body protection: Chemical resistant apron. Gloves. Long sleeved clothing.

**Respiratory protection:** Effective dust mask. or. Wear respirator with dust filter.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Product code: C1199 Product name: CERIC AMMONIUM 5 / 12

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance:

Solid. Crystals. Yellow. Yellow-orange.

Odor: **Taste** Molecular/Formula weight:

No information available 548.22 Odorless.

Formula: Flammability: Flash point (°C):

(NH4)2Ce(NO3)6 No information available No data available

Flashpoint (°C/°F): Flash Point Tested according to: **Autoignition Temperature (°C/°F):** No information available

No information available. Closed cup

**Lower Explosion Limit (%): Upper Explosion Limit (%):** :Ha

No information available No information available No information available

Melting point/range(°C/°F): Boiling point/range(°C/°F): **Bulk density:** 

107-108°C/224/6-226.4°F No information available No information available

Specific gravity: Decomposition temperature(°C/°F): Density (g/cm3):

>87°C/>188.6°F No information available No information available

Vapor pressure @ 20°C (kPa): **Evaporation rate:** Vapor density:

No information available No information available No information available

VOC content (g/L): Partition coefficient Odor threshold (ppm): No information available No information available (n-octanol/water):

No information available

Viscosity: Miscibility: Solubility:

No information available No information available Easily soluble in cold water

Easily soluble in hot water Soluble in dilute acids

Solubility in Water: 141 g/100 ml water

@25 deg. C

# 10. STABILITY AND REACTIVITY

#### Reactivity

Slowly decomposes to ceric oxide at temperatures above 87 deg. C

Also incompatible with powdered aluminum, boron phosphide, cyanides, esters, phospham, phosphorus, sodium cyanide, sodium hypophosphite, stannous chloride, thiocyantes

**Chemical stability** 

Stability: Stable under recommended storage conditions

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur

Heat. Ignition sources. Incompatible materials. Conditions to avoid:

Reducing agents. Organic materials. Combustible materials. Aluminum. **Incompatible Materials:** 

Hazardous decomposition products: No information available

Other Information

No information available **Corrosivity:** 

Special Remarks on Corrosivity: No information available

Product code: C1199 Product name: CERIC AMMONIUM 6/12

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Ingestion. Inhalation. Skin.

# **Acute Toxicity**

#### **Component Information**

Ceric Ammonium Nitrate - 16774-21-3

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

**LC50/inhalation/rat** = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available

**VALUE-Gas** = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Causes skin irritation. Symptoms may include redness, itching and pain.

**Eye Contact:** Causes serious eye irritation. Symptoms may include redness, itching and pain.

**Inhalation** Irritating to respiratory system. Symptoms may include coughing and shortness of

breath.

Product code: C1199 Product name: CERIC AMMONIUM 7 / 12

**Ingestion** Ingestion of large doses of nitrates causes gastrointestinal tract irritation with nausea,

vomiting, abdominal cramps, diarrhea (possibly bloody, from gastrointestinal hemorrhage). Under some circumstances, when the nitrate is converted by bacteria in the stomach to nitrite, it may also cause methemoglobinemia, cyanosis (a bluish discoloration of the skin due to deficient oxygenation of the blood), convulsions and

death. Methemoglobinemia is characterized by dizziness, weakness, fatigue, convulsions (seizures), drowsiness, headache, shortness of breath, cyanosis, rapid heart rate (tachycardia) or slow heart rate (bradycardia), hypotension, chocolate

brown colored blood, unconciousness..

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

| Components             | IARC       | ACGIH -<br>Carcinogens | NTP        | OSHA HCS -<br>Carcinogens | Australia - Prohibited<br>Carcinogenic | Australia - Notifiable<br>Carcinogenic |
|------------------------|------------|------------------------|------------|---------------------------|--|--|
|                        |            |                        |            |                           | Substances                             | Substances                             |
| Ceric Ammonium Nitrate | Not listed | Not listed             | Not listed | Not listed                | Not listed                             | Not listed                             |

Reproductive toxicity No data is available

Reproductive Effects:

Developmental Effects:

Teratogenic Effects:

No information available
No information available

**Specific Target Organ Toxicity** 

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available
No information available

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

**Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

**Mobility:** No information available

Product code: C1199 Product name: CERIC AMMONIUM 8 / 12

## 13. DISPOSAL CONSIDERATIONS

# **Disposal Methods**

# Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

# Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

| Components             | RCRA - F Series<br>Wastes | RCRA - K Series<br>Wastes | RCRA - P<br>Series<br>Wastes | RCRA - U Series Wastes |
|------------------------|---------------------------|---------------------------|------------------------------|------------------------|
| Ceric Ammonium Nitrate | None                      | None                      | None                         | None                   |

# 14. TRANSPORT INFORMATION

DOT

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s. (cerric ammonium nitrate)

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

**ERG No:** 140

Marine Pollutant

DOT RQ (lbs):

No data available

No information available

Symbol(s):

TDG (Canada)

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

**Description:** No information available

**ADR** 

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5. Packing Group:

Subsidiary Risk:
Classification Code:
Description:
No information available
No information available
No information available
No information available

IMO / IMDG

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

Description:No information availableIMDG Page:No information availableMarine PollutantNo information available

EMS: F-A

Product code: C1199 Product name: CERIC AMMONIUM 9 / 12

# 14. TRANSPORT INFORMATION

MFAG: No information available Maximum Quantity: No information available

**RID** 

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

Classification Code: No information available Description: No information available

**ICAO** 

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group:

**Description:** No information available

**IATA** 

**UN-No:** UN1477

**Proper Shipping Name:** Nitrates, inorganic, n.o.s.

Hazard Class: 5.1

Subsidiary Risk: No information available

Packing Group: II ERG Code: 5L

**Description:** No information available

#### 15. REGULATORY INFORMATION

### International Inventories

| Components             | U.S. TSCA | KOREA KECL           | Philippines (PICCS) | Japan ENCS          | CHINA   | Australia<br>(AICS) | EINECS-No.        |
|------------------------|-----------|----------------------|---------------------|---------------------|---------|---------------------|-------------------|
| Ceric Ammonium Nitrate | Present   | Present KE-<br>09797 | Present             | Present (1)-<br>626 | Present | Present             | Present 240-827-6 |

# **U.S. Regulations**

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

| Components             | Carcinogen |            |            | Female Reproductive Toxicity: |
|------------------------|------------|------------|------------|-------------------------------|
| Ceric Ammonium Nitrate | Not Listed | Not Listed | Not Listed | Not Listed                    |

#### **CERCLA/SARA**

Product code: C1199 Product name: CERIC AMMONIUM 10 / 12

|                        | CERCLA - Hazardous<br>Substances and their | Section 302 Extremely<br>Hazardous | Section 302 Extremely<br>Hazardous | Section 313 -<br>Chemical Category | Section 313 - Reporting de minimis |
|------------------------|--|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
|                        | Reportable Quantities                      | Substances and TPQs                | Substances and RQs                 |                                    |                                    |
| Ceric Ammonium Nitrate | None                                       | None                               | None                               | None                               | None                               |

## U.S. TSCA

| <u>-</u>               | TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS) | TSCA 8(d) -Health and Safety Reporting |
|------------------------|---|--|
| Ceric Ammonium Nitrate | Not Applicable  | Not Applicable                         |

#### Canada

#### WHMIS hazard class:

C Oxidizing materials

#### **Ceric Ammonium Nitrate**

С

#### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

#### Inventory

| Components             | Canada (DSL) | Canada (NDSL) |
|------------------------|--------------|---------------|
| Ceric Ammonium Nitrate | Present      | Not Listed    |

| Components             | CEPA Schedule I - Toxic Substances | CEPA - 2010 Greenhouse Gases Subject to Manditor |  |
|------------------------|------------------------------------|--|--|
|                        |                                    | Reporting  |  |
| Ceric Ammonium Nitrate | Not listed                         | Not listed                                       |  |

#### **EU Classification**

## R-phrase(s)

R 8 - Contact with combustible material may cause fire.

R36/37/38 - Irritating to eyes, respiratory system and skin.

### S -phrase(s)

S17 - Keep away from combustible material.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 - Wear suitable gloves and eye/face protection.

| Components             | Classification | Concentration Limits: | Safety Phrases |
|------------------------|----------------|-----------------------|----------------|
| Ceric Ammonium Nitrate |                | No information        |                |

## The product is classified in accordance with Annex VI to Directive 67/548/EEC

## Indication of danger:

O - Oxidising.

Xi - Irritant.

Product code: C1199 Product name: CERIC AMMONIUM 11 / 12





# 16. OTHER INFORMATION

Preparation Date:9/16/2015Revision Date:9/16/2015Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: C1199 Product name: CERIC AMMONIUM 12 / 12