



# **SAFETY DATA SHEET**

Preparation Date: 4/20/2015 Product identifier	<b>Revision Date:</b> 4/20/2015	Revision Number: G1
Product code:	C1221	
Product Name:	CHARCOAL, COCONUT, ACTIVATED, 8-30 ME	SH
Other means of identification		
Synonyms:	No information available	
CAS #:	7440-44-0	
RTECS #	FF5250100	
CI#:	Not available	
Recommended use of the cher	nical and restrictions on use	
Recommended use:	No information available.	
Uses advised against	No information available	
Supplier:	Spectrum Chemicals and Laboratory Products, Ir 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000	nc.
Order Online At:	https://www.spectrumchemical.com	
Emergency telephone number	Chemtrec 1-800-424-9300	
Contact Person:	Martin LaBenz (West Coast)	
Contact Person:	Ibad Tirmiz (East Coast)	
	2. HAZARDS IDENTIFICATION	
Classification		
This chemical is not considered haza	ardous by the 2012 OSHA Hazard Communication Standard	d (29 CFR 1910.1200)
Not a dangerous substance or mixtu	re according to the Globally Harmonized System (GHS)	•
Label elements		
Not classified		

Hazards not otherwise classified (HNOC)
Not Applicable

Other hazards

Not available

Product code: C1221

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Charcoal activated	7440-44-0	100	*
7440-44-0			

# 4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention if irritation develops.

Eye Contact: Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give

oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use. If very large amounts are

ingested, it may cause vomiting, decreased gastrointestinal transit time, gastrointestinal

obstruction, constipation, intestinal perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing Media**

Suitable Extinguishing Media: It is non-combustible under normal circumstances and

difficult to ignite. However, once ignited, the fire generally burns slowly (smolders) with a dull glow and without producing smoke or flame. Extinguish the fire using water

fog, fine water spray, carbon dioxide or foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Product code: C1221 Product name: CHARCOAL, COCONUT, ACTIVATED, 8-30 MESH

Specific hazards: Activated carbons have a high surface area which may

cause self-heating during oxidation. An adequate air gap between packages of activated carbon is recommended to

reduce the risk of propagattion of the event

**Special Protective Actions for Firefighters** 

Specific Methods: No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes

and clothing. Remove all sources of ignition.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

#### Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

# Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

#### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

# **Incompatible Materials:**

Strong oxidizing agents. Strong acids.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

# **National occupational exposure limits**

U.S Occupational Exposure Limits: Not determined

**United States** 

Components OSHA	NIOSH	ACGIH	AIHA WHEEL	
-----------------	-------	-------	------------	--

Product code: C1221 Product name: CHARCOAL, 3 / 11
COCONUT, ACTIVATED, 8-30 MESH

	None	None	None	None
Charcoal activated - 7440-44-0				

#### Canada

Canada Occupational Exposure Limits: Not determined

Components	Alberta	British Columbia	Ontario	Quebec
	None	None	None	None
Charcoal activated - 7440-44-0				

#### **Australia and Mexico**

Occupational Exposure Limits for Australia and Mexico: Not determined

Components	Australia	Mexico
Charcoal activated	None	2 mg/m³ TWA
7440-44-0		

# Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure

limit.

# Individual protection measures, such as personal protective equipment

#### **Personal Protective Equipment**

Product code: C1221

Safety glasses with side-shields. Goggles. Eye protection:

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Wear respirator with dust filter.. Respiratory protection:

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Solid. Granular. Black.

Odor: **Taste** Molecular/Formula weight:

No information available Odorless. 12.01

Formula: Flash point (°C): Flashpoint (°C/°F): No data available No information available. C

Flash Point Tested according to: Lower Explosion Limit (%): **Upper Explosion Limit (%):** 

Not available No information available No information available

Autoignition Temperature (°C/°F): :Ha Melting point/range(°C/°F):

No information available No information available 3500°C/6332°F

Boiling point/range(°C/°F): Decomposition temperature(°C/°F): **Bulk density:** 

No information available No information available No information available

Specific gravity: Vapor pressure @ 20°C (kPa): Density (g/cm3):

No information available No information available 3.51

VOC content (g/L): **Evaporation rate:** Vapor density: No information available No information available No information available

Partition coefficient Odor threshold (ppm): Viscosity:

No information available No information available (n-octanol/water):

No information available

Miscibility: Solubility:

No information available Insoluble in water

# 10. STABILITY AND REACTIVITY

#### Reactivity

Reactive with oxidizing agents

Reactive with strong acids

Contact with strong oxidizers such as ozone, liquid oxygen, chlorine, chlorine trifluoride, ammonium nitrate, ammonium perchlorate, potassium perioxide, permanganate may result in rapid combustion

At high temperature, a mixture of mercurous nitrate and carbon decomposes explosively

lodine pentoxide reacts explosively when warmed with carbon

A combination of finely divided carbon with finely divided bromates (also chlorates, or iodates) of barium, calcium, magnesium, potassium, sodium or zinc will explode wity heat, percussion, and sometimes light friction

Pulverized carbon reacts violently with nitric acid Zinc nitrate explodes when sprinkled on hot carbon

Lead nitrate reacts with brilliant sparks when projected on red-hot carbon

Chemical stability

Stability: Stable under recommended storage conditions

Hazardous polymerization does not occur **Possibility of Hazardous Reactions:** 

Heat. Incompatible materials. Conditions to avoid:

**Incompatible Materials:** Strong oxidizing agents. Strong acids.

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Other Information

No information available Corrosivity:

Product code: C1221 5/11 Product name: CHARCOAL,

COCONUT, ACTIVATED, 8-30 MESH

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

# **Principal Routes of Exposure:**

Ingestion. Skin.

#### **Acute Toxicity**

# **Component Information**

Charcoal activated - 7440-44-0

LD50/oral/rat = >10000 mg/kg Oral LD50 Rat

**LD50/oral/mouse** = >5000 mg/kg

**LD50/dermal/rabbit** = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = >5000 mg/kg LD50 Oral Dog

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = >10000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = >5000 mg/kg

LD50/dermal/rabbit

**VALUE-Acute Tox Dermal =** No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available

**VALUE-Gas** = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

Product code: C1221

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Not likely to cause skin irritation.

**Eye Contact:** Not likely to cause eye irritation.

**Inhalation** No irritation is expected to be associated with inhalation of this material. Not

expected to be an inhalation hazard.

Ingestion May cause vomiting, decreased gastrointestinal transit time, gastrointestinal

obstruction, constipation, intestinal perforation.

Product name: CHARCOAL, COCONUT, ACTIVATED, 8-30 MESH **Aspiration hazard** No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** No information available

Sensitization: No information available

**Mutagenic Effects:** No information available

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic	Australia - Notifiable Carcinogenic
					Substances	Substances
Charcoal activated	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

**Reproductive Effects:** No information available **Developmental Effects:** No information available No information available **Teratogenic Effects:** 

**Specific Target Organ Toxicity** 

No information available STOT - single exposure STOT - repeated exposure No information available **Target Organs:** No information available

### 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

**Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

**Mobility:** No information available

# 13. DISPOSAL CONSIDERATIONS

# **Disposal Methods**

# Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

#### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Product code: C1221 Product name: CHARCOAL, 7/11

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Charcoal activated	None	None	None	None

# 14. TRANSPORT INFORMATION

DOT

**UN-No:** Not a DOT controlled material (United States).

Removed DOT regulation on 3/20/09. This carbon is steam activated. The following

is an explanation for removing the DOT regulation

While you will find an entry for "Carbon, activated" in Table 172.101 of 49 CFR Hazardous Materials Regulations, that does not apply to ALL types of activated carbon. Under 173.124(b)(2) of 49 CFR you will find the definition of a self-heating material and a reference to the tests used for classification. NORIT lignite and bituminous based carbons consistently pass this test and therefore do not have to be classified as a Hazardous Material. There are basically two types of processes used in the manufacturing of activated carbon. One is called chemical activation and the other is called steam activation. While this is not addressed in 49 CFR the industry has determined that products made through steam activation will consistently pass the self-heating tests. Products made under the chemical activation process will not pass this test and therefore must be classified as hazardous. Interestingly, the International Maritime Dangerous Goods (IMDG) Code does reference the

differences in production processes that CFR 49 ignores No information available

Hazard Class: No information available

Subsidiary Risk: Not applicable

Packing Group: None

**Proper Shipping Name:** 

ERG No: No information available

Marine Pollutant No data available

**DOT RQ (lbs):** No information available

TDG (Canada)

**UN-No:** Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

**ADR** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
Classification Code:
Description:
No information available

**IMO / IMDG** 

Product code: C1221

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

Product name: CHARCOAL, COCONUT, ACTIVATED, 8-30 MESH

# 14. TRANSPORT INFORMATION

IMDG Page:No information availableMarine PollutantNo information availableMFAG:No information availableMaximum Quantity:No information available

**RID** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available

**ICAO** 

**UN-No:** Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

**IATA** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

# 15. REGULATORY INFORMATION

#### International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Charcoal activated	Present	Present KE- 04671	Present	Not present	Present	Present	Present 231-153-3

#### **U.S. Regulations**

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

# Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen			Female Reproductive Toxicity:
Charcoal activated	Not Listed	Not Listed	Not Listed	Not Listed

#### CERCLA/SARA

Product code: C1221 Product name: CHARCOAL, 9 / 11

COCONUT, ACTIVATED, 8-30 MESH

•		Section 302 Extremely			Section 313 - Reporting
	Substances and their		Hazardous	Chemical Category	de minimis
	Reportable Quantities	Substances and TPQs	Substances and RQs		
Charcoal activated	None	None	None	None	None

# U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Charcoal activated	Not Applicable	Not Applicable

# Canada

#### WHMIS hazard class:

Non-controlled

#### **Charcoal activated**

Uncontrolled product according to WHMIS classification criteria

# **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

# Inventory

Components	Canada (DSL)	Canada (NDSL)
Charcoal activated	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	stances CEPA - 2010 Greenhouse Gases Subject to Manditory	
		Reporting	
Charcoal activated	Not listed	Not listed	

#### **EU Classification**

# S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Charcoal activated		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Product code: C1221

None.

**Product name:** CHARCOAL, COCONUT, ACTIVATED, 8-30 MESH

# 16. OTHER INFORMATION

Preparation Date:4/20/2015Revision Date:4/20/2015Prepared by:Sonia Owen

Disclaimer:

Product code: C1221

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**