



1/12

SAFETY DATA SHEET

Preparation Date: No data available Product identifier	Revision Date: 04/03/2015	Revision Number: G1
Product code: Product Name:	C1233 CHROMIUM METAL, 2 IN. AND FINER, CHIPS	
Other means of identification		
Synonyms: CAS #: RTECS # CI#:	Chromium metal; Chrome; Chromium Metal Chips 2" and finel 7440-47-3 GB4200000 Not available	ī
Recommended use of the chemic	cal and restrictions on use	
Recommended use: Uses advised against	No information available. No information available	
Supplier:	Spectrum Chemicals and Laboratory Products, Inc. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000	
Order Online At:	https://www.spectrumchemical.com	
Emergency telephone number Contact Person: Contact Person:	Chemtrec 1-800-424-9300 Martin LaBenz (West Coast) Ibad Tirmiz (East Coast)	
	2. HAZARDS IDENTIFICATION	
Classification		
This chemical is not considered hazard	ous by the 2012 OSHA Hazard Communication Standard (29 CFR 191	0.1200)
Not a dangerous substance or mixture	according to the Globally Harmonized System (GHS)	
Label elements		
Not classified		
Hazards not otherwise classified (HN	NOC)	

Not Applicable

Other hazards Not available

Product code: C1233 Product name: CHROMIUM METAL, 2

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Chromium Metal chips	7440-47-3	100	*
7440-47-3			

4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

Wash off immediately with soap and plenty of water removing all contaminated clothes and **Skin Contact:**

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms **Eye Contact:**

persist, call a physician.

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Inhalation:

Get medical attention.

Do not induce vomiting without medical advice. Never give anything by mouth to an Ingestion:

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Metallic oxides

Product code: C1233 2/12 Product name: CHROMIUM METAL, 2

Specific hazards: May be combustible at high temperatures

Moderate fire hazard when it is in the form of a dust (powder) and burns rapidly when heated in flame. Chromium is attacked vigorously by fused potassium

chlorate producing vivid incandescence.

Pyrophoric chromium unites with nitric oxide with

incandescence.

Incandescent reaction with nitrogen oxide or sulfur dioxide. Powdered Chromium metal +fused ammonium nitrate may

react violently or explosively.

Powdered Chromium will explode spontaneously in air

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes

and clothing. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning upSweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Product code: C1233 Product name: CHROMIUM METAL, 2 3 / 12

Incompatible Materials:

Acids. Alkalis. Oxidizing agents. Bromine. Hydrogen Peroxide. Hydrochloric Acid. Molten Lithium at 180°C. Most caustic alkalies and alkali carbonates. Nitrogen Oxide. Pentafluoride. Potassium Chlorate. Sulfuric acid. Sulfur Dioxide.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
	1 mg/m ³ TWA	= 0.5 mg/m ³ TWA	= 0.5 mg/m ³ TWA	None
Chromium Metal chips - 7440-47-3				

Canada

Components	Alberta	British Columbia	Ontario	Quebec
	= 0.5 mg/m ³ TWA	= 0.5 mg/m ³ TWA	0.5 mg/m ³ TWA	0.5 mg/m ³ TWAEV
Chromium Metal chips - 7440-47-3	_	_	_	-

Australia and Mexico

Components	Australia	Mexico
Chromium Metal chips	0.5 mg/m³ TWA	= 0.5 mg/m ³ TWA
7440-47-3		_

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Product code: C1233

Safety glasses. Safety glasses with side-shields. Eye protection:

Skin and body protection: Chemical resistant apron. Gloves. Long sleeved clothing.

Respiratory protection: Effective dust mask. Wear respirator with dust filter...

Avoid contact with skin, eves and clothing. Wash hands before breaks and Hygiene measures:

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

4/12 Product name: CHROMIUM METAL, 2

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color

Solid. Metal. Silver-white. Grey.

Odor: Taste Molecular/Formula weight:

Odorless. No information available 52.00

Formula: Flash point (°C): Flashpoint (°C): Some point (°C): No data available No information available.

Flash Point Tested according to: Lower Explosion Limit (%): Upper Explosion Limit (%):

Not available No information available No information available

Autoignition Temperature (°C/°F): pH: Melting point/range(°C/°F):

580°C/1076°F No information available 1900°C/3452°F +/- 10°C

Boiling point/range(°C/°F): Decomposition temperature(°C/°F): Bulk density:

2642°C/4787.6°F No information available No information available

Specific gravity: Vapor pressure @ 20°C (kPa): Density (g/cm3):

7.14 No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):
No information available

No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

No information available

Miscibility: Solubility:

No information available Insoluble in cold water

Insoluble in hot water

Soluble in acids (except Nitric), and

strong alkalies

10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids

Reactive with alkalis

Reactive with oxidizing agents

It may react violently or ignite with bromine pentafluoride.

Chromium is rapidly attacked by fused sodium hydroxide + potassium nitrate.

Potentially hazardous incompatibility with strong oxidizers.

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Acids. Alkalis. Oxidizing agents. Bromine. Hydrogen Peroxide. Hydrochloric Acid.

Molten Lithium at 180°C. Most caustic alkalies and alkali carbonates. Nitrogen Oxide.

Pentafluoride. Potassium Chlorate. Sulfuric acid. Sulfur Dioxide.

Hazardous decomposition products: Metallic oxides.

Other Information

Product code: C1233 Product name: CHROMIUM METAL, 2 5 / 12

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion.

Acute Toxicity

Component Information

Chromium Metal chips - 7440-47-3

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: Chromium in the form of chips is not likely to cause eye irritation or be an eye

irritation hazard.

Product code: C1233 Product name: CHROMIUM METAL, 2 6 / 12

Inhalation Chromium metal in the form of chips is not likely to be an inhalation hazard.

Inhalation of fumes or dust during cutting or welding may cause respiratory tract

irritation.

May cause gastrointestinal tract irritation with nausea, vomiting, and diarrhea. May Ingestion

affect behavior/central nervous system (convulsions/seizures, somnolence),

respiratory (dyspnea).

No information available **Aspiration hazard**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Inhalation: If the exposure occurs during cutting or welding, exposure hazardous dust

> and fumes of chromium compounds may occur. The effects of chronic exposure to chromium fumes or dust (from welding or cutting operations) include nose and throat irritation, ulceraton and perforation of the nasal septum, sneezing, reddness of the throat, bronchospasm, inflammation and ulceration of the larynx, asthma, cough, polyps, chronic inflammation, emphysema, chronic bronchitis, pharyngitis,

bronchopneumonia, pneumoconoisis, liver and kidney damage.

Sensitization: No information available

Mutagenic Effects: May affect genetic material

Not considered carcinogenic Carcinogenic effects:

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Chromium Metal chips	A4 Not Classifiable as a Human Carcinogen	Monograph 49 [1990] Chromium and Chromium compounds Supplement 7 [1987]		Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available **Developmental Effects:** No information available **Teratogenic Effects:** No information available

Specific Target Organ Toxicity

STOT - single exposure No information available STOT - repeated exposure **Target Organs:**

No information available No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

No information available Persistence and degradability:

Product code: C1233 Product name: CHROMIUM METAL, 2

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Chromium Metal chips	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available

Packing Group: None

ERG No: No information available

Marine Pollutant No data available

DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
Classification Code:
Description:
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available

Product code: C1233 Product name: CHROMIUM METAL, 2 IN. AND FINER, CHIPS

14. TRANSPORT INFORMATION

Packing Group:No information availableDescription:No information availableIMDG Page:No information availableMarine PollutantNo information availableMFAG:No information availableMaximum Quantity:No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Chromium Metal chips	Present	Present KE- 05970	Present	Not present	Present	Present	Present 231-157-5

U.S. Regulations

Chromium Metal chips

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0432

New Jersey (EHS) List: 0432 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Special hazardous substance

Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present Pennsylvania RTK - Special Hazardous Substances Present

Michigan - Critical Materials List: Present Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

= 5000 lb RQ

Louisana Reportable Quantity List for Pollutants: Listed California Directors List of Hazardous Substances: Present

Product code: C1233 Product name: CHROMIUM METAL, 2 9 / 12

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen			Female Reproductive Toxicity:
			TOXICILY	TOXICILY:
Chromium Metal chips	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

•	CERCLA - Hazardous Substances and their Reportable Quantities	Hazardous	Hazardous	Chemical Category	Section 313 - Reporting de minimis
	= 2270 kg final RQ = 5000 lb final RQ	None	None		1.0 % de minimis concentration

U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
		Not Applicable

Canada

WHMIS hazard class:

Non-controlled

Chromium Metal chips

Uncontrolled product according to WHMIS classification criteria

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Chromium Metal chips	0.1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)	
Chromium Metal chips	Present	Not Listed	

Components	CEPA - 2010 Greenhouse Gases Subject to Manditory Reporting
Chromium Metal chips	Not listed

EU Classification

R-phrase(s)

R40 - Limited evidence of a carcinogenic effect

Product code: C1233 Product name: CHROMIUM METAL, 2 10 / 12

S -phrase(s)
S36 - Wear suitable protective clothing.

S37 - Wear suitable gloves.

S39 - Wear eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Components	Classification	Concentration Limits:	Safety Phrases
Chromium Metal chips		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication	of	dange
None		_

16. OTHER INFORMATION

Product code: C1233

16. OTHER INFORMATION

Revision Date: 04/03/2015 **Prepared by:** Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet