



Revision date 06-December-2022 Revision Number 1

1. Identification

Product identifier

Product Name CHROMIUM METAL, 100 MESH, POWDER

Other means of identification

Product Code(s) C1234

UN/ID no UN3089

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Appearance Powder Physical state Solid Odor No information available

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment Prevent dust accumulations to minimize explosion hazard

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish

Other information

May form combustible dust concentrations in air.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	
Chromium Metal powder	7440-47-3	100	

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media

Large Fire

Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge

yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Keep out of drains, sewers, ditches and

waterways.

Methods for cleaning up

Take precautionary measures against static discharges. Pick up and transfer to properly

labeled containers.

7. Handling and storage

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chromium Metal powder No data available 7440-47-3		1 mg/m³ TWA	-

Appropriate engineering controls

Showers **Engineering controls**

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear suitable gloves. Impervious gloves. Hand protection

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not General hygiene considerations

> be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid **Appearance** Powder silver to Gray Color

Odor No information available **Odor threshold** No information available

Remarks • Method Property Values

no data available None known Hq Melting point / freezing point 1900 °C / 3452 °F None known > 2500 °C / 4532 °F Boiling point / boiling range None known Flash point no data available None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density no data available None known Relative density 7.1 None known Water solubility Insoluble in water None known

Soluble in dilute hydrochloric acid Solubility(ies) None known

Soluble in strong bases

Partition coefficient No data available None known **Autoignition temperature** no data available None known **Decomposition temperature** None known

Kinematic viscosity no data available None known Dynamic viscosity No data available None known

Other information

No information available **Explosive properties** Oxidizing properties No information available Softening point No information available No information available Molecular weight No information available **VOC Content (%)**

Liquid Density

No information available

Bulk density

No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization
Germ cell mutagenicity
No information available.
No information available.
No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

		<u> </u>		
Chemical name	ACGIH	IARC	NTP	OSHA
Chromium Metal powder	-	Monograph 49 [1990]	-	-
7440-47-3		Chromium and		
		Chromium compounds		
		Supplement 7 [1987]		

Legend

Reproductive toxicityNo information available.

STOT - single exposure STOT - repeated exposure Target organ effects No information available. No information available. respiratory system, Eyes, Skin.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effectsNo information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability

Bioaccumulation

No information available. Inherently biodegradable.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

14. Transport information

DOT

UN/ID no UN3089

Proper shipping name Metal powders, flammable, n.o.s.

Hazard class 4.1 Special Provisions

Special Provisions IB8, IP2, IP4, T1, TP33, W100
Marine Pollutant Severe Marine Pollutant

Description UN3089, Metal powders, flammable, n.o.s., 4.1, III

TDG

UN/ID no. UN3089

Proper shipping name Metal powder, flammable, n.o.s.

Hazard class 4.1 Packing Group III

Description UN3089, Metal powder, flammable, n.o.s., 4.1, III

MEX

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard class 4.1 Special Provisions 223 Packing Group III

Description UN3089, Metal powder, flammable, n.o.s., 4.1, III

ICAO (air)

UN/ID no. UN3089 Hazard class 4.1 Packing Group III Special Provisions A3

IATA

UN number UN3089
Hazard Class 4.1
Packing group III
Emergency Response Guide 3L

Number

Special Provisions A3, A803

IMDG

UN number UN3089
Hazard Class 4.1
Packing group III
EmS-No F-G, S-G
Special Provisions 223
Marine Pollutant NP1

RID

UN number UN3089

Proper shipping name METAL POWDER, FLAMMABLE, N.O.S.

Hazard Class 4.1
Packing group III
Classification code F3
Special Provisions 552

Description UN3089, METAL POWDER, FLAMMABLE, N.O.S., 4.1, III

Labels 4.1

<u>ADR</u>

UN number UN3089

Proper shipping name Metal powder, flammable, n.o.s.

Hazard Class 4.1
Packing group III
Classification code F3
Tunnel restriction code (E)
Special Provisions 552

Description UN3089, Metal powder, flammable, n.o.s., 4.1, III, (E)

Labels 4.1

ADN

UN/ID No UN3089

Proper shipping name Metal powder, flammable, n.o.s.

Hazard Class 4.1
Packing Group III
Classification code F3
Special Provisions 552

Description UN3089, Metal powder, flammable, n.o.s., 4.1, III

Hazard label(s) 4.1 Equipment Requirements PP

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS IECSCThis product complies with ENCS:
This product complies with China:

KECL Complies PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Chromium Metal powder - 7440-47-3	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

	Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	
Ī	Chromium Metal powder	5000 lb final RQ	-	
	7440-47-3	2270 kg final RQ		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chromium Metal powder	0432	Present	Environmental hazard
7440-47-3			Special hazardous substance

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 2
Flammability 0
Instability 0
Physical and chemical properties -

HMIS
Health hazards 2
Flammability 0
Physical hazards 0
Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision dateRevision Note
06-December-2022
No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet