# SAFETY DATA SHEET

Revision date 10-December-2021

1. Identification		
Product identifier		
Product Name	COBALT METAL, 400 MESH, POWDER	
Other means of identification		
Product Code(s)	C1293	
UN/ID no	UN3089	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
<u>Supplier Address</u> Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000		
Emergency telephone number		

**Emergency Telephone** 

Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

#### **Classification**

Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1A
Skin sensitization	Category 1A
Carcinogenicity	Category 2
Flammable solids	Category 2

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements


Danger

#### Hazard statements

Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled



Revision Number 1



Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray In case of inadequate ventilation wear respiratory protection Contaminated work clothing must not be allowed out of the workplace Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

#### 3. Composition/information on ingredients

#### Substance

Chemical name	CAS No	Weight-%	Trade secret
Cobalt Metal powder	7440-48-4	100	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

#### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the	risk of ignition. Keep product and empty container away from heat and sources of ignition.	

Specific hazards arising from the<br/>chemicalrisk of ignition. Keep product and empty container away from heat and sources of ignition.<br/>In the event of fire, cool tanks with water spray. Fire residues and contaminated fire<br/>extinguishing water must be disposed of in accordance with local regulations. Product is or<br/>contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause<br/>sensitization by skin contact.

Explosion data Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for<br/>fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout<br/>gear. Use personal protection equipment.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** 

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate

	ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Keep out of drains, sewers, ditches and waterways.	
Methods for cleaning up	Take precautionary measures against static discharges. Pick up and transfer to properly labeled containers.	

## 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

## 8. Exposure controls/personal protection

#### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cobalt Metal powder 7440-48-4	No data available	0.1 mg/m³ TWA	-

#### Appropriate engineering controls

#### **Engineering controls**

Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

# 9. Physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Solid	
Appearance	powder	
Color	Gray	
Odor	No information available	
Odor threshold	No information available	
Property	Values	Remarks • Method
H	no data available	None known
Melting point / freezing point	1494 °C / 2723 °F	None known
Boiling point / boiling range	no data available	None known
Flash point	no data available	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	8.9	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	no data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	

## 10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information	
-------------------------------	--

#### Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components). May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. May cause irritation. Prolonged contact may cause redness and irritation.	
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.	
Acute toxicity		

Numerical measures of toxicity

[	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
	Cobalt Metal powder 7440-48-4	= 6171 mg/kg (Rat)	-	> 10 mg/L (Rat)1 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation	May cause skin irritation. Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	May cause sensitization by inhalation. May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for
0	ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Cobalt Metal powder	-	Monograph 86 [2006]	-	-
7440-48-4		without tungsten carbide		
		Monograph 52 [1991]		

Legend

**Reproductive toxicity** 

STOT - single exposure STOT - repeated exposure Target organ effects	No information available. No information available. respiratory system, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

# 12. Ecological information

Ecotoxicity	Harmful to a	Harmful to aquatic life with long lasting effects.			
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	
Cobalt Metal powder 7440-48-4	-	LC50: >100mg/L (96h, Brachydanio rerio)	-	-	
Persistence and degrada Bioaccumulation		on available. odegradable.			
Other adverse effects	No informati	No information available.			

# 13. Disposal considerations

Waste treatment methods			
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.		

# 14. Transport information

DOT UN/ID no Proper Shipping Name: Hazard class Packing group: Special Provisions Marine Pollutant Description: Emergency Response Guide Number	UN3089 Metal powders, flammable, n.o.s. 4.1 III IB8, IP2, IP4, T1, TP33, W100 Severe Marine Pollutant UN3089, Metal powders, flammable, n.o.s., 4.1, III 170
<u>TDG</u> UN-No: Proper Shipping Name: Hazard class Packing Group: Description:	UN3089 Metal powder, flammable, n.o.s. 4.1 III UN3089, Metal powder, flammable, n.o.s., 4.1, III
<u>MEX</u> UN-No Proper Shipping Name Hazard class Special Provisions	UN3089 Metal powder, flammable, n.o.s. 4.1 223

**Packing Group** Ш Description UN3089, Metal powder, flammable, n.o.s., 4.1, III ICAO (air) UN3089 UN-No: Metal powder, flammable, n.o.s. **Proper Shipping Name: Hazard class** 4.1 Ш Packing Group: **Special Provisions** A3 **Description:** UN3089, Metal powder, flammable, n.o.s., 4.1, III ΙΑΤΑ UN3089 **UN number Proper Shipping Name:** Metal powder, flammable, n.o.s. Transport hazard class(es) 4.1 Packing group Ш **Description:** UN3089, Metal powder, flammable, n.o.s., 4.1, III IMDG **UN number** UN3089 Proper shipping name Metal powder, flammable, n.o.s. Transport hazard class(es) 4.1 Packing group III EmS-No F-G, S-G **Special Provisions** 223 Marine pollutant NP1 Description UN3089, Metal powder, flammable, n.o.s., 4.1, III RID **UN number** UN3089 **Proper Shipping Name:** Metal powder, flammable, n.o.s. Transport hazard class(es) 4.1 Packing group Ш **Classification code** F3 **Special Provisions** 552 **Description:** UN3089, Metal powder, flammable, n.o.s., 4.1, III Labels 4.1 ADR **UN number** 3089 Metal powder, flammable, n.o.s. **Proper Shipping Name:** Transport hazard class(es) 4.1 Ш Packing group **Classification code** F3 **Tunnel restriction code** (E) **Special Provisions** 552 3089, Metal powder, flammable, n.o.s., 4.1, III, (E) **Description:** Labels 4.1 ADN **UN/ID** No UN3089 Proper shipping name Metal powder, flammable, n.o.s. Transport hazard class(es) 4.1 **Packing Group** III Classification code F3 **Special Provisions** 552 Description UN3089, Metal powder, flammable, n.o.s., 4.1, III Hazard label(s) 4.1 Limited quantity (LQ) 5 kg **Equipment Requirements** PP

## 15. Regulatory information

International Inventories

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical
	Substances (AICS).

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Cobalt Metal powder - 7440-48-4	0.1

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Cobalt Metal powder - 7440-48-4	carcinogen

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical properties -HMIS Health hazards 2\* Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend \* = Chronic Health Hazard Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Maximum limit value Ceiling Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 10-December-2021 **Revision Note** No information available. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet