spectrum®



SAFETY DATA SHEET

Preparation Date: 11/23/2016

Revision Date: Not Applicable

Revision Number: Not Applicable

1. IDENTIFICATION

Product identifier

Product code: Product Name: C1638 4-Chlorophenoxyacetyl Chloride

Other means of identification Synonyms: CAS #: RTECS # CI#:

No information available 4122-68-3 Not available Not available

Recommended use of the chem	ical and restrictions on use
Recommended use:	For manufacturing or laboratory use only.
Uses advised against	No information available
Supplier:	Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000.
Order Online At:	https://www.spectrumchemical.com
Emergency telephone number	Chemtrec 1-800-424-9300
Contact Person:	Martin LaBenz (West Coast)
Contact Person:	Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Danger

Hazard statements Causes severe skin burns and eye damage May be corrosive to metals



Hazards not otherwise classified (HNOC) Not Applicable

Other hazards Not available

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician Absorb spillage to prevent material damage IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components CAS-No.		Weight %
4-Chlorophenoxyacetyl Chloride	4122-68-3	100

4. FIRST AID MEASURES

First aid measures		
General Advice:	National Capital Poison Center in the United States can provide assistance if ye have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.	
Skin Contact:	Wash off immediately with soap and plenty of water. Continue flushing with plenty of wa for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medica attention is required. Call a physician or Poison Control Centre immediately.	
Eye Contact:	Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.	
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. WARNING! It may be hazardous to the person providing aid to give	
Product code: C1638	Product name: 2 4-Chlorophenoxyacetyl Chloride	/ 12

Ingestion:	mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.		
ingestion.	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Call a physician or Poison Control Center immediately.		
Most important symptoms and effe	cts, both acute and delay	/ed	
Symptoms		ation or burns. Corrosive to the eyes and may cause severe ess. Skin contact may result in redness, pain, inflammation, itching,	
Indication of any immediate medica	al attention and special tr	reatment needed	
Notes to Physician:	Treat symptomatically.		
Protection of first-aiders First-Aid Providers: Avoid exposure t contaminated clothing and equipment		ar gloves and other necessary protective clothing. Dispose of	
	5. FIRE-FIGHT	ING MEASURES	
<u>Extinguishing Media</u> Suitable Extinguishing Media:		Dry chemical. Carbon dioxide (CO2). Water spray, mist, or foam.	
Unsuitable Extinguishing Media:		No information available.	
Specific hazards arising from the chemical			
Hazardous Combustion Products:		Carbon Oxides. Hydrogen Chloride Gas. Halogenated Compounds.	
Specific hazards: May be combustible at high t		May be combustible at high temperatures	
Special Protective Actions for	or Firefighters		
Specific Methods:		No information available.	
Special Protective Equipment for	or Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment.		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.		
Methods and material for conta	Methods and material for containment and cleaning up		
Methods for containment	Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container.		
Methods for cleaning up	Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Clean contaminated surface thoroughly.		
	7. HANDLING AND STORAGE		

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials. Keep away from heat and sources of ignition. Protect from moisture. Moisture sensitive. Store under inert gas. Packed under Argon. May corrode metallic surfaces. Do not store in uncoated metallic containers.

Incompatible Materials:

Oxidizing agents Alcohols Alkalis Bases Moisture

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
4-Chlorophenoxyacetyl Chloride	4122-68-3	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
4-Chlorophenoxyacetyl Chloride	4122-68-3	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
4-Chlorophenoxyacetyl Chloride	4122-68-3	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation, especially in confined areas. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles or Face-shield
Skin and body protection:	Gloves. Long sleeved clothing. Chemical resistant apron.
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Odor: No information available.

Molecular/Formula weight: 205.03

Flash Point Tested according to: Closed cup

Upper Explosion Limit (%): No information available

Boiling point/range(°C/°F): 165°C (329°F)

Specific gravity: No information available

Evaporation rate: No information available

Odor threshold (ppm): No information available

Product code: C1638

Appearance: Clear.

Taste No information available.

Flammability: No information available

Autoignition Temperature (°C/°F): No information available

Melting point/range(°C/°F): 15° - 23°C (59° - 73.4°F) (Freezing)

Bulk density: No information available

pH: No information available

Vapor density: No information available

Partition coefficient (n-octanol/water):

Color: Colorless to pale yellow.

Formula: C8H6Cl2O2

Flashpoint (°C/°F): 113°C (235°F)

Lower Explosion Limit (%): No information available

Decomposition temperature(°C/°F): No information available

Density (g/cm3): 1.37

Vapor pressure @ 20°C (kPa): No information available

VOC content (g/L): No information available No information available

No information available

Solubility:

Viscosity: No information available

Miscibility:

No information available

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents Reacts with strong bases Corrodes in contact with metals

Chemical stability	
Stability:	Moisture Sensitive. Stable under recommended storage conditions.
Possibility of Hazardous Reactions	: Hazardous polymerization does not occur
Conditions to avoid:	Exposure to moisture. Heat. Ignition sources. Incompatible materials.
Incompatible Materials:	Oxidizing agents Alcohols Alkalis Bases Moisture
Hazardous decomposition products:	Carbon oxides. Hydrogen chloride gas. Halogenated compounds.
Other Information Corrosivity:	Corrodes on contact with metals

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Skin. Eyes. Ingestion. Inhalation.

Acute Toxicity

Component Information

4-Chlorophenoxyacetyl Chloride		
CAS-No.	4122-68-3	
LD50/oral/rat = No information	available	
LD50/oral/mouse = No information	ation available	
LD50/dermal/rabbit = No information available		
LD50/dermal/rat = No information available		
LC50/inhalation/rat = No information available		
LC50/inhalation/mouse = No infomation available		
Other LD50 or LC50information	on = No information available	

Product Information

LD50/oral/rat = VALUE- Acute Tox Oral = No information available

LD50/oral/mouse = Value - Acute Tox Oral = No information available

LD50/dermal/rabbit VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available VALUE - Gas = No information available VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:	Corrosive. Contact causes severe skin irritation and possible burns. Can cause burning pain, inflammation and blisters.
Eye Contact:	Causes severe eye irritation and possible burns. Corrosive to the eyes and may cause severe damage including blindness. Can cause severe injury.
Inhalation	May cause irritation of respiratory tract. May cause chemical burns to the respiratory tract.
Ingestion	Causes digestive (gastrointestinal) tract irritation. Causes digestive or gastrointestinal tract burns. May cause perforation of the digestive tract. Corrosive to the mouth, throat, and stomach. Symptoms may include a burning sensation in the mouth, throat, and stomach. Ingestion may cause nausea, vomiting.
Aspiration hazard	No information available.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Chronic Toxicity	No information available.
Sensitization:	No information available.
Mutagenic Effects:	No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
4-Chlorophenoxyacetyl Chloride	4122-68-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No data is available
Reproductive Effects: Developmental Effects: Teratogenic Effects:	No information available No information available No information available
Specific Target Organ Toxicity	

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organs:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ecotoxicity effects:	No data available.
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility:	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
4-Chlorophenoxyacetyl	4122-68-3	None	None	None	None
Chloride					

14. TRANSPORT INFORMATION

DOT

UN3265
Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride)
8
No information available
153
No data available

Product code: C1638	Product name: 4-Chlorophenoxyacetyl Chloride
Description:	UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride), 8, III
Special Provisions	A3
ICAO UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group:	UN3265 Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride) 8 No information available III
RID	UN3265
UN-No:	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride)
Proper Shipping Name:	8
Hazard Class:	No information available
Subsidiary Risk:	III
Packing Group:	274
Special Provisions	UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl
Description:	Chloride), 8, III
Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS: Special Provisions Description	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride) 8 No information available III No information available F-A 223, 274 UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride), 8, III
IMO / IMDG	UN3265
UN-No:	Amines, liquid, corrosive, n.o.s. (4-picolylamine)
Proper Shipping Name:	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorobutyric Acid)
ADR	UN3265
UN-No:	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride)
Proper Shipping Name:	8
Hazard Class:	III
Packing Group:	No information available
Subsidiary Risk:	274
Special Provisions	UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl
Description:	Chloride), 8, III
TDG (Canada)	UN3265
UN-No:	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride)
Proper Shipping Name:	8
Hazard Class:	No information available
Subsidiary Risk:	III
Packing Group:	No Information available
Marine Pollutant	UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl
Description:	Chloride), 8, III
DOT RQ (Ibs): Special Provisions Symbol(s): Description:	No information available IB3, T7, TP1, TP28 No information available UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride), 8, III

9/12

ΙΑΤΑ	
UN-No:	UN3265
Proper Shipping Name:	Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl Chloride)
Hazard Class:	8
Subsidiary Risk:	No information available
Packing Group:	
ERG Code:	8L
Special Provisions	No information available
Description:	UN3265, Corrosive liquid, acidic, organic, n.o.s. (4-Chlorophenoxyacetyl
	Chloride), 8, III

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
4-Chlorophenoxyacetyl Chloride	4122-68-3	Not Listed	Not present	Not present	Not present	Not present	Not present	Present 223-923-2

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

<u>Chemicals Known to the State of California to Cause Reproductive Toxicity:</u> This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
4-Chlorophenoxyacetyl Chloride	4122-68-3	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
4-Chlorophenoxyac etyl Chloride	4122-68-3	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
4-Chlorophenoxyacetyl Chloride	4122-68-3	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

E Corrosive material

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS

contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
4-Chlorophenoxyacetyl Chloride	4122-68-3	Not Listed	Not Listed
		-	
Components		CAS-No.	CEPA Schedule I - Toxic Substances
4-Chlorophenoxyacetyl Chloride		4122-68-3	Not listed
Components		CAS-No.	CEPA - 2010 Greenhouse Gases Subject
			to Mandatory Reporting
4-Chlorophenoxyacetyl Chloride		4122-68-3	Not listed

EU Classification

R-phrase(s)

R34 - Causes burns.

<u>S -phrase(s)</u> S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
4-Chlorophenoxyacetyl Chloride	4122-68-3		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive.



16. OTHER INFORMATION

Preparation Date: Revision Date: Prepared by:	11/23/2016 Not Applicable Roumann Pangilinan
Disclaimer:	All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

End of Safety Data Sheet