



SAFETY DATA SHEET

Preparation Date: 1/27/2016 Revision Date: 10/20/2017 Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: CA209

Product Name: CASTOR OIL, SULFONATED

Other means of identification

Synonyms: Red Oil

Turkey-Red Oil Sulfated Castor Oil Sulfonated Castor Oil

CAS #: 8002-33-3
RTECS # YO8300000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Dyeing textiles.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |

Label elements

Warning

Hazard statements

Causes skin irritation Causes serious eye irritation

Product code: CA209 Product name: CASTOR OIL, 1/11



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------------|-----------|----------|
| Castor Oil, Sulfonated | 8002-33-3 | 68-76 |
| Water | 7732-18-5 | 24-32 |

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation

Causes skin irritation

Ingestion may cause nausea, vomiting, and diarrhea

Abdominal pain

Thirst

Product code: CA209 Product name: CASTOR OIL, 2 / 11

Dehydration

May induce a laxative effect

May cause purging

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Hazardous Combustion Products: No information available.

Specific hazards: May be combustible at high temperatures. May be ignited

by heat, sparks or flames. Container explosion may occur

under fire conditions or when heated.

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment.

Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Product code: CA209 Product name: CASTOR OIL, 3 / 11

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed. Keep in a well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

| Components | CAS-No. | OSHA | NIOSH | ACGIH | AIHA WEEL |
|------------------------|-----------|------|-------|-------|-----------|
| Castor Oil, Sulfonated | 8002-33-3 | None | None | None | None |
| Water | 7732-18-5 | None | None | None | None |

Canada

| Components | CAS-No. | Canada - Alberta | Canada - British Columbia | Canada - Ontario | Canada - Quebec |
|------------------------|-----------|------------------|------------------------------|------------------|-----------------|
| Castor Oil, Sulfonated | 8002-33-3 | None | None | None | None |
| Water | 7732-18-5 | None | None | None | None |

Australia and Mexico

| Components | CAS-No. | Australia | Mexico |
|------------------------|-----------|-----------|--------|
| Castor Oil, Sulfonated | 8002-33-3 | None | None |
| Water | 7732-18-5 | None | None |

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Product code: CA209 Product name: CASTOR OIL, 4/11

Skin and body protection: Long sleeved clothing

Chemical resistant apron

Gloves

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room

> ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Appearance: Oily. Viscous. Clear. Liquid Amber.

Odor: **Taste** Formula:

No information available. No information available Fatty. Mild.

Molecular/Formula weight: Flammability: Flash point (°C):

No information available No information available >300

Flashpoint (°C/°F): Flash Point Tested according to: Autoignition Temperature (°C/°F): No information available

>300°C/ >572 °F Closed cup

Upper Explosion Limit (%): Melting point/range(°C/°F): **Lower Explosion Limit (%):** No information available No information available No information available

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): **Bulk density:**

No information available No information available No information available

Density (g/cm3): Specific gravity:

No information available 1.04-1.06 @ 20 deg. C. No information available

Vapor pressure @ 20°C (kPa): **Evaporation rate:** Vapor density:

No information available No information available No information available

VOC content (g/L): Odor threshold (ppm): Partition coefficient No information available No information available (n-octanol/water):

No information available

Viscosity: Miscibility: Solubility: No information available No information available Soluble in Water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Heat. Ignition sources. Protect from freezing. Incompatible materials. Conditions to avoid:

5/11 Product code: CA209 Product name: CASTOR OIL,

Incompatible Materials: Strong oxidizing agents

Hazardous decomposition C

products:

Carbon monoxide. Carbon dioxide.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Skin.

Acute Toxicity

Component Information

Castor Oil, Sulfonated
CAS-No. 8002-33-3

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Water

CAS-No. 7732-18-5

LD50/oral/rat = > 90 mL/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

Product code: CA209 Product name: CASTOR OIL, 6 / 11

VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available **VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation.

Inhalation May cause irritation of respiratory tract.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May

cause abdominal pain. It can have a purging or laxative effect. May induce a mild laxative effect. May cause dehydration. May cause thirst. May affect electrolytes.

No information available. **Aspiration hazard**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Prolonged or repeated ingestion may affect the liver. **Chronic Toxicity**

Sensitization: No information available.

Mutagenic Effects: No information available

Not considered carcinogenic. Carcinogenic effects:

| Components | CAS-No. | IARC | ACGIH - | NTP | OSHA HCS - | Australia - | Australia - |
|------------------------|-----------|------------|-------------|------------|-------------|--------------|--------------|
| | | | Carcinogens | | Carcinogens | Notifiable | Prohibited |
| | | | | | | Carcinogenic | Carcinogenic |
| | | | | | | Substances | Substances |
| Castor Oil, Sulfonated | 8002-33-3 | Not listed | Not listed | Not listed | Not listed | Not listed | Not listed |
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed | Not listed |

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

No information available Reproductive Effects: **Developmental Effects:** No information available No information available **Teratogenic Effects:**

Specific Target Organ Toxicity

STOT - single exposure No information available. STOT - repeated exposure No information available. No information available. **Target Organs:**

12. ECOLOGICAL INFORMATION

Product code: CA209 Product name: CASTOR OIL, 7/11

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

| Components | CAS-No. | RCRA - F Series Wastes | RCRA - K Series Wastes | RCRA - P Series Wastes | RCRA - U Series Wastes |
|------------------------|-----------|---------------------------|---------------------------|---------------------------|---------------------------|
| Castor Oil, Sulfonated | 8002-33-3 | | | | None |
| Water | 7732-18-5 | None | None | None | None |

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Class
Packing group:
No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
No information available
No information available
No information available

Product code: CA209 Product name: CASTOR OIL, 8 / 11

Subsidiary Risk: No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

15. REGULATORY INFORMATION

International Inventories

| Components | CAS-No. | U.S. TSCA | KOREA KECL | Philippines (PICCS) | Japan ENCS | CHINA | Australia (AICS) | EINECS-No. |
|------------------------|-----------|-----------|---------------------|---------------------|--------------------|---------|---------------------|----------------------|
| Castor Oil, Sulfonated | 8002-33-3 | Present | Present KE-05330 | Present | Present (8)-359 | Present | Present | Present 232-306-7 |
| Water | 7732-18-5 | Present | Present KE-35400 | Present | Not present | Present | Present | Present 231-791-2 |

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

| Components | CAS-No. | Carcinogen | Developmental Toxicity | Male | Female |
|------------------------|-----------|------------|------------------------|--------------|--------------|
| | | | | Reproductive | Reproductive |
| | | | | Toxicity | Toxicity: |
| Castor Oil, Sulfonated | 8002-33-3 | Not Listed | Not Listed | Not Listed | Not Listed |
| Water | 7732-18-5 | Not Listed | Not Listed | Not Listed | Not Listed |

Product code: CA209 Product name: CASTOR OIL, 9 / 11

CERCLA/SARA

| Components | CAS-No. | CERCLA - | Section 302 | Section 302 | Section 313 - | Section 313 - |
|-------------|-----------|------------------|-------------|----------------|-------------------|---------------|
| | | Hazardous | Extremely | Extremely | Chemical Category | Reporting |
| | | Substances and | Hazardous | Hazardous | | de minimis |
| | | their Reportable | Substances | Substances and | | |
| | | Quantities | and TPQs | RQs | | |
| Castor Oil, | 8002-33-3 | None | None | None | None | None |
| Sulfonated | | | | | | |
| Water | 7732-18-5 | None | None | None | None | None |

U.S. TSCA

| Components | | TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS) | TSCA 8(d) -Health and Safety Reporting |
|------------------------|-----------|---|---|
| Castor Oil, Sulfonated | 8002-33-3 | Not Applicable | Not Applicable |
| Water | 7732-18-5 | Not Applicable | Not Applicable |

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

The WHMIS 2015 classification of this product has not been validated or reviewed yet.

imormation.

Component Water

7732-18-5 (24-32)

WHMIS 2015 Hazard Classification

Not a dangerous product according to HPR classification criteria

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

D2B Toxic materials

Components WHMIS 1988

Water Uncontrolled product according to WHMIS classification

criteria

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

| Components | CAS-No. | Canada (DSL) | Canada (NDSL) |
|------------------------|-----------|--------------|---------------|
| Castor Oil, Sulfonated | 8002-33-3 | Present | Not Listed |
| Water | 7732-18-5 | Present | Not Listed |

| Components | CAS-No. | CEPA Schedule I - Toxic Substances |
|------------------------|-----------|---|
| Castor Oil, Sulfonated | 8002-33-3 | Not listed |
| Water | 7732-18-5 | Not listed |
| Components | CAS-No. | CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting |
| Castor Oil, Sulfonated | 8002-33-3 | Not listed |
| Water | 7732-18-5 | Not listed |

EU Classification

EU GHS - SV - CLP 1272/2008

Product code: CA209 Product name: CASTOR OIL, 10 / 11

| Components | CAS-No. | EU GHS - SV - CLP (1272/2008) |
|------------------------|-----------|-------------------------------|
| Castor Oil, Sulfonated | 8002-33-3 | |
| Water | 7732-18-5 | |

EU - CLP (1272/2008)

R-phrase(s)

R36/38 - Irritating to eyes and skin.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 - Wear suitable gloves.

| Components | CAS-No. | Classification | Concentration Limits: | Safety Phrases |
|------------------------|-----------|----------------|-----------------------|----------------|
| Castor Oil, Sulfonated | 8002-33-3 | | No information | |
| Water | 7732-18-5 | | No information | |

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant.



16. OTHER INFORMATION

Preparation Date:1/27/2016Revision Date:10/20/2017Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: CA209 Product name: CASTOR OIL, 11 / 11