



SAFETY DATA SHEET

Preparation Date: 11/22/2016 **Revision Date: 11/22/2016** Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: D1350

Product Name: 1,2-DIMETHOXYETHANE

Other means of identification

Ethylene Glycol Dimethyl Ether Synonyms:

Glycol Dimethyl Ether

Monoethylene glycol dimethyl ether

Dimethoxyethane 2.5-Dioxahexane Dimethylcellosolve Ethylene dimethyl ether

alpha, beta-Dimethoxyethane

CAS #: 110-71-4 KI1451000 RTECS# CI#: Not available

Recommended use of the chemical and restrictions on use

Solvent. Recommended use:

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

> 14422 South San Pedro St. Gardena, CA 90248

(310) 516-8000.

Order Online At: https://www.spectrumchemical.com

Chemtrec 1-800-424-9300 Emergency telephone number Martin LaBenz (West Coast) **Contact Person:** Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Reproductive toxicity	Category 1B
Flammable liquids	Category 2

Label elements

Danger

Hazard statements

Harmful if swallowed
Harmful in contact with skin
Causes skin irritation
Causes eye irritation
May damage fertility or the unborn child
Highly flammable liquid and vapor



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/ .? /equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Avoid breathing dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %

1,2-Dimethoxyethane	110-71-4	100
1,2-Diffetfloxyetflaffe	110-71-4	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation. Central nervous system effects. Central nervous system depression.

Somnolence. Drowsiness. Fainting. Ataxia. Dyspnea (Shortness of breath and difficulty breathing). Causes eye irritation. Mild eye irritation. May cause nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Alcohol-resistant

foam. Water spray.

Unsuitable Extinguishing Media:Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Dioxide, Carbon Monoxide.

Specific hazards: Highly flammable

May be ignited by heat, sparks or flames

Vapor may travel considerable distance to source of

ignition and flash back

Vapors may form explosive mixtures with air

Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers,

basements, tanks)

Container explosion may occur under fire conditions or

when heated

Fire may produce irritating, corrosive and/or toxic gases

Product code: D1350 Product name: 3 / 12
1.2-DIMETHOXYETHANE

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For

larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent

ignition in closed spaces.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Do not let this chemical enter the environment. Prevent entry into waterways, sewers, basements or confined areas. In case of large spill, dike if

needed. Dike far ahead of liquid spill for later disposal.

Methods and material for containment and cleaning up

Methods for containment Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a

suitable chemical waste container. In case of large spill, dike if needed. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning upUse appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Use only non-sparking tools. Clean contaminated surface

thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. When using do not smoke. Do not breathe vapors or spray mist. Do not ingest. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep containers tightly closed in a cool, well-ventilated place. Keep refrigerated. Keep at temperatures between 2 and 8 °C. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
1,2-Dimethoxyethane	110-71-4	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
1,2-Dimethoxyethane	110-71-4	None	None	5 ppm TWA 18 mg/m³ TWA	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
1,2-Dimethoxyethane	110-71-4	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron. Long sleeved clothing. Gloves.

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:LiquidNo information available.Colorless.

Odor:TasteFormula:Sharp. Ether-like.No information available.C4H10O2

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):90.12 g/moleHighly flammable-3 to -2 °C/26.6-29 °F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): 202°C/395 °F No information available

202 0.000 i

Product code: D1350 Product name: 5 / 12
1.2-DIMETHOXYETHANE

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

Density (g/cm3):

Vapor pressure @ 20°C (kPa):

No information available -58 °C/-72.4 °F No information available

Boiling point/range(°C/°F): Bulk density:

82-83 °C/179.6-181.4 °F No information available No information available

Specific gravity: pH

0.86285 No information available 6.4 @ 20 °C

Evaporation rate: Vapor density: VOC content (g/L):
No information available 3.1 No information available

Odor threshold (ppm): Partition coefficient Viscosity:

log Kow = -0.2

No information available (n-octanol/water): No information available

Miscibility: Solubility:

Miscible with water

Miscible with alcohol

Soluble in Chloroform

Soluble in Ether

Soluble in Acetone

Solubility in Water: 1000 g/l @ 25 °C

Soluble in Benzene

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents

Hazardous decomposition

products:

carbon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Skin. Inhalation.

Acute Toxicity

Component Information

Product code: D1350 Product name: 6 / 12

1.2-DIMETHOXYETHANE

1,2-Dimethoxyethane

CAS-No. 110-71-4

LD50/oral/rat = 775 mg/kg

LD50/oral/mouse = 3200 mg/kg

LD50/dermal/rabbit = 2000 mg/kg (RTECS)

1000-2000 mg/kg (LOLI)

LD50/dermal/rat = No information available

LC50/inhalation/rat = 20-63 mg/l 6hr.

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 775 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 3200 mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 2000 mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation. It may be absorbed through the skin. Harmful if absorbed

through skin.

Eye Contact: Causes eye irritation. Mild eye irritation.

Inhalation May cause respiratory tract irritation. May cause dyspnea (difficulty breathing or

shortness of breath). May affect behavior and cause irritability. Inhalation of vapors may cause drowsiness and dizziness. It may affect behavior/central

nervous system (ataxia).

Ingestion Harmful if swallowed. Ingestion may cause nausea, vomiting. May cause central

nervous system effects (affect behavior). May cause fainting.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not classifiable as to its carcinogenicity to humans.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
1,2-Dimethoxyethane	110-71-4	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity May damage fertility or the unborn child

Reproductive Effects: May cause adverse reproductive effects

May impair fertility

May cause adverse developmental effects **Developmental Effects:**

No information available **Teratogenic Effects:**

Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure

Target Organs:

No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

No information available Persistence and degradability:

No information available. Bioaccumulative potential:

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
1,2-Dimethoxyethane	110-71-4	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3

Subsidiary Class No information available

Packing group: || Emergency Response Guide 127

Number

Marine Pollutant No data available

DOT RQ (lbs): 1000 Special Provisions IB2, T4, TP1

Symbol(s): [DOT]: (R4) - Identifies a material that is a hazardous substance that has a

reportable quantity (RQ) of 1000 pounds (454 Kilograms).

Description: UN2252, 1,2-Dimethoxyethane, 3, II

TDG (Canada)

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

Description: UN2252, 1,2-Dimethoxyethane, 3, II

ADR

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3
Packing Group: ||

Subsidiary Risk: No information available

Description: UN2252, 1,2-Dimethoxyethane, 3, II

IMO / IMDG

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-E

Description UN2252, 1,2-Dimethoxyethane, 3, II

RID

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3
Subsidiary Risk: 3
Packing Group: ||

Description: UN2252, 1,2-Dimethoxyethane, 3, II

ICAO

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Description: UN2252, 1,2-Dimethoxyethane, 3, II

IATA

UN-No: UN2252

Proper Shipping Name: 1,2-Dimethoxyethane

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group: II ERG Code: 3L

Special Provisions No information available

Description: UN2252, 1,2-Dimethoxyethane, 3, II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
1,2-Dimethoxyethane	110-71-4	Present S	Present KE-13665	Present	Present (7)-1321 (2)-421	Present	Present	Present 203-794-9

U.S. Regulations

1,2-Dimethoxyethane

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 3279

3138 (as glycol ethers)

New Jersey (EHS) List: Present (as glycol ethers) SN3138 500 lb.TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present (as Glycol ethers)

Pennsylvania RTK: Present

Pennsylvania RTK - Environmental Hazard List Present (as glycol ethers)

Louisana Reportable Quantity List for Pollutants: Present (as Glycol ethers)100 lb. RQ

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen		Reproductive	Female Reproductive
				Toxicity	Toxicity:
1,2-Dimethoxyethane	110-71-4	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
1,2-Dimethoxyethan	110-71-4	None	None	None	Glycol Ethers	1%
e						

U.S. TSCA

Components		` '	TSCA 8(d) -Health and Safety Reporting
1,2-Dimethoxyethane	110-71-4	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

B2 Flammable liquid

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
1,2-Dimethoxyethane	110-71-4	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
1,2-Dimethoxyethane	110-71-4	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
1,2-Dimethoxyethane	110-71-4	Not listed

EU Classification

R-phrase(s)

R11 - Highly flammable.

R19 - May form explosive peroxides.

R20 - Harmful by inhalation.

R60 - May impair fertility.

R61 - May cause harm to the unborn child.

S -phrase(s)

S53 - Avoid exposure - obtain special instructions before use.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
1,2-Dimethoxyethane	110-71-4	F; R11 R19 Xn; R20 Repr.Cat.2; R60 Repr.Cat.2; R61	No information	S53 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xn - Harmful. Flammable







16. OTHER INFORMATION

Preparation Date: 11/22/2016
Revision Date: 11/22/2016
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet