

SAFETY DATA SHEET

Preparation Date: 11/18/2016

Revision Date: Not Applicable

Revision Number: Not Applicable

1. IDENTIFICATION

Product identifier

Product code: D1437
Product Name: Dibutyl Malonate

Other means of identification

Synonyms: Propanedioic acid, dibutyl ester
CAS #: 1190-39-2
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: For manufacturing or laboratory use only.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000.

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person: Martin LaBenz (West Coast)

Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
 Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Flammable liquids	Category 4
-------------------	------------

Label elements

Warning

Combustible liquid

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IN CASE OF FIRE: Use dry chemical, water spray, alcohol-resistant foam or CO2 to extinguish.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Dibutyl Malonate	1190-39-2	100

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Water spray, mist, or foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products:	Carbon Oxides.
Specific hazards:	Combustible material May be ignited by heat, sparks or flames Container explosion may occur under fire conditions or when heated Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks)
<u>Special Protective Actions for Firefighters</u>	
Specific Methods:	For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material.
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Keep away from sources of ignition - no smoking. Use only in well-ventilated areas. Do not ingest. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**National occupational exposure limits****United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Dibutyl Malonate	1190-39-2	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Dibutyl Malonate	1190-39-2	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Dibutyl Malonate	1190-39-2	None	None

Appropriate engineering controls**Engineering measures to reduce exposure:**

Ensure adequate ventilation, especially in confined areas. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

- Eye protection:** Goggles
- Skin and body protection:** Gloves. Long sleeved clothing. Chemical resistant apron.
- Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Appearance:

Clear.

Color:

Colorless.

Odor:

No information available.

Taste

No information available.

Formula:

C11H20O4

Molecular/Formula weight:

216.28

Flash Point Tested according to:
Closed cup

Upper Explosion Limit (%):
No information available

Boiling point/range(°C/°F):
251°C (484°F)

Specific gravity:
No information available

Evaporation rate:
No information available

Odor threshold (ppm):
No information available

Miscibility:
No information available

Flammability:

Combustible

Autoignition Temperature (°C/°F):
No information available

Melting point/range(°C/°F):
No information available

Bulk density:
No information available

pH:
No information available

Vapor density:
No information available

**Partition coefficient
(n-octanol/water):**
No information available

Solubility:
No information available

Flashpoint (°C/°F):

88°C (190°F)

Lower Explosion Limit (%):
No information available

Decomposition temperature(°C/°F):
No information available

Density (g/cm3):
0.98

Vapor pressure @ 20°C (kPa):
No information available

VOC content (g/L):
No information available

Viscosity:
No information available

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Strong oxidizing agents

Hazardous decomposition products: Carbon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Ingestion. Inhalation.

Acute Toxicity

Component Information

Dibutyl Malonate

CAS-No.	1190-39-2
---------	-----------

LD50/oral/rat = No information available
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.
Eye Contact: May cause eye irritation.
Inhalation May cause irritation of respiratory tract.
Ingestion May cause digestive (gastrointestinal) tract irritation.
Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.
Sensitization: No information available.
Mutagenic Effects: No information available
Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances

Dibutyl Malonate	1190-39-2	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
------------------	-----------	------------	------------	------------	------------	------------	------------

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Dibutyl Malonate	1190-39-2	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Class No information available
Packing group: No information available
Emergency Response Guide Number No information available

Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions No Information available
Symbol(s): No information available
Description: No information available

TDG (Canada)
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant No Information available
Description: No information available

ADR
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available

IMO / IMDG
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant No information available

RID
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available

ICAO
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available

IATA
UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
ERG Code: No information available
Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.

Dibutyl Malonate	1190-39-2	Not Listed	Not present	Not present	Not present	Not present	Not present	Not present
------------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Dibutyl Malonate	1190-39-2	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Dibutyl Malonate	1190-39-2	None	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Dibutyl Malonate	1190-39-2	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

B3 Combustible liquid

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Dibutyl Malonate	1190-39-2	Not Listed	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Dibutyl Malonate	1190-39-2	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Dibutyl Malonate	1190-39-2	Not listed

EU Classification

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration	Safety Phrases
------------	---------	----------------	---------------	----------------

			Limits:	
Dibutyl Malonate	1190-39-2		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date: 11/18/2016
Revision Date: Not Applicable
Prepared by: Roumann Pangilinan

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet