



# SAFETY DATA SHEET

Preparation Date: 02/27/2015 Revision Date: 11/9/2018 Revision Number: G3

# 1. IDENTIFICATION

Product identifier

Product code: E1265

**Product Name:** 2-(2-ETHOXYETHOXY)ETHANOL

Other means of identification

Synonyms: Carbitol; Diethylene Glycol Monoethyl Ether; Diethylene Glycol Ethyl Ether;

Diethylene Gylcol Monoethyl Ether; Diglycol monoethyl ether; 3,6-Dioxa-1-octanol; Dioxitol; Dowanol 17; Dowanol DE; Ektasolve DE; Carbitol; Monoethyl ether of diethylene glycol; Solvolsol; Transcutol; Ethyl carbitol; Ethyl diethylene glycol;

Ethyl digol

CAS #: 111-90-0
RTECS # KK8750000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use:
Uses advised against
No information available.
No information available

**Supplier:** Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2B
Flammable liquids	Category 4

### Label elements

Warning

Hazard statements
Causes eye irritation
Combustible liquid

### Hazards not otherwise classified (HNOC)

Not Applicable

### Other hazards

Causes mild skin irritation

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves

Wear eye/face protection

### **Precautionary Statements - Response**

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
2-(2-Ethoxyethoxy)ethanol	111-90-0	100

# 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

**Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

### Most important symptoms and effects, both acute and delayed

Symptoms Causes eye irritation

Mild eye irritation Mild skin irritation

### Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

### **Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

# 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

**Hazardous Combustion Products:** Carbon Monoxide, Carbon Dioxide.

Specific hazards: Combustible material. May be ignited by heat, sparks or

flames. Container explosion may occur under fire conditions or when heated. Vapors may form explosive

mixtures with air.

**Special Protective Actions for Firefighters** 

Specific Methods: Water mist may be used to cool closed containers. For

larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the

material.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. All equipment used when handling the product must be grounded. Use

spark-proof tools and explosion-proof equipment.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far

ahead of liquid spill for later disposal.

**Methods for cleaning up**Use appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Use only non-sparking tools. Clean contaminated surface

thoroughly.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

# Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

# **Technical Measures/Storage Conditions:**

Hygroscopic. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

# **Incompatible Materials:**

Acids

Organic materials

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

# National occupational exposure limits

### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
2-(2-Ethoxyethoxy)etha	111-90-0	None	None	None	25 ppm TWA
nol					

### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
2-(2-Ethoxyethoxy)etha nol	111-90-0	None	None	None	None

### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
2-(2-Ethoxyethoxy)ethanol	111-90-0	None	None

# **Appropriate engineering controls**

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

# Individual protection measures, such as personal protective equipment

### **Personal Protective Equipment**

**Eye protection:** Goggles

Product code: E1265 Product name: 4 / 11

**Skin and body protection:** Chemical resistant apron

Long sleeved clothing

Gloves

**Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid No information available. Colorless. Clear.

Odor:TasteFormula:Fruity. Characteristic. Pleasant. Slight. Bitter.C6H14O3

Molecular/Formula weight (g/mole): Flammability: Flashpoint (°C/°F):

134.18 No information available 91°-96°C/195.8°-204.8°F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Closed cup 204°-218°C/399.2°-424.4°F 1.2

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

23.5 -10°C/14°F No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

196°-197°C/384.8°-386.6°F No information available No information available

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.99 No information available 1.76 kPa @ 25°C

Evaporation rate: Vapor density: VOC content (g/L):
No information available 4.62 No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

-0.54 to -0.8

Miscibility: Solubility:

Miscible with Benzene
Miscible with Chloroform
Miscible with Ethanol

Soluble in Acetone
Soluble in cold water
Soluble in diethyl ether

Miscible with Pyridine

# 10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids

Reactive with oxidizing agents

**Chemical stability** 

**Stability:** Hygroscopic. Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Heat. Ignition sources. Incompatible materials. Exposure to moisture.

Product code: E1265 Product name: 5 / 11

Incompatible Materials: Acids

Organic materials

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

### **Principal Routes of Exposure:**

Eyes. Skin.

# **Acute Toxicity**

# **Component Information**

2-(2-Ethoxyethoxy)ethanol	
CAS-No.	111-90-0

LD50/oral/rat = = 10502 mg/kg Oral LD50 Rat

LD50/oral/mouse = 6600 μL/kg Oral LD50 Mouse

LD50/dermal/rabbit = 4200 µL/kg Dermal LD50 Rabbit; 9143 mg/kg

LD50/dermal/rat = 6 mL/kg Dermal LD50 Rat

**LC50/inhalation/rat** = 5240 mg/m<sup>3</sup> Inhalation LC50 Rat 4 h

**LC50/inhalation/mouse** = No information available

Other LD50 or LC50information = No information available

### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = 10502 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 6600 μL/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 4200 µL/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = 6 ml/kg

LC50/inhalation/rat

 $VALUE-Vapor = 5240 \text{ mg/m}^3 (4-hr)$ 

**VALUE-Gas** = No information available

**VALUE-Dust/Mist** = No information available

#### LC50/Inhalation/mouse

Product code: E1265

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

**Symptoms** 

Skin Contact: Mild skin irritation. It may be absorbed through the skin. If absorbed through the

skin it may affect behavior/central nervous system and cause central nervous

system effects.

**Eye Contact:** Causes eye irritation. Mild eye irritation.

**Inhalation** May cause irritation of respiratory tract. It may affect the liver.

**Ingestion** May cause digestive (gastointestinal) tract irritation. May affect brain,

behavior/central nervous system (ataxia, somnolence, general anesthetic, excitation, central nervous system inhibition, motor coordinator disorder.

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** Chronic exposure may affect the liver, kidneys, and blood.

**Sensitization:** No information available.

Mutagenic Effects: Experiments with bacteria and/or yeast have shown mutagenic effects

May affect genetic material

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: May cause adverse reproductive effects based on animal data

**Developmental Effects:**No information available **Teratogenic Effects:**No information available

**Specific Target Organ Toxicity** 

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.
Kidneys. Liver. Blood.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity effects:** Aquatic environment.

2-(2-Ethoxyethoxy)ethanol - 111-90-0

Product code: E1265 Product name: 7/11

Freshwater Fish Species Data: 10000 mg/L LC50 Lepomis macrochirus 96 h static 1 19100 - 23900 mg/L LC50

Lepomis macrochirus 96 h flow-through 1 11400 - 15700 mg/L LC50

Oncorhynchus mykiss 96 h flow-through 1 11600 - 16700 mg/L LC50 Pimephales promelas 96 h flow-through 1 13400 mg/L LC50 Salmo gairdneri 96 h flow-through

1

Water Flea Data: 3940 - 4670 mg/L EC50 Daphnia magna 48 h

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

# 13. DISPOSAL CONSIDERATIONS

# **Disposal Methods**

### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
2-(2-Ethoxyethoxy)ethanol	111-90-0	None	None	None	None

# 14. TRANSPORT INFORMATION

DOT

**UN-No:** Not Regulated

Proper Shipping Name: No information available Hazard Class: No information available Subsidiary Class No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine Pollutant No data available

DOT RQ (lbs):

Special Provisions
Symbol(s):

No information available
No information available
No information available
No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available
No information available
No Information available
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
No information available
No information available
No information available

Subsidiary Risk: No information available

**IMO / IMDG** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

**RID** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

**ICAO** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available
No information available
No information available
No information available

**IATA** 

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

# 15. REGULATORY INFORMATION

### International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
2-(2-Ethoxyethoxy)eth	111-90-0	PresentACTIV	Present	Present	Present	Present	Present	Present
anol		E	KE-10467		(7)-97,(2)-422			203-919-7

# **U.S. Regulations**

2-(2-Ethoxyethoxy)ethanol

Product code: E1265

Minnesota - Hazardous Substance List: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	<b>Developmental Toxicity</b>	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not Listed	Not Listed	Not Listed	Not Listed

### **CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
2-(2-Ethoxyethoxy) ethanol	111-90-0	None	None	None	None	None

# U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not Applicable	Not Applicable

### Canada

### WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component 2-(2-Ethoxyethoxy)ethanol 111-90-0 ( 100 ) WHMIS 2015 Hazard Classification Flammable liquids - Category 4: H227 Combustible liquid.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Components	WHMIS Ingredient Disclosure List -
2-(2-Ethoxyethoxy)ethanol	1 %

# Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)	
2-(2-Ethoxyethoxy)ethanol	111-90-0	Present	Not Listed	

Components	CAS-No.	CEPA Schedule I - Toxic Substances
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
2-(2-Ethoxyethoxy)ethanol	111-90-0	Not listed

# **EU Classification**

### EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
2-(2-Ethoxyethoxy)ethanol	111-90-0	No information

### EU - CLP (1272/2008)

### R-phrase(s)

R36 - Irritating to eyes.

Product code: E1265

# S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39 - Wear eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
2-(2-Ethoxyethoxy)ethan ol	111-90-0		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

### Indication of danger:

Xi - Irritant.

# **16. OTHER INFORMATION**

Preparation Date: 02/27/2015
Revision Date: 11/9/2018
Prepared by: Sonia Owen

**Disclaimer:** All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: E1265