



Revision date 30-March-2022 Revision Number 2

1. Identification

Product identifier

Product Name HYDROGEN PEROXIDE, 30 PERCENT, ELECTRONIC/CLEANROOM GRADE

Other means of identification

Product Code(s) H1071

UN/ID no UN2014

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use

No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Oxidizing liquids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Harmful if swallowed

Causes severe skin burns and eye damage

May intensify fire; oxidizer

- -



Appearance Clear Physical state Liquid Odor Odorless

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dusts or mists

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat

Keep/Store away from clothing/ combustible materials

Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. May be harmful if inhaled. Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	70	*
Hydrogen peroxide	7722-84-1	30	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.

Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Dry chemical. Foam.

Specific hazards arising from the

chemical

These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating

gases and vapors.

Explosion data

Large Fire

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed

in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel

to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Attention! Corrosive material.

Use personal protective equipment as required.

Other information Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET

WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in

Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containmentDike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with

dry earth, sand or other non-combustible material and transfer to containers. Stop leak if

you can do it without risk.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding

quantities of water. Prevent product from entering drains.

7. Handling and storage

Precautions for safe handling

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash

before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA DEI	NIOSH IDI H
CHEHICALHAILE I	ACGILLIEV	USHAPEL	

Hydrogen peroxide	No data available	1 ppm TWA	75 ppm IDLH
7722-84-1		1.4 mg/m³ TWA	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear

fire/flame resistant/retardant clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorColorlessOdorOdorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

no data available None known pН -33 °C / -27.4 °F Melting point / freezing point None known 108 °C / 226.4 °F Boiling point / boiling range None known Flash point no data available None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No

limits

No data available

Lower flammability or explosive

limits

No data available

Vapor pressure3.1None knownVapor density1.1None knownRelative density1.1None known

Water solubility
Solubility(ies)
Soluble in cold water
Soluble in cold water
None known
None known
No data available
None known

Kinematic viscosity

No data available

None known

None known

None known

None known

None known

None known

Other information

Explosive properties No information available Oxidizing properties No information available

Softening point No information available

Molecular weight 34.01

VOC Content (%)

Liquid Density

Bulk density

No information available
No information available
No information available

10. Stability and reactivity

Reactivity Oxidizer.

Chemical stability May cause fire or explosion; strong oxidizer.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks. Incompatible materials. Exposure to air or moisture over

prolonged periods.

Incompatible materials Organic material. Combustible material. Hydrocarbons. Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May be harmful if

inhaled.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

Component Information

Chomical name	Oral LDE0	Dermal LD50	Inhalation I CEO
i Chemicai name	Oral LD50	Dermal LD50	Inhalation LC50

Water	90 mL/kg (Rat)	-	-
7732-18-5			
Hydrogen peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

No information available. Respiratory or skin sensitization No information available. Germ cell mutagenicity Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide	-	Group 3 -Monograph 71	-	-
7722-84-1		[1999]		
		Supplement 7 [1987]		
		Monograph 36 [1985]		

Legend

No information available. Reproductive toxicity

STOT - single exposure May cause respiratory irritation. STOT - repeated exposure No information available. **Target organ effects** respiratory system, Eyes, Skin.

Aspiration hazard No information available. No information available. Other adverse effects

Interactive effects No information available.

12. Ecological information

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hydrogen peroxide	EC50: =2.5mg/L (72h,	LC50: 10.0 - 32.0mg/L	-	EC50: 18 - 32mg/L (48h,
7722-84-1	Chlorella vulgaris)	(96h, Oncorhynchus		Daphnia magna) EC50:
	- '	mykiss) LC50: 18 -		=7.7mg/L (24h, Daphnia
		56mg/L (96h, Lepomis		magna)
		macrochirus) LC50:		
		=16.4mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability No information available. Bioaccumulation Inherently biodegradable.

No information available. Other adverse effects

13. Disposal considerations

Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local products

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

Labels

DOT UN/ID no UN2014 **Proper Shipping Name:** Hydrogen peroxide, aqueous solutions **Hazard class** 5.1 **Subsidiary Class** 8 Packing group: 12, A60, B53, B80, B81, B85, IB2, IP5, T7, TP2, TP6, TP24, TP37 **Special Provisions Marine Pollutant** Severe Marine Pollutant **Description:** UN2014, Hydrogen peroxide, aqueous solutions, 5.1 (8), II **Emergency Response Guide** 140 Number TDG UN-No: UN2014 **Proper Shipping Name:** Hydrogen peroxide, aqueous solution Hazard class 5.1 **Subsidiary Class** 8 Packing Group: Ш **Description:** UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II MEX **UN-No** UN2014 **Proper Shipping Name** Hydrogen peroxide, aqueous solution **Hazard class** 5.1 8 **Subsidiary Class Packing Group** Ш Description UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II ICAO (air) UN-No: UN2014 **Proper Shipping Name:** Hydrogen peroxide, aqueous solution **Hazard class** 5.1 Subsidiary hazard class 8 Ш **Packing Group:** UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II **Description: IATA UN** number UN2014 **Proper Shipping Name:** Hydrogen peroxide, aqueous solution Transport hazard class(es) 5.1 Subsidiary hazard class 8 Packing group **Description:** UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II **IMDG UN** number UN2014 Proper shipping name Hydrogen peroxide, aqueous solution Transport hazard class(es) 5.1 Subsidiary hazard class 8 Ш Packing group EmS-No F-H, S-Q Marine pollutant NP1 Description UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II RID **UN** number UN2014 **Proper Shipping Name:** Hydrogen peroxide, aqueous solution Transport hazard class(es) 5.1 Packing group Ш OC1 Classification code UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II **Description:**

5.1 + 8

ADR

UN number 2014

Proper Shipping Name: Hydrogen peroxide, aqueous solution

Transport hazard class(es) 5.1 Subsidiary hazard class 8 **Packing group** Ш Classification code OC1 **Tunnel restriction code** (E)

Description: 2014. Hydrogen peroxide, aqueous solution, 5.1 (8), II. (E)

Labels

ADN

UN/ID No UN2014

Proper shipping name Hydrogen peroxide, aqueous solution

Transport hazard class(es) 5.1 **Packing Group** Ш Classification code OC1

Description UN2014, Hydrogen peroxide, aqueous solution, 5.1 (+ 8), II

Hazard label(s) 5.1 + 8Limited quantity (LQ) 1 L **Equipment Requirements** PP, EP

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies Complies **EINECS/ELINCS**

ENCS This product complies with ENCS: **IECSC** This product complies with China:

KECL Complies **PICCS** Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hydrogen peroxide	1015	Present	Environmental hazard
7722-84-1			Present

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 3 Flammability 0 Instability 1

Physical and chemical properties OX

HMIS

Health hazards 3
Flammability 0
Physical hazards 1
Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 30-March-2022

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet