



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
10	Health Hazard Fire Hazard 1	
	Reactivity 0	See Section 15.

Section 1. Chemical Product and Company Identification				Page Number: 1
Common Name/ Trade Name	Immersion Oil, 1250 CS		Catalog Number(s).	l1241
			CAS#	Not available.
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC.		RTECS	Not available.
	14422 S. SAN PEDRO STREET GARDENA, CA 90248		TSCA	TSCA 8(b) inventory: No products were found.
Commercial Name(s)	Not available.		CI#	Not available.
Synonym	Contains Hydrogenated terphenyl and terphenyl, Natural Hydrocarbons, and polybutenes		IN CASE OF	EMERGENCY
Chemical Name	Immersion Oil, 1250 CS CHEMTREC (24hr) 800-424-9300		(24hr) 800-424-9300	
Chemical Family	Not available.		CALL (310) 5	16-8000
Chemical Formula	Not available.			
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

Section 2.Composition and Information on Ingredients						
				Exposure Limits		
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Immersion Oil, 1250 Contains Hydrogenated to Natural Hydrocarbons, an	erphenyl and terphenyl,				5	100
Toxicological Data on Ingredients	Not applicable.		1	1		

Section 3. Hazards Identification

Potential Acute Health Effects Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged exposure is not known to aggravate medical condition.

Continued on Next Page

Immersion Oil, 1250 CS	Page Number: 2

Section 4. First Aid Measures			
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.		
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.		
Serious Skin Contact	Not available.		
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.		
Serious Inhalation	Not available.		
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.		
Serious Ingestion	Not available.		

Section 5. Fire and Explosion Data				
Flammability of the Product	May be combustible at high temperature.			
Auto-Ignition Temperature	Not available.			
Flash Points	OPEN CUP: 163°C (325.4°F) (Cleveland.).			
Flammable Limits	Not available.			
Products of Combustion	Not available.			
Fire Hazards in Presence of Various Substances	Slightly flammable to flammable in presence of open flames and sparks, of heat. Non-flammable in presence of shocks.			
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.			
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.			
Special Remarks on Fire Hazards	Not available.			
Special Remarks on Explosion Hazards	Not available.			

Section 6. Accidental Release Measures			
Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.		
Large Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.		

Section 7. Handling and Storage		
Precautions	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe gas/fumes/ vapor/spray. Keep away from incompatibles such as oxidizing agents.	
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 32°C (89.6°F). Preferably store between 18 C and 32 C (65 F and 90 F).	

Section 8. Exposure Controls/Personal Protection			
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.		
Personal Protection	Safety glasses. Lab coat.		
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.		
Exposure Limits	TWA: 5 (mg/m³) from ACGIH (TLV) [United States] CEIL: 5 (mg/m³) for natrual hydrocarbons and polybutenes from OSHA (PEL) [United States] CEIL: 9 (mg/m³) for terphenyl from OSHA (PEL) [United States]		
	Consult local authorities for acceptable exposure limits.		

Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Liquid. (Oily liquid.)	Odor	Characteristic. (Slight.)
Molecular Weight	Not available.	Taste	Not available.
pH (1% soln/water)	Not applicable.	Color	Yellow. (Light.)
Boiling Point	340°C (644°F)		
Melting Point	Not available.		
Critical Temperature	Not available.		
Specific Gravity	0.9 @ 23 C (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Insoluble in cold water, hot water.		

Stability	The product is stable.	
Instability Temperature	Not available. Excess heat (over 150 F), continual direct sunlight, vaporizing or atomizing, and incompatible materials	
Conditions of Instability		
Incompatibility with various substances	Reactive with oxidizing agents.	

Continued on Next Page

Immersion Oil, 1250 CS		Page Number: 4
Corrosivity	Not available.	
Special Remarks on Reactivity	Not available.	
Special Remarks on Corrosivity	Not available.	
Polymerization	Will not occur.	

Section 11. Toxicological Information			
Routes of Entry	Absorbed through skin. Eye contact. Inhalation.		
Toxicity to Animals	LD50: Not available. LC50: Not available.		
Chronic Effects on Humans	Not available.		
Other Toxic Effects on Humans	Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.		
Special Remarks on Toxicity to Animals	Not available.		
Special Remarks on Chronic Effects on Humans	Not available.		
Special Remarks on other Toxic Effects on Humans	Potential Health Effects: Skin and Eyes: May cause skin and eye irritation. May be absorbe by skin. Inhalation: Inhalation of vapor or mist may cause respiratory tract irritation. If liquid is misted about 150 F, headaches and nausea are possible. Ingestion: Low order of toxicity. May cause gastrointestinal tract irritation. The toxicological properties of this substance have not been fully investigated.		

Section 12. Ecological Information			
Ecotoxicity	Not available.		
BOD5 and COD	Not available.		
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.		
Toxicity of the Products of Biodegradation	Not available.		
Special Remarks on the Products of Biodegradation	Not available.		

Section 13. Disposal Considerations Waste Disposal Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Immersion Oil, 1250 CS		Page Number: 5		
Section 14. Transport Information				
DOT Classification	Not a DOT controlled material (United States).			
Identification	Not applicable.			
Special Provisions for Transport	Not applicable.			
DOT (Pictograms)				

Section 15. Other Regulatory Information and Pictograms **Federal and State** No products were found. Regulations California Proposition 65 Warnings **Other Regulations** Not available. **Other Classifications** WHMIS (Canada) Not controlled under WHMIS (Canada). DSCL (EEC) This product is not classified according Not applicable. to the EU regulations. **Health Hazard** (1) HMIS (U.S.A.) **National Fire Protection** Flammability Association (U.S.A.) Fire Hazard 1 Health Reactivity Reactivity 0 Specific hazard Personal Protection a WHMIS (Canada) (Pictograms) **DSCL** (Europe) (Pictograms) TDG (Canada) (Pictograms) ADR (Europe) (Pictograms) **Protective Equipment** Not applicable.

Immersion Oil, 1250 CS		Page Number: 6
	Lab coat.	
	Not applicable.	
27_380es_70	Safety glasses.	
∇		

Section 16. Other Information			
MSDS Code	10012		
References	Not available.		
Other Special Considerations	Not available.	Not available.	
Validated by Sonia Owen on 8/11/2006.		Verified by Sonia Owen. Printed 9/12/2006.	

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.