spectrum®



SAFETY DATA SHEET

Preparation Date: 2/21/2017	Revision date 0	06/25/2019	Revision Number: G2
	1. IDENTIFIC	CATION	
Product identifier			
Product code: Product Name:	L1153 LUXOL(R) FAST BLUE		
Other means of identification Synonyms:	, kappa.N32]-, sodium (1:2 29H,31H-Phthalocyanine-(Copper, [dihydrogen phtha Cuprate(2-), [29H,31H-phthalocyanine-(,.kappa.N32]-, disodium;	2) ; C,C-disulfonic acid, (alocyaninedisulfonato C,C-disulfonato(4-)-	
CAS #: RTECS # CI#:	1328-51-4 Not available Not available		
Recommended use of the chem	ical and restrictions on us	<u>se</u>	
Recommended use: Uses advised against	No information available. No information available		
Supplier:	Spectrum Chemical Mfg. C 14422 South San Pedro Si Gardena, CA 90248 (310) 516-8000		
Order Online At: Emergency telephone number Contact Person: Contact Person:	https://www.spectrumch Chemtrec 1-800-424-9300 Tom Tyner (USA - West C Ibad Tirmiz (USA - East Co	coast)	
	2. HAZARDS IDEN	NTIFICATION	

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Hazards not otherwise classified (HNOC) Not Applicable

Other hazards

Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		CAS No	Weight-%			
Luxol® Fast Blue		1328-51-4	100			
		4. FIRST AID MEASURES				
First aid measures						
General Advice:	National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.					
Skin Contact:		off immediately with soap and plenty of wa Get medical attention if irritation develops	ter removing all contaminated clothing and . Consult a physician if necessary.			
Eye Contact:	Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.					
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.					
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.					
Most important symptoms and eff	ects, bot	h acute and delayed				
Symptoms	Symptoms May cause eye/skin irritation Health injuries are not known or expected under normal use					
Indication of any immediate medic	al attent	ion and special treatment needed				
Notes to Physician:	Treats	symptomatically.				
Protection of first-aiders First-Aid Providers: Avoid exposure contaminated clothing and equipmer		or body fluids. Wear gloves and other nece nazardous waste.	essary protective clothing. Dispose of			
		5. FIRE-FIGHTING MEASURES				
Extinguishing Media		Carbon dioxide (CO	2) Dry chemical Water spray mist or			

Suitable Extinguishing Media:

Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media:

No information available.

Product code: L1153

Product name: LUXOL(R) FAST BLUE

Specific hazards arising from the chemical

Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. copper oxides.		
Specific hazards	May be combustible at high temperatures.		
Special Protective Actions for Firefighters			
Specific Methods:	No information available		
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear		
6. ACCIDENTAL RELEASE MEASURES			

Personal precautions, protective	Personal precautions, protective equipment and emergency procedures				
Personal Precautions:	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Remove all sources of ignition.				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.				
Methods and material for contai	Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.				
Methods for cleaning up	Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.				

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. All equipment used when handling the product must be grounded. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Luxol® Fast Blue	1328-51-4	None	None	None	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Luxol® Fast Blue	1328-51-4	None	None	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Luxol® Fast Blue	1328-51-4	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles or Safety glasses with side-shields.
Skin and body protection:	Long sleeved clothing Chemical resistant apron Gloves
Respiratory protection:	Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Appearance:	Color:
Solid	Powder.	Blue.
Odor:	Taste	Formula
Odorless.	No information available.	No information available
Molecular/Formula weight (g/n	nole): Flammability (solid, gas)	Flashpoint (°C/°F):
No information available	no data available	No information available
-		

Product code: L1153

Product name: LUXOL(R) FAST BLUE Flash Point Tested according to: Not available

Upper Explosion Limit (%): No information available

Boiling point/range(°C/°F): No information available

Specific gravity: No information available

Evaporation rate: No information available

Odor threshold (ppm): No information available

Miscibility: No information available Autoignition Temperature (°C/°F): No information available

Melting point/range(°C/°F): 195-210 (°C)/383-410 (°F)

Bulk density: No information available

pH No information available

Vapor density: No information available

Partition coefficient (n-octanol/water): No information available

10. STABILITY AND REACTIVITY

Solubility: Insoluble in water Lower Explosion Limit (%): No information available

Decomposition temperature(°C/°F): No information available

Density (g/cm3): No information available

Vapor pressure @ 20°C (kPa): No information available

VOC content (g/L): No information available

Viscosity: No information available

Reactivity May react with strong oxidizers

Chemical stability	
--------------------	--

Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Incompatible materials.
Incompatible Materials:	Strong oxidizing agents
Hazardous decomposition products:	No information available.

Other Information Corrosivity:

No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Ingestion. Inhalation.

Acute Toxicity

Component Information

Product code: L1153

Luxol® Fast Blue

CAS No 1328-51-4 LD50/oral/rat = > 10000 mg/kg Oral LD50 Rat LD50/oral/mouse = 6700 mg/kg Oral LD50 Mouse LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available LC50/inhalation/mouse = No information available Other LD50 or LC50information = No information available **Product Information** LD50/oral/rat = Value - Acute Toxicity = > 10000 mg/kg LD50/oral/mouse = Value - Acute Tox = 6700 mg/kg LD50/dermal/rabbit Value - Acute Toxicity = No information available LD50/dermal/rat **VALUE - Acute Tox =** No information available LC50/inhalation/rat **VALUE-Vapor** = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available LC50/Inhalation/mouse VALUE-Vapor = No information available VALUE - Gas = No information available VALUE - Dust/Mist = No information available Symptoms Skin Contact: May cause skin irritation. May cause eye irritation. May cause slight irritation by mechanical action. Eye Contact: Inhalation May cause irritation of respiratory tract. No information available. Health injuries are not known or expected under normal Ingestion use. Aspiration hazard No information available. Delayed and immediate effects as well as chronic effects from short and long-term exposure **Chronic Toxicity** No information available. Sensitization: No information available. **Mutagenic Effects:** No information available

Carcinogenic effects:

Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Luxol® Fast Blue			Not listed	Not listed	Not listed	Not listed	Not listed
ACGIH (American Conference of Governmental Industrial Hygienists) IARC (International Agency for Research on Cancer) NTP (National Toxicology Program) OSHA (Occupational Safety and Health Administration of the US Department of Labor)							
Reproductive toxicity	Ν	lo data is ava	ailable				
Reproductive Effects: Developmental Effects: Teratogenic Effects:	Ň	No information available No information available No information available					
Specific Target Organ T	oxicity						
STOT - single exposure STOT - repeated exposu Target Organs:	ure N	lo informatior lo informatior lo informatior	n available.				
		12. ECO	LOGICAL IN	NFORMATI	ON		
Ecotoxicity							
Ecotoxicity effects:	Ν	lo data availa	able.				
Persistence and degrad	ability: N	lo informatior	n available				

Mobility in soil	No information available
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

No information available.

Contaminated packaging:

Bioaccumulative potential:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Luxol® Fast Blue	1328-51-4	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No:	Not Regulated
Proper Shipping Name:	No information available
Hazard Class	No information available
Subsidiary Class	No information available
Packing group:	No information available
Emergency Response Guide	No information available
Number	
Marine Pollutant	No data available
DOT RQ (lbs):	No information available
Special Provisions	No Information available
Symbol(s):	No information available
Description:	No information available

TDG (Canada)

UN-No: **Proper Shipping Name: Hazard Class** Subsidiary Risk: Packing Group: **Marine Pollutant Description:**

ADR

UN Number	Not regulated
Proper Shipping Name:	No information
Transport hazard class(es)	No information
Packing group	No information
Subsidiary Risk:	No information

IMDG

UN-No: **Proper Shipping Name:** Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant

RID

UN Number Proper Shipping Name: Transport hazard class(es) Subsidiary Risk: Packing group

ICAO (air)

UN-No: **Proper Shipping Name: Hazard Class** Subsidiary Risk: Packing Group:

ΙΑΤΑ

UN Number Proper Shipping Name: Transport hazard class(es) Subsidiary Risk: **Packing group**

Not Regulated No information available No information available

available available available available

Not Regulated

No information available No information available No information available No information available No information available

Not Regulated No information available

No information available No information available No information available

Not Regulated No information available No information available No information available No information available

Not Regulated No information available No information available No information available No information available Precautionary Statements -No infoResponseSpecial ProvisionsNo info

No information available

No information available

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Luxol® Fast Blue	1328-51-4	Not Listed	Present KE-08525	Present	Present (5)-3123	Present	Not listed	Present 215-523-1

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Luxol® Fast Blue	1328-51-4	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Luxol® Fast Blue	1328-51-4	None	None	None	None	None

U.S. TSCA

Component		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Luxol® Fast Blue	1328-51-4	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Not a dangerous product according to HPR classification criteria. Information:

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Luxol® Fast Blue	1328-51-4	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Luxol® Fast Blue	1328-51-4	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Luxol® Fast Blue	1328-51-4	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Luxol® Fast Blue	1328-51-4	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

CAS No	Classification	Concentration Limits:	Safety Phrases
1328-51-4		No information	
	1328-51-4	1328-51-4	Limits:

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None

16. OTHER INFORMATION

Preparation Date:	2/21/2017
Revision date	06/25/2019
Prepared by:	Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet