

SAFETY DATA SHEET

Preparation Date: 8/24/2017

Revision Date: 8/24/2017

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: L1200
Product Name: LEMON OIL, CALIFORNIA TYPE, COLDPRESSED, FCC

Other means of identification

Synonyms: Oil of Lemon
CAS #: 8008-56-8
RTECS # OG8300000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000.

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person: Martin LaBenz (West Coast)

Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements

Warning

Hazard statements

Causes skin irritation
 Causes serious eye irritation
 May cause an allergic skin reaction
 May be fatal if swallowed and enters airways
 Flammable liquid and vapor

Product code: L1200

Product name: LEMON OIL,
 CALIFORNIA TYPE, COLDPRESSED,
 FCC

1 / 12



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if swallowed

Precautionary Statements - Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/.../equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear eye/face protection
- Wear protective gloves

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

- Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Lemon Oil, California type, cold pressed	8008-56-8	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

2 / 12

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. Causes skin irritation. Aspiration hazard if swallowed - can enter the lungs and cause damage. May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: Flammable. May be ignited by heat, sparks or flames. Container explosion may occur under fire conditions or when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special Protective Actions for Firefighters

Specific Methods: For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed. Keep in a well-ventilated place. Store at room temperature in the original container. Keep away from heat and sources of ignition. Protect from light. Sensitive to light. Store in light-resistant containers. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Lemon Oil, California type, cold pressed	8008-56-8	None	None	None	None

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

4 / 12

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Lemon Oil, California type, cold pressed	8008-56-8	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Lemon Oil, California type, cold pressed	8008-56-8	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:

Goggles

Skin and body protection:

Long sleeved clothing
Chemical resistant apron
Gloves

Respiratory protection:

Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Appearance:

Clear.

Color:

Yellow. Light green.

Odor:

Lemon-like. reminiscent of lemon peel. No information available.

Taste

Formula:

No information available

Molecular/Formula weight:

No information available

Flammability:

Flamamble

Flashpoint (°C/°F):

50 °C/122 °F

Flash Point Tested according to:

Closed cup

Autoignition Temperature (°C/°F):

No information available

Lower Explosion Limit (%):

No information available

Upper Explosion Limit (%):

No information available

Melting point/range(°C/°F):

No information available

Decomposition temperature(°C/°F):

No information available

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

5 / 12

Boiling point/range(°C/°F):

No information available

Bulk density:

No information available

Density (g/cm3):

No information available

Specific gravity:

0.849-0.856

pH:

No information available

Vapor pressure @ 20°C (kPa):

No information available

Evaporation rate:

No information available

Vapor density:

No information available

VOC content (g/L):

No information available

Odor threshold (ppm):

No information available

**Partition coefficient
(n-octanol/water):**

No information available

Viscosity:

No information available

Miscibility:

No information available

Solubility:

Insoluble in water

10. STABILITY AND REACTIVITY**Reactivity**

No information available

Chemical stability**Stability:**

Sensitive to light. Exposure to light accelerates decomposition. Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur**Conditions to avoid:**

Heat. Ignition sources. Exposure to light.

Incompatible Materials:

No information available

Hazardous decomposition products:

No information available.

Other Information**Corrosivity:**

No information available

Special Remarks on Corrosivity: No information available**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Principal Routes of Exposure:**

Eyes. Ingestion. Inhalation. Skin.

Acute Toxicity**Component Information**

Lemon Oil, California type, cold pressed

CAS-No. 8008-56-8

LD50/oral/rat = 2840 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = >5000 mg/kg

Product code: L1200**Product name:** LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC**6 / 12**

LD50/dermal/rat = No information available
 LC50/inhalation/rat = No information available
 LC50/inhalation/mouse = No information available
 Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =
 VALUE- Acute Tox Oral = 2840 mg/kg

LD50/oral/mouse =
 Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
 VALUE-Acute Tox Dermal = > 5000 mg/kg

LD50/dermal/rat
 VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
 VALUE-Vapor = No information available
 VALUE-Gas = No information available
 VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
 VALUE-Vapor = No information available
 VALUE - Gas = No information available
 VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation.
Eye Contact: Causes serious eye irritation. Moderately irritating to the eyes.
Inhalation May cause irritation of respiratory tract.
Ingestion Aspiration hazard if swallowed. Aspiration into the lungs can cause chemical pneumonitis. Aspiration may lead to pulmonary edema.
Aspiration hazard May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Repeated or prolonged skin contact may cause skin sensitization. Skin: Sensitizer. May cause allergic skin reaction (allergic contact dermatitis).
Sensitization: May cause sensitization by skin contact.
Mutagenic Effects: No information available
Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances

Lemon Oil, California type, cold pressed	8008-56-8	Not listed					
--	-----------	------------	------------	------------	------------	------------	------------

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available
Bioaccumulative potential: No information available.
Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Lemon Oil, California type, cold pressed	8008-56-8	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN1197
Proper Shipping Name: Extracts, flavoring, liquid
Hazard Class: 3

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

Subsidiary Class No information available
Packing group: III
Emergency Response Guide Number No information available
Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions No Information available
Symbol(s): No information available
Description: UN1197,Extracts, flavoring, liquid ,3,PG III

TDG (Canada)

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No Information available
Description: UN1197,EXTRACTS, FLAVOURING, LIQUID,3,PG III

ADR

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Packing Group: III
Subsidiary Risk: No information available
Description: UN1197 Extracts, flavouring, liquid,3,III

IMO / IMDG

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant No information available
EMS: F-E

RID

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Description: UN1197 Extracts, flavouring, liquid,3,III

ICAO

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Description: UN1197,Extracts, flavouring, liquid,3,PG III

IATA

UN-No: UN1197
Proper Shipping Name: Extracts, flavouring, liquid
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

ERG Code: 3L
 Special Provisions: No information available
 Description: UN1197, Extracts, flavouring, liquid, 3, PG III

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Lemon Oil, California type, cold pressed</i>	8008-56-8	Present	Present KE-27013	Present	Not present	Present	Present	Not present

U.S. Regulations

Lemon Oil, California type, cold pressed

FDA - 21 CFR - Total Food Additives 146.114 146.120 161.190 172.230 173.240 182.20

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
<i>Lemon Oil, California type, cold pressed</i>	8008-56-8	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
<i>Lemon Oil, California type, cold pressed</i>	8008-56-8	None	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
<i>Lemon Oil, California type, cold pressed</i>	8008-56-8	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

The WHMIS 2015 classification of this product has not been validated or reviewed yet.

Canada Hazardous Products Regulation

This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Product code: L1200

Product name: LEMON OIL,
CALIFORNIA TYPE, COLDPRESSED,
FCC

10 / 12

WHMIS 1988 Hazard Class

B3 Combustible liquid
 D2B Toxic materials

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Lemon Oil, California type, cold pressed	8008-56-8	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Lemon Oil, California type, cold pressed	8008-56-8	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Lemon Oil, California type, cold pressed	8008-56-8	Not listed

EU Classification**EU GHS - SV - CLP 1272/2008**

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Lemon Oil, California type, cold pressed	8008-56-8	No information

EU - CLP (1272/2008)**R-phrase(s)**

R10 - Flammable.
 R36/38 - Irritating to eyes and skin.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S37 - Wear suitable gloves.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Lemon Oil, California type, cold pressed	8008-56-8		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Flammable
 Xi - Irritant.

Xi

**16. OTHER INFORMATION**

Preparation Date: 8/24/2017

Product code: L1200

Product name: LEMON OIL,
 CALIFORNIA TYPE, COLDPRESSED,
 FCC

11 / 12

Revision Date:
Prepared by:

8/24/2017
Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet