



SAFETY DATA SHEET

Preparation Date: 12/16/2015 Revision date 8/1/2019 Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: M1194

Product Name: MINERAL OIL, WHITE, MEDIUM, FCC

Other means of identification

Synonyms: White Mineral Oil 8042-47-5 RTECS # PY8047000 Not available

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant. Medication. Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person:Tom Tyner (USA - West Coast)Contact Person:Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards
Not available

Product code: M1194 Product name: MINERAL OIL, Page 1/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Mineral Oil, White, medium	8042-47-5	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye irritation

May cause skin irritation

Thirst

May cause diarrhea

Vomiting

May cause abdominal discomfort

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous combustion products

Carbon Monoxide, Carbon Dioxide.

Specific hazards May be combustible at high temperatures.

Special Protective Actions for Firefighters

Product code: M1194 Product name: MINERAL OIL, Page 2/11

Specific Methods: No information available

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth).

Methods for cleaning up Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a

suitable chemical waste container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Protect from light. Sensitive to light. Store in light-resistant containers.

Incompatible Materials:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Mineral Oil, White, medium	8042-47-5	None	None	None	None

Product code: M1194 Product name: MINERAL OIL, Page 3 / 11
WHITE, MEDIUM, FCC

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Mineral Oil, White, medium	8042-47-5	None	None	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Mineral Oil, White, medium	8042-47-5	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron

Long sleeved clothing

Gloves

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room

ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Liquid Oily. Viscous. Water-white. Colorless.

Odor: Taste Formula

Odorless. No information available. No information available

Molecular/Formula weight (g/mole): Flammability (solid, gas)

Flashpoint (°C/°F):

No information available no data available >115 °C/239 °F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available No information available No information available

Boiling point/range(°C/°F):

>230°C/446°F

Product code: M1194 Product name: MINERAL OIL, Page 4/11

218-643 °C/424.4-1189 °F Bulk density: Density (g/cm3):

No information available
No information available

Specific gravity: pH Vapor pressure @ 20°C (kPa):

0.848-0.867 No information available <0.1

>6

Evaporation rate: Vapor density: VOC content (g/L):
No information available No information available No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): Medium viscosity range is 24.2 to

26.30 cSt @ 40 deg. C 3-11 cSt @ 100 deg. C

Miscibility: Solubility:

No information available Soluble in most organic solvents

Insoluble in water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with strong oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Exposure to light.

Incompatible Materials: Strong oxidizing agents

Hazardous decomposition

products:

Carbon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Ingestion.

Acute Toxicity

Component Information

Mineral Oil, White, medium
CAS No 8042-47-5

LD50/oral/rat = > 5000 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

Product code: M1194 Product name: MINERAL OIL, Page 5/11

LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

Value - Acute Toxicity = > 5000 mg/kg

LD50/oral/mouse =

Value - Acute Tox = No information available

LD50/dermal/rabbit

Value - Acute Toxicity = No information available

LD50/dermal/rat

VALUE - Acute Tox = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. Although this material is not known to be an irritant, it

may be mildy irritating in sensitive individuals.

Eye Contact: May cause eye irritation. May cause slight temporary eye irritation.

Inhalation Not expected to be an inhalation hazard. May cause respiratory tract irritation.

Symptoms may include coughing and shortness of breath. It is not expected to be an inhalalation hazard during usual industrial handling and at ambient conditions

unless it is misted or aerosolized. Caution should be taken to prevent

aerosolization or misting. If aspiration occurs upon inhalation of mist or aerosol, it may lead to chemical or lipoid pneumonitis, aspiration or lipoid pneumonia, and

pulmonary edema.

Ingestion Regarded as essentially non-toxic. May cause abdominal discomfort. May cause

stomach cramping. It can have a purging or laxative effect. May cause vomiting.

May cause diarrhea. May cause thirst.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the liver. Prolonged or repeated

ingestion may cause loss of appetite. Regular ingestion of mineral oil during

pregnancy may reduce absorption of Vitamin K and produce

hypoprothrombinemia in the newborn. Heavy exposure to oil mist in the absence of adequate ventilation may cause lipoid pneumonia. It may also cause slight

Product code: M1194 Product name: MINERAL OIL, Page 6 / 11

basal lung fibrosis.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Mineral Oil, White, medium	8042-47-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure

Target Organs:

No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Mineral Oil, White, medium - 8042-47-5

Fish 10000 mg/L LC50 Lepomis macrochirus 96 h 1

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soilNo information availableOther adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

<u>Disposal Methods</u>

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Product code: M1194 Product name: MINERAL OIL, Page 7/11

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal Do not re-use empty containers Dispose of as unused product.

Component	CAS No	RCRA - F Series	RCRA - K Series	RCRA - P Series	RCRA - U Series
		Wastes	Wastes	Wastes	Wastes
Mineral Oil, White, medium	8042-47-5	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Class
Packing group:
No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

UN Number Not regulated

Proper Shipping Name:
Transport hazard class(es)
Packing group
Subsidiary Risk:

No information available
No information available
No information available

IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

RID

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group

No information available
No information available
No information available

ICAO (air)

Product code: M1194 Product name: MINERAL OIL, Page 8 / 11
WHITE, MEDIUM, FCC

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group
Precautionary Statements No information available
No information available
No information available
No information available

Response

Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Mineral Oil, White, medium	8042-47-5	PresentACTIV E	Present KE-35412	Present	Present (9)-1692	Present	Present	Present 232-455-8

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Mineral Oil, White, medium	8042-47-5	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Mineral Oil, White, medium	8042-47-5	None	None	None	None	None

U.S. TSCA

Component		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Mineral Oil, White, medium	8042-47-5	Not Applicable	Not Applicable

Canada

Product code: M1194 Product name: MINERAL OIL, Page 9/11

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Component Mineral Oil, White, medium 8042-47-5 (100) WHMIS 2015 Hazard Classification Not a dangerous product according to HPR classification criteria

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Mineral Oil, White, medium	8042-47-5	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Mineral Oil, White, medium	8042-47-5	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Mineral Oil, White, medium	8042-47-5	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Mineral Oil, White, medium	8042-47-5	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Component	CAS No	Concentration Limits:	Safety Phrases
Mineral Oil, White, medium	8042-47-5	No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None

16. OTHER INFORMATION

Preparation Date: 12/16/2015
Revision date 8/1/2019
Prepared by: Sonia Owen

Product code: M1194 Product name: MINERAL OIL, Page 10 / 11

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: M1194 Product name: MINERAL OIL, Page 11 / 11 WHITE. MEDIUM. FCC