

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)



# spectrum®

Revision date 30-September-2024

Revision Number 4

## 1. Identification

### Product identifier

**Product Name** METHYLENE CHLORIDE, TECHNICAL

### Other means of identification

**Product Code(s)** M1252

**UN number or ID number** UN1593

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** For Laboratory, Research or Manufacturing Use. This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

**Restrictions on use** After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion-sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Spectrum Chemical Mfg. Corp.  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000

**Emergency telephone number****Emergency Telephone**

Chemtrec 1-800-424-9300

**2. Hazard(s) identification****Classification**

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Category 3 Target organ effects: Narcotic effects.	
Specific target organ toxicity (repeated exposure)	Category 2

**Hazards not otherwise classified (HNOC)**

Not applicable.

**Label elements**

Warning

**Hazard statements**

Harmful if swallowed.  
 Causes skin irritation.  
 Causes serious eye irritation.  
 Suspected of causing cancer.  
 May cause respiratory irritation.  
 May cause drowsiness or dizziness.  
 May cause damage to organs through prolonged or repeated exposure.

**Precautionary Statements - Prevention**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Wear protective gloves/clothing and eye/face protection.  
 Wash face, hands and any exposed skin thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.  
 Specific treatment (see .? on this label).  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.  
 IF ON SKIN: Wash with plenty of water and soap.  
 If skin irritation occurs: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.  
 Rinse mouth.

**Precautionary Statements - Storage**

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Unknown acute toxicity****Other information**

Contact with flame or hot glowing surface may produce toxic gases.

**3. Composition/information on ingredients****Substance**

Chemical name	CAS No.	Weight-%
Methylene Chloride	75-09-2	100

**4. First-aid measures****Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

**Inhalation**

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

**Skin contact**

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

**Ingestion**

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider**

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed****Symptoms**

May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Effects of Exposure**

May cause damage to organs through prolonged or repeated exposure.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically.

**5. Fire-fighting measures****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the

	surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	Carbon Monoxide, Carbon Dioxide. hydrogen chloride gas. phosgene.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

<b>Technical Measures/Precautions:</b>	Provide sufficient air exchange and/or exhaust in work rooms Remove all sources of ignition Keep away from open flames, hot surfaces and sources of ignition To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded Keep away from incompatible materials
<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.
<b>Incompatible Materials:</b>	Oxidizing agents Bases Caustics Amines Acids Nitric acid Perchloric acid Alkali Metals Potassium Sodium Lithium Alkaline Earth metals Magnesium sulfate Metals Aluminum Titanium Potassium t-butoxide

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methylene Chloride 75-09-2	-	25 ppm TWA 125 ppm STEL	-

### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
----------------------	---

### Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Colorless
Odor	Pleasant sweet
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)		None known
Melting point / freezing point	-96.7 - -95 °C / -142.1 - -139 °F	None known
Initial boiling point and boiling range	39.8 °C / 103.6 °F	None known
Flash point	No data available	None known
Evaporation rate	27.5 (butyl acetate = 1)	None known
Flammability	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	19-23%	
Lower flammability or explosive limits	12-13%	
Vapor pressure	46.66	None known
Relative vapor density	2.93	None known

Relative density	1.318 - 1.3255	None known
Water solubility	Slightly soluble in water	None known
Solubility(ies)	Soluble in Ether	None known
	Soluble in hot alcohol	
	Soluble in Ethanol	
	Soluble in Acetone	
Partition coefficient	1.25	None known
Autoignition temperature	556 - 605 °C / 1032.8 - 1121 °F	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
<b>Other information</b>		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	84.93	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	Spontaneous polymerisation.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
----------	--

**Acute toxicity** Harmful if swallowed.

**Numerical measures of toxicity**

**Unknown acute toxicity**

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene Chloride 75-09-2	= 1600 mg/kg ( Rat )	-	= 53 mg/L ( Rat ) 6 h = 76000 mg/m <sup>3</sup> ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Methylene Chloride 75-09-2	-	Group 2B - Monograph 110 [2017] Monograph 71 [1999]	-	-

**Legend**

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Target organ effects** Liver, Eyes, Skin, Central nervous system, Central Vascular System (CVS), Lungs.

**Aspiration hazard** No information available.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## 12. Ecological information

**Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methylene Chloride 75-09-2	EC50: >500mg/L (72h, Pseudokirchneriella subcapitata) EC50: >500mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 140.8 - 277.8mg/L (96h, Pimephales promelas) LC50: 262 - 855mg/L (96h, Pimephales promelas) LC50: =193mg/L (96h, Lepomis macrochirus)	-	EC50: 1532 - 1847mg/L (48h, Daphnia magna) EC50: =190mg/L (48h, Daphnia magna)

**Persistence and degradability** No information available.

#### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
Methylene Chloride 75-09-2	1.25

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### 14. Transport information

#### DOT

UN number or ID number UN1593  
 Proper shipping name Dichloromethane  
 Transport hazard class(es) 6.1  
 Special Provisions III  
 Special Provisions IB8, IP8, N36, T7, TP2  
 DOT Marine Pollutant NP  
 Description UN1593, Dichloromethane, 6.1, III  
 Emergency Response Guide Number 160

#### TDG

UN/ID no. UN1593  
 Proper shipping name Dichloromethane  
 Transport hazard class(es) 6.1  
 Packing Group III  
 Description UN1593, Dichloromethane, 6.1, III

#### MEX

UN-No UN1593



Proper Shipping Name	Dichloromethane
Transport hazard class(es)	6.1
Packing Group	III
Description	UN1593, Dichloromethane, 6.1, III

**ICAO (air)**

UN/ID no.	UN1593
Proper shipping name	Dichloromethane
Transport hazard class(es)	6.1
Packing Group	III
Description	UN1593, Dichloromethane, 6.1, III

**IATA**

UN number or ID number	UN1593
Proper shipping name	Dichloromethane
Transport hazard class(es)	6.1
Packing group	III
Description	UN1593, Dichloromethane, 6.1, III
ERG Code	6L

**IMDG**

UN number or ID number	UN1593
Proper shipping name	Dichloromethane
Transport hazard class(es)	6.1
Packing group	III
EmS-No.	F-A S-A
Marine pollutant	NP
Description	UN1593, Dichloromethane, 6.1, III

**ADR**

UN number or ID number	UN1593
Proper shipping name	Dichloromethane
Transport hazard class(es)	6.1
Packing group	III
Special Provisions	516
Description	UN1593, Dichloromethane, 6.1, III, (E)

**RID**

UN number or ID number	UN1593
Proper shipping name	Dichloromethane
Transport hazard class(es)	6.1
Subsidiary Risk:	6.1
Packing group	III
Special Provisions	516
Description	UN1593, Dichloromethane, 6.1, III

**15. Regulatory information****International Inventories**

TSCA	Complies
------	----------

DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies

<b>PICCS</b>	Complies
<b>AIIC</b>	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).
<b>NZIoC</b>	Does not comply
<b>TCSI</b>	Does not comply

**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals**TCSI** - Taiwan Chemical Substance Inventory**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Methylene Chloride - 75-09-2	0.1

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Methylene Chloride 75-09-2	1000 lb final RQ 454 kg final RQ	

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Methylene Chloride - 75-09-2	carcinogen

**U.S. State Right-to-Know Regulations****U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

#### Other Regulations

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion-sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

#### International Inventories

Chemical name	CAS No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	IECSC	AIIC	EINECS-No.
	75-09-2	PresentACTIVE	Present KE-23893	Present	Present (2)-36	X	X	Present 200-838-9

#### U.S. Regulations


Chemical name	Massachusetts	M.A. EHS:	New Jersey	New Jersey - Environmental Hazardous Substances	N.J.- Discharge Prevention:	New Jersey TCPA - EHS:	Pennsylvania	P.A. RTK - Environmental Hazard	P.A. RTK - Special Hazardous
Methylene Chloride	Present		1255		Present		Environmental hazard Special hazardous substance	Present	Present

Chemical name	Michigan - Critical Materials:	Michigan PSM HHC:	Minnesota - Hazardous Substance:	N.Y. Release - Hazardous Substances:	C.T. - Carcinogenic:
Methylene Chloride	Present		Present	1000 lb RQ 1 lb RQ	

Chemical name	Louisiana Reportable Quantity List for Pollutants:	California Directors List of Hazardous Substances:	FDA - Food Additives Generally Recognized as Safe (GRAS):	FDA - Direct Food Additives	FDA - 21 CFR - Total Food Additives - List Sourced from EAFUS
Methylene Chloride	1000lbfinal RQ 454kgfinal RQ	Present		21 CFR 173.255	172.560, 173.255, 175.105, 177.1580, 177.1585, 73.1, 73.30, 73.345, 73.615

**California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.**

**Chemicals Known to the State of California to Cause Cancer:**

 **WARNING:** This product can expose you to chemicals including (see table and list below) which is (are) known to the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov). Safrole.

**Chemicals Known to the State of California to Cause Reproductive Toxicity:**

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemical name	CAS No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
	75-09-2	carcinogen	Not Listed	Not Listed	Not Listed

**CERCLA/SARA**

CERCLA

TSCA

Chemical name	CAS No.	Hazardous Substances RQs	TPQ	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category
	75-09-2	1000 lb final RQ 454 kg final RQ		None	None

**U.S. TSCA**

Chemical name	CAS No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
	75-09-2	Not Applicable	10/04/1982 10/04/1992

**Canada****WHMIS 2015 - GHS Classifications**

WHMIS 2015 Hazard Classification  
Information:

Component  
Methylene Chloride  
75-09-2 ( 100 )

WHMIS 2015 Hazard Classification  
Acute toxicity - Oral - Category 4: H302 Harmful if swallowed.; Skin corrosion/irritation - Category 2: H315 Causes skin irritation.; Serious Eye Damage/Eye Irritation - Category 2A: H319 Causes serious eye irritation.; Carcinogenicity - Category 1B: H350 May cause cancer.; Specific target organ toxicity - Single exposure - Category 1: H370 Causes damage to organs.; Specific target organ toxicity - Single exposure - Category 3: H336 May cause drowsiness or dizziness.

**Canada Hazardous Products Regulation** This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

Chemical name	CAS No.	Canada (DSL)	Canada (NDSL)
	75-09-2	Present	Not Listed

Chemical name	CAS No.	CEPA Schedule I - Toxic Substances
	75-09-2	Present
Chemical name	CAS No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
	75-09-2	Not listed

Chemical name	CAS No.	EU GHS - SV - CLP (1272/2008)
	75-09-2	Carcinogenicity - Carc. 2: H351 Suspected of causing

		cancer.602-004-00-3
--	--	---------------------

**S -phrase(s)**

S 3 - Keep in a cool place.

Chemical name	CAS No.	Classification according to Directive 67/548/EEC or 1999/45/EC	Concentration Limits:	Safety Phrases
Methylene Chloride	75-09-2		No information	S2 S23 S24/25 S36/37

The product is classified in accordance with Annex VI to Directive 67/548/EEC

**Indication of danger:**

Not dangerous

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 2	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 2 *	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> X
<i>Chronic Hazard Star Legend</i>		<i>* = Chronic Health Hazard</i>		

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorization:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 30-September-2024  
**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**