SAFETY DATA SHEET

Revision date 28-June-2021

1. Identification Product identifier **Product Name** 2-BUTANONE, REAGENT, ACS Other means of identification Product Code(s) M1260 UN/ID no UN1193 Synonyms None Recommended use of the chemical and restrictions on use **Recommended use** No information available **Restrictions on use** No information available Details of the supplier of the safety data sheet Supplier Address Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000 Emergency telephone number **Emergency Telephone** Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger


Hazard statements

Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness



Revision Number 2





Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up.

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Methyl Ethyl Ketone	78-93-3	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Explosion data Sensitivity to mechanical impac	ct none.
Sensitivity to static discharge	yes.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

	suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from
heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Do not store near combustible materials.
Keep in an area equipped with sprinklers. Store in accordance with the particular national
regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl Ethyl Ketone	No data available	200 ppm TWA	-
78-93-3		590 mg/m³ TWA	

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.
· · · · · · · · · · · · · · · · · · ·

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties			
Physical state	Liquid		
Appearance	Clear		
Color	Colorless		
Odor	No information available		
Odor threshold	No information available		
Cabl threshold			
Property_	Values	Remarks • Method	
рН	no data available	None known	
Melting point / freezing point	-86 °C / -122.8 °F	None known	
Boiling point / boiling range	80 °C / 176 °F	None known	
Flash point	-9 °C / 15.8 °F	CC (closed cup)	
Evaporation rate	no data available	None known	
Flammability (solid, gas)	no data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive	10%		
limits			
Lower flammability or explosive	1.8%		
limits			
Vapor pressure	10.4	None known	
Vapor density	2.4	None known	
Relative density	0.8	None known	
Water solubility	Soluble in water	None known	
Solubility(ies)	Miscible in Ether	None known	
	Miscible with Acetone		
	Miscible in Benzene		
	Miscible with Ethanol		
	Miscible with Chloroform		
	Miscible with many organic solvents		
	Soluble in Oils		
Partition coefficient	No data available	None known	
Autoignition temperature	404 °C / 759.2 °F	None known	
Decomposition temperature		None known	
Kinematic viscosity	no data available	None known	
Dynamic viscosity	No data available	None known	
Other information			
Explosive properties	No information available		
Oxidizing properties	No information available		
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	No information available		
Liquid Density	No information available		
Bulk density	No information available		
- · · ·			

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	

Acute toxicity

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl Ethyl Ketone	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	23500 mg/m ³
78-93-3			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Germ cell mutagenicity	Classification based on data available for ingredients. Irritating to skin. Classification based on data available for ingredients. Causes serious eye irritation. No information available. No information available.
Reproductive toxicity	No information available.
STOT - single exposure STOT - repeated exposure Target organ effects	May cause drowsiness or dizziness. No information available. respiratory system, Eyes, Skin, central nervous system.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Ecotoxicity				
Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
	· · ·		microorganisms	
Methyl Ethyl Ketone	-	LC50: 3130 - 3320mg/L	-	EC50: 4025 - 6440mg/L
78-93-3		(96h, Pimephales		(48h, Daphnia magna)

promelas)	EC50: =5091mg/L (48h, Daphnia magna) EC50: >520mg/L (48h, Daphnia
	magna)

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Methyl Ethyl Ketone	0.3
78-93-3	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.

14. Transport information

DOT

UN/ID no Proper Shipping Name: Hazard class Packing group: Special Provisions Marine Pollutant Description: Emergency Response Guide Number	UN1193 Ethyl methyl ketone 3 II IB2, T4, TP1 Severe Marine Pollutant UN1193, Ethyl methyl ketone, 3, II 127
<u>TDG</u> UN-No: Proper Shipping Name: Hazard class Packing Group: Description:	UN1193 Ethyl methyl ketone 3 II UN1193, Ethyl methyl ketone, 3, II
MEX UN-No Proper Shipping Name Hazard class Packing Group Description	UN1193 Ethyl methyl ketone 3 II UN1193, Ethyl methyl ketone, 3, II
ICAO (air) UN-No: Proper Shipping Name: Hazard class Packing Group: Description:	UN1193 Ethyl methyl ketone 3 II UN1193, Ethyl methyl ketone, 3, II
IATA UN number	UN1193

Proper Shipping Name: Transport hazard class(es) Packing group Description:	Ethyl methyl ketone 3 II UN1193, Ethyl methyl ketone, 3, II
IMDG UN number Proper shipping name Transport hazard class(es) Packing group EmS-No Marine pollutant Description	UN1193 Ethyl methyl ketone 3 II F-E, S-D NP1 UN1193, Ethyl methyl ketone, 3, II, (-9°C c.c.)
<u>RID</u> UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Description: Labels	UN1193 Ethyl methyl ketone 3 II F1 UN1193, Ethyl methyl ketone, 3, II 3
ADR UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Tunnel restriction code Description: Labels	1193 Ethyl methyl ketone 3 II F1 (D/E) 1193, Ethyl methyl ketone, 3, II, (D/E) 3
ADN UN/ID No Proper shipping name Transport hazard class(es) Packing Group Classification code Description Hazard label(s) Limited quantity (LQ) ventilation Equipment Requirements	UN1193 Ethyl methyl ketone 3 II F1 UN1193, Ethyl methyl ketone, 3, II 3 1 L VE01 PP, EX, A

15. Regulatory information

International Inventories

TSCA

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL~ - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Methyl Ethyl Ketone	5000 lb final RQ	-
78-93-3	2270 kg final RQ	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

<u>NFPA</u>

Health hazards 2 Flammability 3 Instability 0 Physical and chemical properties -<u>HMIS</u> Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Leyenu	Section 8. EAFOSORE CONTROLS/FERSONAL	FROTECTION
TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	

STEL (Short Term Exposure Limit)

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 28-June-2021

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet