SAFETY DATA SHEET SPECTRUM®



Revision date 29-December-2021

Revision Number 2

1. Identification

Product identifier

Product Name METHYL ETHYL KETONE, PURIFIED

Other means of identification

Product Code(s) M1265

UN/ID no UN1193

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use

No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause drowsiness or dizziness

Highly flammable liquid and vapor



Appearance sediment Physical state Liquid Odor No information available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.?/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Methyl Ethyl Ketone	78-93-3	100	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire Dry chemical. Carbon dioxide (CO2). water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl Ethyl Ketone	No data available	200 ppm TWA	-
78-93-3		590 mg/m³ TWA	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid sediment **Appearance** Color Colorless

Odor No information available No information available **Odor threshold**

Property Remarks • Method Values

pН no data available None known -86 °C / -122.8 °F Melting point / freezing point None known Boiling point / boiling range 80 °C / 176 °F None known Flash point -9 °C / 15.8 °F CC (closed cup) no data available None known **Evaporation rate** Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive 10%

limits

Lower flammability or explosive 1.8%

limits

10.4 Vapor pressure None known 2.4 Vapor density None known Relative density 8.0 None known Water solubility Soluble in water None known Solubility(ies) Miscible in Ether None known

> Miscible with Acetone Miscible in Benzene Miscible with Ethanol Miscible with Chloroform

Miscible with many organic solvents

Soluble in Oils

Partition coefficient No data available None known 404 °C / 759.2 °F **Autoignition temperature** None known

Decomposition temperature None known Kinematic viscosity no data available None known No data available Dynamic viscosity None known

Other information

Explosive properties No information available **Oxidizing properties** No information available Softening point No information available Molecular weight No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eve contact Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components). Causes serious eye irritation.

Specific test data for the substance or mixture is not available. Causes skin irritation. (based Skin contact

on components).

Specific test data for the substance or mixture is not available. Ingestion may cause Ingestion

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Acute toxicity

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl Ethyl Ketone : 78-93-3	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	23500 mg/m ³

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Classification based on data available for ingredients. Irritating to skin. Skin corrosion/irritation

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Germ cell mutagenicity

No information available. No information available.

Reproductive toxicity No information available.

STOT - single exposure STOT - repeated exposure May cause drowsiness or dizziness.

No information available.

Target organ effects

respiratory system, Eyes, Skin, central nervous system.

No information available. **Aspiration hazard**

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

LCOTOXICITY	•			
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methyl Ethyl Ketone	-	LC50: 3130 - 3320mg/L	-	EC50: 4025 - 6440mg/L
78-93-3		(96h, Pimephales		(48h, Daphnia magna)

promelas)	EC50: =5091mg/L (48h,
. ,	Daphnia magna) EC50:
	>520mg/L (48h, Daphnia
	magna)

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Methyl Ethyl Ketone	0.3
78-93-3	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

14. Transport information

DOT

UN/ID no UN1193

Proper Shipping Name: Ethyl methyl ketone

Hazard class 3
Packing group:

Special Provisions IB2, T4, TP1

Marine Pollutant Severe Marine Pollutant

Description: UN1193, Ethyl methyl ketone, 3, II

Emergency Response Guide 12

Number

TDG

UN-No: UN1193

Proper Shipping Name: Ethyl methyl ketone

Hazard class 3
Packing Group:

Description: UN1193, Ethyl methyl ketone, 3, II

<u>MEX</u>

UN-No UN1193

Proper Shipping Name Ethyl methyl ketone

Hazard class 3
Packing Group

Description UN1193, Ethyl methyl ketone, 3, II

ICAO (air)

UN-No: UN1193

Proper Shipping Name: Ethyl methyl ketone

Hazard class 3
Packing Group: ||

Description: UN1193, Ethyl methyl ketone, 3, II

IATA

UN1193

Proper Shipping Name: Ethyl methyl ketone

Transport hazard class(es) 3
Packing group ||

Description: UN1193, Ethyl methyl ketone, 3, II

IMDG

UN number UN1193

Proper shipping name Ethyl methyl ketone

Transport hazard class(es) 3
Packing group II
EmS-No F-E, S-D
Marine pollutant NP1

Description UN1193, Ethyl methyl ketone, 3, II, (-9°C c.c.)

RID

UN number UN1193

Proper Shipping Name: Ethyl methyl ketone

Transport hazard class(es) 3
Packing group || Classification code || F1

Description: UN1193, Ethyl methyl ketone, 3, II

Labels 3

ADR

UN number 1193

Proper Shipping Name: Ethyl methyl ketone

Transport hazard class(es) 3
Packing group II
Classification code F1
Tunnel restriction code (D/E)

Description: 1193, Ethyl methyl ketone, 3, II, (D/E)

Labels 3

ADN

UN/ID No UN1193

Proper shipping name Ethyl methyl ketone

Transport hazard class(es) 3
Packing Group || Classification code || F1

Description UN1193, Ethyl methyl ketone, 3, II

Hazard label(s) 3
Limited quantity (LQ) 1 L
ventilation VE01
Equipment Requirements PP, EX, A

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: This product complies with China:

KECL Complies PICCS Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Methyl Ethyl Ketone	5000 lb final RQ	-
78-93-3	2270 kg final RQ	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 2

Flammability 3

Instability 0

Physical and chemical properties -

HMIS

Health hazards 2 Flammability 3 Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 29-December-2021 Revision Note 29-December-2021 No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet