



# **SAFETY DATA SHEET**

Preparation Date: No data available Revision Date: 06/17/2015 Revision Number: G1

**Product identifier** 

Product code: N1025

Product Name: NICKEL METAL, 200 MESH, POWDER

Other means of identification

Synonyms: Nickel Metal Powder, 200 mesh

CAS #: 7440-02-0

RTECS # QR5950000

CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available. Uses advised against No information available

**Supplier:** Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Flammable solids	Category 2

### Label elements

Product code: N1025 Product name: NICKEL METAL, 200 1 / 13


#### Danger

#### Hazard statements

May cause an allergic skin reaction Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

Flammable solids



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/ .? /equipment

Wear protective gloves/protective clothing/eve protection/face protection

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret

Product code: N1025 Product name: NICKEL METAL, 200 2 / 13

3. COMPOSITION/INFORMATION ON INGREDIENTS						
Nickel Metal, powder	7440-02-0	100	*			
7440-02-0						

# 4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126)

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction. Suspected of causing cancer. Causes damage to organs

through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: Flammable
Material in powder form, capable of creating a dust

explosion

Mixtures containing Potassium Perchlorate with Nickel &

Titanium powders & infusorial earth can explode.

Adding 2 or 3 drops of approximately 90% peroxyformic acid

to powdered nickel will result in explosion.

Powdered nickel reacts explosively upon contact with fused

ammonium nitrate at temperatures below 200°C

**Special Protective Actions for Firefighters** 

Product code: N1025 Product name: NICKEL METAL, 200 3 / 13

Specific Methods: No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes

and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all

sources of ignition.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

#### Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

# Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

# Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

### **Incompatible Materials:**

Acids. Metals. Oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

### **National occupational exposure limits**

#### **United States**

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Nickel Metal, powder	1 mg/m <sup>3</sup> TWA	0.015 mg/m <sup>3</sup> TWA	1.5 mg/m <sup>3</sup> TWA inhalable	None
7440-02-0			fraction	

#### Canada

Components	Alberta	British Columbia	Ontario	Quebec
Nickel Metal, powder	1.5 mg/m <sup>3</sup> TWA	0.05 mg/m <sup>3</sup> TWA	1 mg/m³ TWA inhalable	1 mg/m³ TWAEV
7440-02-0		_		•

Product code: N1025 Product name: NICKEL METAL, 200 4 / 13

#### **Australia and Mexico**

Components	Australia	Mexico
Nickel Metal, powder	1 mg/m³ TWA	1 mg/m³ TWA
7440-02-0	-	

# Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Individual protection measures, such as personal protective equipment

# **Personal Protective Equipment**

**Eye protection:** Safety glasses. Safety glasses with side-shields.

Skin and body protection: Chemical resistant apron. Gloves. Long sleeved clothing.

**Respiratory protection:** Effective dust mask. Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Product code: N1025 Product name: NICKEL METAL, 200 5 / 13

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:Solid.Lustrous. Metal. Powder.Silver.

Odor: Taste Molecular/Formula weight:

Odorless. No information available 58.71

Formula: Flammability: Flash point (°C): No information available Flammable No data available

Flashpoint (°C/°F): Flash Point Tested according to: Lower Explosion Limit (%):

No information available. Not available No information available

Upper Explosion Limit (%): Autoignition Temperature (°C/°F): pH:

No information available No information available No information available

Melting point/range(°C/°F): Boiling point/range(°C/°F): Decomposition temperature(°C/°F):

1455°C/2651°F 2730°C/4946°F No information available

Bulk density: Specific gravity: Vapor pressure @ 20°C (kPa):

No information available 8.908 No information available

Density (g/cm3): Evaporation rate: Vapor density:

No information available 
No information available 
No information available

VOC content (g/L):Odor threshold (ppm):Partition coefficientNo information availableNo information available(n-octanol/water):

No information available

Viscosity: Miscibility: Solubility:

Insoluble in cold water Insoluble in hot water Soluble in dilute Nitric Acid;

Slightly soluble in Hydrochloric Acid.

Sulfuric Acid

# 10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids

Reactive with metals

Reactive with oxidizing agents

Incompatible with strong acids, selenium, sulfur, wood and other combustibles, nickel nitrate, aluminum, aluminum trichloride, ethylene, p-dioxan, hydrogen, methanol, non-metals, oxidants, sulfur compounds, aniline, hydrogen sulfide, flammable solvents, hydrazine, and metal powders (especially zinc, aluminum, and magnesium), ammonium nitrate, nitryl fluoride, bromine pentafluoride, potassium perchlorate + titanium powder + industrial earth

**Chemical stability** 

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

**Conditions to avoid:** Incompatible materials. Avoid dust formation. Dust may form explosive mixture in air.

Heat. Ignition sources.

**Incompatible Materials:** Acids. Metals. Oxidizing agents.

Hazardous decomposition products: No information available

Product code: N1025 Product name: NICKEL METAL, 200 6 / 13

#### Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Ingestion. Inhalation.

### **Acute Toxicity**

# **Component Information**

Nickel Metal, powder - 7440-02-0

LD50/oral/rat = > 9000 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

**VALUE-Acute Tox Dermal =** No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

**VALUE-Vapor =** No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** May cause skin irritation.

**Eye Contact:** May cause eye irritation.

Product code: N1025 Product name: NICKEL METAL, 200 7 / 13

**Inhalation** Inhalation of dust or fume may cause respiratory tract irritation with non-productive

cough, hoarseness, sore throat, headache, vertigo, weakness, chest pain, followed by delayed effects, including tachypnea, dyspnea, and ARDS. Death due to ARDS has been reported following inhalation of high concentrations of respirable metallic

nickel dust. Later effects may include pulmonary edema and fibrosis.

**Ingestion** Metallic nickel is generally considered not to be acutely toxic if ingested. Ingestion

may cause nausea, vomiting, abdominal, and diarrhea. Nickel may damage the kidneys (proteinuria), and may affect liver function. It may also affect behavior (somnolence), and cardiovascular system (increased cornary artery resistance, decreased myocardial contractility, myocardial damage, regional or general arteriolar

or venus dilation).

Aspiration hazard No information available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Skin: May cause skin allergy (allergic skin reaction). Nickel and nickel compounds

Inhalation: Chronic inhalation nickel dust or fume can cause chronic hypertrophic rhinitis, sinusitis, nasal polyps, perforation of the nasal septum, chronic pulmonary irritation, fibrosis, pulmonary edema, pulmonary eosinophilia, Pneumoconiosis, allergies (asthma-like allergy), and cancer of the nasal sinus cavities, lungs, and possibly other organs. Future exposures can cause asthma attacks with shortness of breath, wheezing, cough, and/or chest tightness. Chronic inhalation of nickel dust or fume may also affect the liver (impaired liver function tests), and blood (changes in

are among the most common sensitizers inducing allergic contact dermatitis.

red blood cell count).

Ingestion: Prolonged or repeated ingestion of nickel can be a source chronic urticaria and other signs of allergy. Chronic ingestion of Nickel may also affect respiration and

cause pneumoconiosis or fibrosis.

Note: In the general population, sensitization occurs from exposure to nickel-containing coins, jewelry, watches, cooking utensils, and clothing fasteners. Nickel allergic sensitization can also involve red and itchy eyes, irritation of the lungs (Loeffler's syndrome), asthma, and local or systemic reactions to nickel-containing

prostheses. Once acquired, nickel sensitivity apparently never resolves.

**Sensitization:** May cause sensitization by skin contact

Mutagenic Effects: No information available

**Carcinogenic effects:** May cause cancer based on animal test data.

Components	ACGIH -	IARC	NTP	OSHA HCS -	Australia - Prohibited	Australia - Notifiable
	Carcinogens			Carcinogens	Carcinogenic Substances	Carcinogenic Substances
Nickel Metal, powder	A5 Not Suspected	Monograph 49	Reasonably	Present	Not listed	Not listed
	as a Human	[1990]	Anticipated To			
	Carcinogen	Supplement 7	Be A Human			
		[1987]	Carcinogen			

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

**Specific Target Organ Toxicity** 

Product code: N1025 Product name: NICKEL METAL, 200 8 / 13

STOT - single exposure

No information available

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Target Organs:** 

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

No data available. **Ecotoxicity effects:** 

Nickel Metal, powder - 7440-02-0

Freshwater Algae Data: 0.174 - 0.311 mg/L EC50 Pseudokirchneriella subcapitata 96 h

0.18 mg/L EC50 Pseudokirchneriella subcapitata 72 h

1.3 mg/L LC50 Cyprinus carpio 96 h semi-static 1 Freshwater Fish Species Data:

> 10.4 mg/L LC50 Cyprinus carpio 96 h static 1 100 mg/L LC50 Brachydanio rerio 96 h 1

Water Flea Data: 1 mg/L EC50 Daphnia magna 48 h

100 mg/L EC50 Daphnia magna 48 h

Persistence and degradability: No information available

No information available Bioaccumulative potential:

No information available **Mobility:** 

# 13. DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

#### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

# Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Nickel Metal, powder	None	None	None	None

### 14. TRANSPORT INFORMATION

DOT

UN-No: UN3089

**Proper Shipping Name:** Metal powders, flammable, n.o.s. (Nickel Powder)

**Hazard Class:** 4.1

**Subsidiary Risk:** 

Ш **Packing Group:** ERG No:

**Marine Pollutant** No data available No information available DOT RQ (lbs):

Symbol(s):

Product code: N1025 9 / 13 Product name: NICKEL METAL, 200

# 14. TRANSPORT INFORMATION

TDG (Canada)

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

**Description:** No information available

**ADR** 

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1 Packing Group:

Subsidiary Risk:No information availableClassification Code:No information availableDescription:No information availableCEFIC Tremcard No:No information available

IMO / IMDG

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

Description:No information availableIMDG Page:No information availableMarine PollutantNo information available

**EMS**: F-G

MFAG: No information available No information available

RID

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

Classification Code: No information available Description: No information available

**ICAO** 

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

**Description:** No information available

**IATA** 

**UN-No:** UN3089

**Proper Shipping Name:** Metal powder, flammable, n.o.s.

Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group: III ERG Code: 3L

10 / 13

# 14. TRANSPORT INFORMATION

**Description:** No information available

#### 15. REGULATORY INFORMATION

#### International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Nickel Metal, powder	Present	Present KE- 25818	Present	Not present	Present	Present	Present 231-111-4

# **U.S. Regulations**

Nickel Metal, powder

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 1341

New Jersey (EHS) List: 1341 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Special hazardous substance

Pennsylvania RTK - Environmental Hazard List Present
Pennsylvania RTK - Special Hazardous Substances Present

Michigan - Critical Materials List: Present Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

100 lb RQ

Louisana Reportable Quantity List for Pollutants: 100lbfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is g;=100  $\mu$ m

45.4kgfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >=100 μm

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1537

FDA - 21 CFR - Total Food Additives 172.864 176.180 184.1537

### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

# Chemicals Known to the State of California to Cause Cancer:

WARNING: This product contains a chemical known to the State of California to cause cancer. (See table below)

### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity		Female Reproductive Toxicity:
Nickel Metal, powder	carcinogen	Not Listed	Not Listed	Not Listed

#### **CERCLA/SARA**

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Hazardous	Hazardous	<b>Chemical Category</b>	Section 313 - Reporting de minimis
, , , , , , , , , , , , , , , , , , ,	100 lb final RQ 45.4 kg final RQ	None	None		0.1 % de minimis concentration

# U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Nickel Metal, powder	Not Applicable	Not Applicable

Product code: N1025 Product name: NICKEL METAL, 200 11 / 13

#### Canada

#### WHMIS hazard class:

D2A Very toxic materials D2B Toxic materials

# Nickel Metal, powder

D2A D2B B6 D2A Raney

# **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -	
Nickel Metal, powder	0.1 %	

# Inventory

Components	Canada (DSL)	Canada (NDSL)	
Nickel Metal, powder	Present	Not Listed	

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Manditory	
		Reporting	
Nickel Metal, powder	Not listed	Not listed	

#### **EU Classification**

#### R-phrase(s)

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.

# S -phrase(s)

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	Classification	Concentration Limits:	Safety Phrases
Nickel Metal, powder	Carc.Cat.3; R40	No information	S2 S36/37/39 S45
	R43		
	T; R48/23		

The product is classified in accordance with Annex VI to Directive 67/548/EEC

# Indication of danger:

None.

Product code: N1025 Product name: NICKEL METAL, 200 12 / 13

# 16. OTHER INFORMATION

Revision Date: 06/17/2015
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: N1025 Product name: NICKEL METAL, 200 13 / 13