



SAFETY DATA SHEET

Preparation Date: 4/4/2018 Revision Date: 4/4/2018 Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: P1195

Product Name: POTASSIUM BISULFATE, CRYSTAL, REAGENT

Other means of identification

Synonyms: Acid potassium sulfate

Potassium acid sulfate Monopotassium sulfate Potassium bisulphate

Sulfuric acid, monopotassium salt

CAS #: 7646-93-7
RTECS # TS7200000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use:
Uses advised against
No information available.
No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage

Product code: P1195 Product name: POTASSIUM 1 / 12
BISULFATE, CRYSTAL, REAGENT

May cause respiratory irritation



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if swallowed

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Potassium Bisulfate	7646-93-7	100

4. FIRST AID MEASURES

First aid measures

General Advice:

National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect

Product code: P1195 Product name: POTASSIUM 2 / 12

himself.

Skin Contact: Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Continue flushing with plenty of water for at least 15 minutes. Immediate medical

attention is required. Call a physician immediately.

Eye Contact: Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a

physician immediately.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is

required. Call a physician immediately.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms Severe skin and eye irritation or burns

Causes digestive (gastrointestinal) tract irritation May cause gastrointestinal (digestive) tract burns

Can burn mouth, throat, and stomach Irritating to respiratory system

May cause pulmonary edema
May cause vomiting and diarrhea

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: No information available.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: P1195 Product name: POTASSIUM 3 / 12

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Use

personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or

confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning upUse appropriate tools to put the spilled solid in a suitable waste disposal container.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Hygroscopic. Protect from moisture. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents Bases Alcohols

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Potassium Bisulfate	7646-93-7	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Potassium Bisulf	ate 7646-93-7	None	None	None	None

Product code: P1195 Product name: POTASSIUM 4 / 12
BISULFATE, CRYSTAL, REAGENT

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Potassium Bisulfate	7646-93-7	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants

below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Long sleeved clothing

Gloves

Chemical resistant apron

Respiratory protection: Wear respirator with dust filter.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidCrystals. Crystalline.White.

Odor:TasteFormula:Odorless.No information available.KHSO4

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):136.17No information availableNo information available.

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Not available

No information available

No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available 197-214 °C/386.6-417 °F No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

2.24-2.32 No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):
No information available
No information available

Odor threshold (ppm): Partition coefficient

No information available (n-octanol/water):

Product code: P1195 Product name: POTASSIUM 5 / 12
BISULFATE, CRYSTAL, REAGENT

No information available

Viscosity:

No information available

Miscibility: Solubility: Soluble in Water

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Exposure to moisture. Exposure to water. Incompatible materials.

Incompatible Materials: Oxidizing agents

Bases Alcohols

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: Very caustic to aluminum and other metals in the presence of moisture

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

Potassium Bisulfate
CAS-No. 7646-93-7

LD50/oral/rat = 2340 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 2340 mg/kg

Product code: P1195 Product name: POTASSIUM 6 / 12

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes severe irritation and burns.

Eye Contact: Causes severe irritation and burns.

Inhalation Irritating to respiratory system. Can cause soreness in the nasal passages.

Symptoms may include coughing and sneezing. May cause dyspnea (difficulty breathing or shortness of breath). May cause delayed pulmonary edema.

Ingestion Causes digestive (gastrointestinal) tract irritation. Corrosive to the mouth, throat,

and stomach. Causes digestive or gastrointestinal tract burns. May cause edema

and swelling of the throat. May cause vomiting. May cause diarrhea.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity

No information available.

Sensitization:

No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Potassium Bisulfate	7646-93-7	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Product code: P1195 Product name: POTASSIUM 7/12

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

Respiratory system.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	s CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Potassium Bisulfate	7646-93-7	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulfate

Hazard Class: 8

Subsidiary Class No information available

Packing group: II Emergency Response Guide 154

Number

Marine Pollutant No data available DOT RQ (lbs): No information available

Special Provisions A7, IB8, IP2, IP4, N34, T3, TP33

Symbol(s): No information available

Description: UN2509, Potassium hydrogen sulfate, 8, II

TDG (Canada)

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulfate

Product code: P1195 Product name: POTASSIUM 8 / 12

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

Description: UN2509, Potassium hydrogen sulfate, 8, II

ADR

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulphate

Hazard Class: 8
Packing Group: ||

Subsidiary Risk: No information available

Description: UN2509, Potassium hydrogen sulphate, 8, II

IMO / IMDG

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulfate

Hazard Class:

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

Description UN2509, Potassium hydrogen sulphate, 8, II

RID

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulphate

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Description: UN2509, Potassium hydrogen sulphate, 8, II

ICAO

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulphate

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Description: UN2509, Potassium hydrogen sulphate, 8, II

IATA

UN-No: UN2509

Proper Shipping Name: Potassium hydrogen sulphate

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group: II ERG Code: 8L

Special Provisions No information available

Description: UN2509, Potassium hydrogen sulphate, 8, II

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Potassium Bisulfate	7646-93-7	Present	Present KE-32642	Present	Present (1)-454	Present	Present	Present 231-594-1

U.S. Regulations

Potassium Bisulfate

New Jersey RTK Hazardous Substance List: 1569

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Potassium Bisulfate	7646-93-7	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Potassium Bisulfate	7646-93-7	None	None	None	None	None

U.S. TSCA

Components			TSCA 8(d) -Health and Safety Reporting
Potassium Bisulfate	7646-93-7	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Potassium Bisulfate 7646-93-7 (100) WHMIS 2015 Hazard Classification Skin corrosion/irritation - Category 1

Serious eye damage/eye irritation - Category 1 Causes severe skin burns and eye damage (H314)

Causes serious eye damage (H318)

Causes severe damage to the respiratory tract

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

E Corrosive material

Components WHMIS 1988

Potassium Bisulfate

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Potassium Bisulfate	1 %

Ε

Product code: P1195 Product name: POTASSIUM 10 / 12

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Potassium Bisulfate	7646-93-7	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Potassium Bisulfate	7646-93-7	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Potassium Bisulfate	7646-93-7	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Potassium Bisulfate	7646-93-7	Skin corrosion/irritation - Skin Corr.
		1B: H314 Causes severe skin burns
		and eye damage.; Specific target
		organ toxicity - Single exposure -
		STOT SE 3: H335 May cause
		respiratory irritation.016-056-00-4

EU - CLP (1272/2008)

R-phrase(s)

R34 - Causes burns.

R37 - Irritating to respiratory system.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Potassium Bisulfate	7646-93-7	C; R34 Xi; R37		S1/2 S26 S36/37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive.

Xi - Irritant.





16. OTHER INFORMATION

Preparation Date: 4/4/2018
Revision Date: 4/4/2018
Prepared by: Sonia Owen

Product code: P1195 Product name: POTASSIUM 11 / 12

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: P1195

Product name: POTASSIUM BISULFATE, CRYSTAL, REAGENT