SAFETY DATA SHEET SPECTRUM®



Revision date 23-February-2022

Revision Number 2

1. Identification

Product identifier

Product Name POTASSIUM DICHROMATE, CRYSTAL, REAGENT SPECIAL, ACS

Other means of identification

Product Code(s) P1281

UN/ID no UN3086

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use

No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 1
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1A
Skin sensitization	Category 1A
Germ cell mutagenicity	Category 1A
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1
Oxidizing solids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Fatal if swallowed

Fatal in contact with skin

Fatal if inhaled

Causes severe skin burns and eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause genetic defects

May cause cancer

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure

May intensify fire; oxidizer



Appearance Crystalline

Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

Keep away from heat

Keep/Store away from clothing/ combustible materials

Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

Specific treatment is urgent (see .? on this label)

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

Other information

Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Potassium Dichromate	7778-50-9	100	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. May cause allergic respiratory reaction. Avoid direct

contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash

contaminated clothing before reuse. Get immediate medical advice/attention. May cause an

allergic skin reaction.

Ingestion Get immediate medical advice/attention. Do NOT induce vomiting. Clean mouth with water

and drink afterwards plenty of water. Never give anything by mouth to an unconscious

person. May produce an allergic reaction.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Use personal protective

equipment as required. See section 8 for more information. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation. May cause allergy or

asthma symptoms or breathing difficulties if inhaled. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.

Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Dry chemical. Foam.

Specific hazards arising from the chemical These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil,

clothing, etc.). Runoff may create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation

and skin contact. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is

impossible withdraw from area and let fire burn.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel

to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Use personal protective equipment as required. Avoid generation of dust. Do not breathe dust. Attention! Corrosive

material.

Other information Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET

WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in

Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with DRY earth, DRY sand or other

non-combustible material followed with plastic sheet to minimize spreading or contact with

rain.

Methods for cleaning up With clean shovel place material into clean, dry container and cover loosely; move

containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains. Cover powder spill with plastic sheet or tarp to minimize spreading and

keep powder dry.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Provide extract ventilation to points where emissions occur. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Protect from moisture. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Dichromate 7778-50-9	No data available	5 ug/m³ TWA (I;isted as Chromium compounds)	-
1110000		0.1 mg/m³ Ceiling (listed as	
		chromates)	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear

fire/flame resistant/retardant clothing. Impervious clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not breathe dust. Take off contaminated clothing and wash before reuse.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateSolidAppearanceCrystallineColorReddish-orange

Odor No information available

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

рΗ 4 (1% solution) None known 398 °C / 748.4 °F Melting point / freezing point None known 500 °C / 932 °F Boiling point / boiling range None known Flash point no data available None known **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density no data available None known Relative density 27 None known Water solubility Soluble in water None known Solubility(ies) Insoluble in Alcohol None known Partition coefficient No data available None known None known **Autoignition temperature** no data available **Decomposition temperature** None known

Kinematic viscosityno data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties
Oxidizing properties
No information available
VOC Content (%)
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity Oxidizer.

Chemical stability May cause fire or explosion; strong oxidizer.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Incompatible materials. Excessive heat. Exposure to air or

moisture over prolonged periods.

Incompatible materials Organic material. Combustible material. Hydrocarbons. Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components). Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause sensitization in susceptible

persons. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Fatal in contact with skin.

(based on components). Corrosive. Causes burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May cause additional affects as listed under "Inhalation". Fatal if

swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause

blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle

pain, or flushing. Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

Unknown acute toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Dichromate	= 25 mg/kg (Rat)	= 1150 mg/kg (Rabbit) = 14	= 99 mg/m ³ (Rat) 4 h
7778-50-9	= 48 mg/kg (Rat)	mg/kg (Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization Germ cell mutagenicity

May cause sensitization by inhalation. May cause sensitization by skin contact. Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Potassium Dichromate	-	Monograph 49 [1990]	-	-
7778-50-9		Chromium[VI]		
		Supplement 7 [1987]		
		Monograph 23 [1980]		
		Monograph 2 [1973]		

Legend

Reproductive toxicityContains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - repeated exposure

May cause respiratory irritation.

STOT - repeated exposure Target organ effects Causes damage to organs through prolonged or repeated exposure.

liver, kidney, respiratory system, Eyes, Skin, blood, lungs.

Aspiration hazardNo information available.

Other adverse effects No information available.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
Chemisa name	, ligao, aquallo piarito	1 1311	microorganisms	Cradiadea
Potassium Dichromate	-	LC50: 113.6 - 155.7mg/L	-	_
7778-50-9		(96h, Lepomis		_
1170 30 3		macrochirus) LC50: 14 -		
		20.9mg/L (96h,		
		Pimephales promelas)		
		LC50: 15.41 - 30.36mg/L		
		(96h, Pimephales		
		promelas) LC50: 21.209 -		
		30.046mg/L (96h,		
		Oryzias latipes) LC50: 23		
		- 41.2mg/L (96h, Poecilia		
		reticulata) LC50: 24.81 -		
		34.55mg/L (96h, Poecilia		
		reticulata) LC50: 65.6 -		
		137.6mg/L (96h, Lepomis		
		macrochirus) LC50:		
		=12.3mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =26mg/L (96h,		
		Morone saxatilis) LC50:		
		=320mg/L (96h, Lepomis		
		macrochirus) LC50:		
		>139mg/L (96h, Cyprinus		
		carpio)		

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT

UN/ID no UN3086

Proper Shipping Name: Toxic solids, oxidizing, n.o.s.

Hazard class 6.1
Subsidiary Class 5.1
Packing group: 1
Special Provisions 76.7

Special Provisions T6, TP33

Marine Pollutant Severe Marine Pollutant

Description: UN3086, Toxic solids, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I

Emergency Response Guide

Number

TDG

UN-No: UN3086

Proper Shipping Name: Toxic solid, oxidizing, n.o.s.

Hazard class 6.1 Subsidiary Class 5.1 Packing Group: I

Description: UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I

MEX

UN-No UN3086

Proper Shipping Name Toxic solid, oxidizing, n.o.s.

Hazard class 6.1
Subsidiary Class 5.1
Special Provisions 274
Packing Group

Description UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I

ICAO (air)

UN-No: UN3086

Proper Shipping Name: Toxic solid, oxidizing, n.o.s.

Hazard class6.1Subsidiary hazard class5.1Packing Group:ISpecial ProvisionsA5

Description: UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I

IATA

UN number UN3086

Proper Shipping Name: Toxic solid, oxidizing, n.o.s.

Transport hazard class(es) 6.1
Subsidiary hazard class 5.1
Packing group I

Description: UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I

IMDG

UN number UN3086

Proper shipping name Toxic solid, oxidizing, n.o.s.

Transport hazard class(es) 6.1
Subsidiary hazard class 5.1
Packing group | I
EmS-No F-A, S-Q
Special Provisions 274

Description UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I, Marine

pollutant

RID

Marine pollutant

UN number UN3086

Proper Shipping Name: Toxic solid, oxidizing, n.o.s.

Transport hazard class(es) 6.1
Packing group 1
Classification code TO2
Special Provisions 274

Description: UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I,

ENVIRONMENTALLY HAZARDOUS

Labels 6.1 + 5.1

ADR

UN number 3086

Proper Shipping Name: Toxic solid, oxidizing, n.o.s.

Transport hazard class(es) 6.1
Subsidiary hazard class 5.1
Packing group I
Classification code TO2

Tunnel restriction code (C/E) Special Provisions 274

Description: 3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (5.1), I, (C/E),

ENVIRONMENTALLY HAZARDOUS

Labels 6.1 + 5.1

<u>ADN</u>

UN/ID No UN3086

Proper shipping name Toxic solid, oxidizing, n.o.s.

Transport hazard class(es) 6.1
Packing Group I
Classification code TO2
Special Provisions 274, 802

Description UN3086, Toxic solid, oxidizing, n.o.s. (Potassium Dichromate), 6.1 (+ 5.1), I,

ENVIRONMENTALLY HAZARDOUS

Hazard label(s) 6.1 + 5.1 Limited quantity (LQ) 0 Equipment Requirements PP, EP

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS This product complies with ENCS: **IECSC** This product complies with China:

KECL Complies **PICCS** Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Potassium Dichromate - 7778-50-9	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Potassium Dichromate	10 lb final RQ	-
7778-50-9	4.54 kg final RQ	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Potassium Dichromate - 7778-50-9	developmental toxicity
	male reproductive toxicity
	carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Potassium Dichromate	1564	Present	Environmental hazard
7778-50-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 4 **Flammability** 0

Instability 1

Physical and chemical properties OX

HMIS

Health hazards * 2 **Flammability** 0

Physical hazards 1

Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling Maximum limit value

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 23-February-2022 Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet