SAFETY DATA SHEET

Revision date 06-May-2022

1. Identification		
Product identifier		
Product Name	POTASSIUM PERMANGANATE, CRYSTAL, TECHNICAL	
Other means of identification		
Product Code(s)	P1371	
UN/ID no	UN1490	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety	<u>v data sheet</u>	
<u>Supplier Address</u> Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000		
Emergency telephone number		

Emergency Telephone

Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation Category 1	
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Oxidizing solids	Category 3

Hazards not otherwise classified (HNOC)


Not applicable

Label elements

Danger



Revision Number 5



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dusts or mists Use only outdoors or in a well-ventilated area Keep away from heat Keep/Store away from clothing/ combustible materials Take any precaution to avoid mixing with combustibles

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor Specific treatment (see .? on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Potassium Permanganate	7722-64-7	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.	
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical advice/attention.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.	

5. Fire-fighting measures	
Suitable Extinguishing Media	Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Dry chemical. Foam.
Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Explosion data

Sensitivity to mechanical impact none.

Sensitivity to static discharge yes.

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Attention! Corrosive material. Use personal protective equipment as required.
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
Methods for cleaning up	With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoe Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and was before reuse. Avoid breathing vapors or mists.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure

limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

internation on baolo physical and		
Physical state	Solid	
Appearance	Crystals	
Color	Dark purple	
Odor	Odorless	
Odor threshold	No information available	
Property_	Values	Remarks • Method
pH	no data available	None known
Melting point / freezing point	240 °C / 464 °F	None known
Boiling point / boiling range	no data available	None known
Flash point	no data available	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits	Nie dete evelletie	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	2.7	None known
Water solubility	Soluble in water	None known
Solubility(ies)	Soluble in organic solvents Soluble in Acetic acid Soluble in pyridine	None known
	Soluble in Acetone	
	Soluble in Methanol	
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature	> 240 - °C 464 °F	None known
Kinematic viscosity	no data available	None known

Dynamic viscosity	No data available	None known
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC Content (%)	No information available No information available No information available 158.03 No information available	
Liquid Density Bulk density 10. Stability and reactivity	No information available No information available	
Reactivity	Oxidizer.	
Chemical stability	May cause fire or explosion; strong oxidizer.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	Heat, flames and sparks. Incompatibl prolonged periods.	e materials. Exposure to air or moisture over

Incompatible materials Organic material. Combustible material. Hydrocarbons. Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.	
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.	
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.	
Acute toxicity		

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Permanganate	= 750 mg/kg (Rat)	-	-
7722-64-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Germ cell mutagenicity	Classification based on data available for ingredients. Causes burns. Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. No information available. No information available.
Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.
STOT - single exposure STOT - repeated exposure Target organ effects	May cause respiratory irritation. No information available. kidney, respiratory system, central nervous system, blood.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity	Very toxic to aquatic life with long lasting effects.			
Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Potassium	-	0.3-0.6 mg/L LC50	-	0.84 mg/L LC50 Daphnia
Permanganate		Oncorhynchus mykiss 96		manga 48 h
7722-64-7		h		
		0.769-1.27 mg/L LC50		
		Oncorhynchus mykiss 96		
		h static 1		
		1.08-1.38 mg/L LC50		
		Oncorhynchus mykiss 96		
		h 1		
		1.8-5.6 mg/L LC50		
		Lepomis macrochirus 96		
		h static 1		
		2.3 mg/L LC50 Lepomis		
		macrochirus 96 h		
		flow-through 1		
		2.7 mg/L LC50 Lepomis		
		macrochirus 96 h 1		
		2.97-3.11 mg/L LC50		
		Cyprinus carpio 96 h 1		
		3.16-3.77 mg/L LC50		
		Cyprinus carpio 96 h 1		
		3.3-3.93 mg/L LC50		
		Carassius auratus 96 h		
		static 1		

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT UN/ID no Proper Shipping Name: Hazard class Packing group: Special Provisions Marine Pollutant Description: Emergency Response Guide Number	UN1490 Potassium permanganate 5.1 II IB8, IP2, IP4, T3, TP33 Severe Marine Pollutant UN1490, Potassium permanganate, 5.1, II 140
<u>TDG</u> UN-No: Proper Shipping Name: Hazard class Packing Group: Description:	UN1490 Potassium permanganate 5.1 II UN1490, Potassium permanganate, 5.1, II
<u>MEX</u> UN-No Proper Shipping Name Hazard class Packing Group Description	UN1490 Potassium permanganate 5.1 II UN1490, Potassium permanganate, 5.1, II
<u>ICAO (air)</u> UN-No: Proper Shipping Name: Hazard class Packing Group: Description:	UN1490 Potassium permanganate 5.1 II UN1490, Potassium permanganate, 5.1, II
IATA UN number Proper Shipping Name: Transport hazard class(es) Packing group Description:	UN1490 Potassium permanganate 5.1 II UN1490, Potassium permanganate, 5.1, II
IMDG UN number Proper shipping name Transport hazard class(es) Packing group EmS-No Marine pollutant Description	UN1490 Potassium permanganate 5.1 II F-H, S-Q P UN1490, Potassium permanganate, 5.1, II, Marine pollutant
<u>RID</u> UN number Proper Shipping Name: Transport hazard class(es)	UN1490 Potassium permanganate 5.1

Packing group Classification code Description: Labels	II O2 UN1490, Potassium permanganate, 5.1, II, ENVIRONMENTALLY HAZARDOUS 5.1
ADR UN number Proper Shipping Name: Transport hazard class(es) Packing group Classification code Tunnel restriction code Description: Labels	1490 Potassium permanganate 5.1 II O2 (E) 1490, Potassium permanganate, 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS 5.1
ADN UN/ID No Proper shipping name Transport hazard class(es) Packing Group Classification code Description Hazard label(s) Limited quantity (LQ) Equipment Requirements	UN1490 Potassium permanganate 5.1 II O2 UN1490, Potassium permanganate, 5.1, II, ENVIRONMENTALLY HAZARDOUS 5.1 1 kg PP

15. Regulatory information

International Inventories

TSCA

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical
	Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Potassium Permanganate - 7722-64-7	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Potassium Permanganate	100 lb final RQ	-
7722-64-7	45.4 kg final RQ	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Potassium Permanganate	1578	Present	Environmental hazard
7722-64-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and cherr HMIS Health hazards 3 Flammability 0 Physical hazards Personal protection Chronic Hazard Star	nical properties	* = Chronic Health Hazard		
		acronyms used in the s NTROLS/PERSONAL PR		
TWA Ceiling	TWA (time-weight Maximum limit val	5,	STEL	STEL (Short Term Exposure Limit)
Agency for Toxic S U.S. Environmental European Food Sa EPA (Environmenta Acute Exposure Gu U.S. Environmental U.S. Environmental Food Research Jou Hazardous Substar International Unifor Japan GHS Classif	ubstances and Dis I Protection Agency fety Authority (EFS al Protection Agency uideline Level(s) (A I Protection Agency I Protection Agency urnal nce Database m Chemical Inform fication	cy)	gicide, and Rodentic Chemicals	

NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date06-May-2022Revision NoteNo information available.DisclaimerNo

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet