



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
300	Health Hazard 3 Fire Hazard 0	
	Reactivity	See Section 15.

Section 1. Chemical Product and Company Identification				Page Number: 1
Common Name/ Trade Name	Ruthenium (III) Chloride, anhydrous		Catalog Number(s).	R1606
		C	CAS#	10049-08-8
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC.	R	RTECS	VM2650000
	14422 S. SAN PEDRO STREET GARDENA, CA 90248		SCA	TSCA 8(b) inventory: Ruthenium (III) Chloride, anhydrous
Commercial Name(s)	Not available.	C	CI#	Not available.
Synonym	Ruthenium Trichloride		IN CASE OF EMERGENCY CHEMTREC (24hr) 800-424-9300 CALL (310) 516-8000	
Chemical Name	Ruthenium Chloride	_		
Chemical Family	Not available.	C		
Chemical Formula	RuCl3			
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

Section 2.Composition and Information on Ingredients					
			Exposure Limits		
Name	CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Ruthenium (III) Chloride, anhydrous	10049-08-8				100
Toxicological Data Ruthenium (III) Chlo on Ingredients LD50: Not available					

Section 3. Hazards Identification

LC50: Not available.

Potential Acute Health Effects

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. Hazardous in case of inhalation. Slightly hazardous in case of skin contact (corrosive), of eye contact (corrosive). The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Continued on Next Page

Ruthenium (III) Chi	oride, anhydrous	Page Number: 2
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated exposure of the eyes to a low level of dust can produce eye irritation. For produce local skin destruction, or dermatitis. Repeated inhalation of dust can respiratory irritation or lung damage.	

Section 4. First Aid Measures	
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Serious Ingestion	Not available.

Section 5. Fire and E.	Section 5. Fire and Explosion Data		
Flammability of the Product	Non-flammable.		
Auto-Ignition Temperature	Not applicable.		
Flash Points	Not applicable.		
Flammable Limits	Not applicable.		
Products of Combustion	Not available.		
Fire Hazards in Presence of Various Substances	Not applicable.		
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media and Instructions	Not applicable.		
Special Remarks on Fire Hazards	When heated to decomposition it emits toxic fumes of hydrogen chloride		
Special Remarks on Explosion Hazards	Not available.		

Ruthenium (III) Chloride, anhydrous		Page Number: 3
Section 6. Acc	idental Release Measures	
Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.	
Large Spill	Corrosive solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled mater reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. disposal.	

Section 7. Handling and Storage	
Precautions	Keep container dry. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Hygroscopic

Section 8. Exposure	Controls/Personal Protection
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	Not available.

Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Solid. (Crystalline powder.)	Odor	Hydrochloric-like
Molecular Weight	207.43 g/mole	Taste	Not available.
pH (1% soln/water)	Not available.	Color	Dark grey.
Boiling Point	Not available.		
Melting Point	Decomposition temperature: 500°C (932°F)		
Critical Temperature	Not available.		
Specific Gravity	3.11 (Water = 1)		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		
Solubility	Not available.		

Ruthenium (III) Chloride, anhydrous		Page Number: 4
Section 10. Stability and Reactivity Data		
Stability	The product is stable.	
Instability Temperature	Not available.	
Conditions of Instability	Incompatible materials, moisture	
Incompatibility with various substances	Not available.	
Corrosivity	Not available.	
Special Remarks on	Incompatible with Zinc. Hydroscopic: keep container tightly closed.	

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	LD50: Not available. LC50: Not available.	
Chronic Effects on Humans	Not available.	
Other Toxic Effects on Humans	Very hazardous in case of skin contact (irritant), of ingestion. Hazardous in case of inhalation (lung corrosive). Slightly hazardous in case of skin contact (corrosive), of eye contact (corrosive).	
Special Remarks on Toxicity to Animals	Not available.	
Special Remarks on Chronic Effects on Humans	Not available.	
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: Causes severe skin irritation and burns. Eyes: Causes severe eye irritation and burns. Inhalation: Inhalation causes irritation and possible chemical burns to the respiratory tract. Ingestion: Causes digestive/gastrointestinal tract burns. May affect behavior/central nervous system (muscle contraction or spasticity, coma), respiration (respiratory depression).	

Section 12. Ecological Information	
Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.
Special Remarks on the Products of Biodegradation	Not available.

Reactivity

Special Remarks on Corrosivity

Polymerization

Not available.

Will not occur.

Ruthenium (III) Chloride, anhydrous

Section 13. Disposal Considerations

Waste Disposal

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Page Number: 5

Section 14. Transport Information	
DOT Classification	Class 8: Corrosive material
Identification	: Corrosive sold, n.o.s. (Ruthenium (III) Chloride) UNNA: 1759 PG: III
Special Provisions for Transport	Not available.
DOT (Pictograms)	CORROSIVE 8

Section 15. Other Regulatory Information and Pictograms **Federal and State** TSCA 8(b) inventory: Ruthenium (III) Chloride, anhydrous Regulations California prop. 65: This product contains the following ingredients for which the State of California has found Proposition 65 to cause cancer which would require a warning under the statute: No products were found. Warnings California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found. **Other Regulations** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 233-167-5). Canada: Listed on Canadian Domestic Substance List (DSL). China: Listed on National Inventory. Japan: Listed on National Inventory (ENCS). Korea: Listed on National Inventory (KECI). Australia: Listed on AICS. CLASS E: Corrosive solid. **Other Classifications** WHMIS (Canada) DSCL (EEC) R34- Causes burns. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). **Health Hazard** HMIS (U.S.A.) 3 **National Fire Protection** Flammability Association (U.S.A.) Fire Hazard 0 Health Reactivity Reactivity 0 Specific hazard **Personal Protection** WHMIS (Canada)

(Pictograms)



Ruthenium (III) Chloride, anhydrous

DSCL (Europe) (Pictograms)



TDG (Canada) (Pictograms)



ADR (Europe) (Pictograms)



Protective Equipment



Gloves.



Synthetic apron.



Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.



Splash goggles.

Section 16. Other Information

MSDS Code R0014

References Not available.

Other Special Not available.

Considerations

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/13/2006.

Page Number: 6

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.