



# SAFETY DATA SHEET

Preparation Date: 7/21/2017 Revision Date: 7/21/2017 Revision Number: G1

# 1. IDENTIFICATION

Product identifier

Product code: S1725

Product Name: SULFUR, LUMP

Other means of identification

**Synonyms:** No information available

CAS #: 7704-34-9

RTECS # WS4250000

CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** In manufacturing sulfuric acid, carbon disulfide, sulfites, insecticides, plastics,

enamels, metal-glass, cements; in vulcanizing rubber; in syntheses of dyes; in making gunpowder, matches; for bleaching wood pulp, straw, wool, silk, felt, linen; in making phosphatic fertilizers; bleaching of dried fruits; fungicide and acaricide; rodent repellent; soil conditioner; nucleating reagent for photographic film; used in cosmetics, such as acne ointments and lotions, and in antidandruff shampoos.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000.

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Flammable solids Category 2

### Label elements

Warning

Flammable solids

Product code: S1725 Product name: SULFUR, LUMP 1/14



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Not available

#### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/.../equipment Wear protective gloves Wear eye/face protection

Prevent dust accumulations to minimize explosion hazard

In case of fire: Use CO2, dry chemical, or foam to extinguish.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Sulfur, lump	7704-34-9	100

# 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops.

**Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give

oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary. Get medical attention if symptoms

appear.

#### Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting, and diarrhea. May cause irritation of respiratory tract. Coughing and wheezing. Dyspnea (Shortness of breath and difficulty breathing). May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause bronchitis. May cause emphysema.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Product code: S1725 Product name: SULFUR, LUMP 2 / 14

#### **Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Sulfur dioxide gas

Hazardous Combustion Products: No information available.

Specific hazards: May be combustible at h

May be combustible at high temperatures. SULFUR IS POOR CONDUCTOR OF ELECTRICITY & TENDS TO DEVELOP CHARGES OF STATIC ELECTRICITY DURING TRANSPORT OR PROCESSING; STATIC DISCHARGE MAY LEAD TO IGNITIONOF SULFUR DUST. Burns with a pale blue flame that may be difficult to see in daylight. Grinding of sulfur involves high degree of explosive hazard. Vapors given off during melting of Sulfur may contain sufficient Hydrogen Sulfide and Carbon Disulfide to permit ignition of air/vapor mixture on contact with hot surface. Such ignition may result in transmission of flames to molten Sulfur.

Mixture of Barium carbide and sulfur heated at 150 deg. C becomes incandescent.

Mixture of barium chlorate and Sulfur ignites at about 108-111 deg. C.

Calcium carbide reacts incandescently with sulfur vapors at 500 deg. C.

Calcium phosphide reacts with sulfur incandescently at 300 deg. C

Powdered sulfur is spontaneously flammable when mixed with Lampblack or freshly calcined charcoal.

Sulfur in chlorine dioxide takes fire spontaneously and may produce an explosion.

Flowers of sulfur moistened with chromyl chloride ignites spontaneously.

A mixture of lead chlorate and sulfur ignites at about 63-67 deg. C.

A mixture of sulfur and silver chlorate ignites at about 74 deg. C.

When finely divided sulfur is ground with silver oxide, the mixture ignites.

Solid sulfur will ignite when mixed with solid sodium chlorite and moistened.

Lithium carbide burns in vapors of sulfur

Sulfur mixed with mercurous oxide will ignite on light impact.

Powdered nickel heated with sulfur reacts with incandescence.

Product code: S1725 Product name: SULFUR, LUMP 3 / 14

Sulfur when heated with Thorium reacts vigorously with incandescence.

Mixture of sulfur + niobium oxide + aluminum causes fire. A mixture of boron and sulfur becomes incandescent 600 deg. C.

Bromine trifluoride and sulfur react incandenscently. Potassium nitride unites with sulfur when heated, forming a highly flammable mixture.

Rubidium acetylene carbide ignites on contact with molten sulfur. Sulfur + Ammonia may form explosive Sulfur Nitride.

Ammonium Nitrate + Sulfur can be exploded by shock. Mixtures of Ammonium Perchlorate and Sulfur are impact sensitive.

Interaction between Sulfur and Tetraphenyllead may be explosive.

A mixture of sulfur + stannic iodide + sodium produces a strong explosion on impact.

When sulfur is rubbed with sodium the reaction proceeds with explosive violence.

When a mixture of Sulfur and yellow phosphorous is warmed is causes a vivd combustion and powerful explosion.

lodine Pentaoxide reacts explosively when warmed with sulfur.

Potassium Perchlorate + Sulfur , used in flashcrackers, can be explosde by moderately strong impact.

COMBINATION OF FINELY DIVIDED SULFUR & FINELY DIVIDED BROMATES (ALSO CHLORATES OR IODATES) OF BARIUM, CALCIUM, MAGNESIUM, POTASSIUM, SODIUM, OR ZINC WILL EXPLODE WITH HEAT, PERCUSSION, & SOMETIMES, LIGHT FRICTION.

A mixture of sulfur and chlorates will explode. Sulfur + silver bromate produces an explosive reaction in the presence of water.

# **Special Protective Actions for Firefighters**

**Specific Methods:** For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: S1725 Product name: SULFUR, LUMP 4/14

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal

protective equipment. Avoid contact with skin, eyes and clothing. Remove all sources of

ignition.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

# Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

#### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

# **Incompatible Materials:**

Oxidizing agents

Incompatible with ammonia, ammonium nitrate, ammonium perchlorate, barium carbide, barium chlorate, calcium phosphide, calcium carbide, Lampblack, freshly calcined charcoal, lead chlorate, finely divided bromates ( also chlorates, or iodates) of Barium, Magnesium, Calcium, Potassium, Sodium, or Zinc, Calcium Hypchlorite, Silver Bromate, Lithium Carbide, Lead Dioxide, Potassium Chlorate, Sodium Hydride, Thorium, aluminum + niobium oxide, Bromine Pentafluoride, Boron, Bromine trifluoride, calcium, chlorine monoxide gas, chlorine trifluoride, indium, Iodine pentaoxide, Lithium, Nitrogen dioxide, yellow phosphorous, Potassium Nitride, Uranium, Tetraphenyllead.

Copper

Copper alloys

Steel

Damp sulfur will corrode steel

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### National occupational exposure limits

**United States** 

Product code: S1725 Product name: SULFUR, LUMP 5/14

	Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Ī	Sulfur, lump	7704-34-9	None	None	None	None

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Sulfur, lump	7704-34-9	10 mg/m³ TWA	None	None	None

#### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Sulfur, lump	7704-34-9	None	None

# **Appropriate engineering controls**

**Engineering measures to reduce exposure:** Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants

below the exposure limit.

# Individual protection measures, such as personal protective equipment

# **Personal Protective Equipment**

**Eye protection:** Goggles

Skin and body protection: Long sleeved clothing

Chemical resistant apron

Gloves

**Respiratory protection:** Effective dust mask. Use a dust respirator under conditions where exposure to

the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent. Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidPowder.Yellow.

Odor: Taste Formula:

Odorless. Pure Sulfur is odorless, but No information available.

traces of hydrocarbon impurity may impart an oily and/or rotten egg odor.

Molecular/Formula weight: Flammability: Flash point (°C):

32.06 May form combustible (explosive) dust 207

concentrations in air
May be combustible at high

temperatures

Flashpoint (°C/°F): Flash Point Tested according to:

Product code: S1725 Product name: SULFUR, LUMP 6 / 14

207 °C/405 °F Closed cup Autoignition Temperature (°C/°F):

232 °C/450 °F

Lower Explosion Limit (%): Upper Explosion Limit (%): Melting point/range(°C/°F): 112-120 °C/233.6-248 °F

Lower Flammable Limit for Sulfur Dust 1400 g/m<sup>3</sup> or 6.38% (v)

in Air: 35 mg/L

Lower Explosive Limit: 35 g/m<sup>3</sup> or

0.17% (v)

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): **Bulk density:** 

No information available 445 °C/833 °F No information available

Density (g/cm3): Specific gravity:

No information available No information available 2.07

Vapor pressure @ 20°C (kPa): **Evaporation rate:** Vapor density:

No information available No information available No information available

VOC content (g/L): Odor threshold (ppm): Partition coefficient No information available No information available (n-octanol/water):

No information available

Miscibility: Viscosity: Solubility:

No information available No information available Insoluble in water

Partially soluble in acetone

Very slightly soluble in diethyl ether

Sparingly soluble in alcohol

Solubility in Acetone: 2.65% @25 deg.

Solubility in Methylene Iodide: 9.1% @

10 deg. C.

Solubility in Chloroform: 1.5% @ 18

deg. C.

# 10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Incompatible materials.

Oxidizing agents Incompatible Materials:

> Incompatible with ammonia, ammonium nitrate, ammonium perchlorate, barium carbide, barium chlorate, calcium phosphide, calcium carbide, Lampblack, freshly calcined charcoal, lead chlorate, finely divided bromates ( also chlorates, or iodates) of Barium, Magnesium, Calcium, Potassium, Sodium, or Zinc, Calcium Hypchlorite, Silver Bromate, Lithium Carbide, Lead Dioxide, Potassium Chlorate, Sodium Hydride, Thorium, aluminum + niobium oxide, Bromine Pentafluoride, Boron, Bromine trifluoride, calcium, chlorine monoxide gas, chlorine trifluoride, indium, Iodine pentaoxide, Lithium, Nitrogen dioxide, yellow phosphorous,

Potassium Nitride, Uranium, Tetraphenyllead.

Copper Copper alloys

Steel

Damp sulfur will corrode steel

Product code: \$1725 Product name: SULFUR, LUMP 7/14 **Hazardous decomposition** 

products:

Sulfur dioxide gas. Sulfur oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

#### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Ingestion. Inhalation.

#### **Acute Toxicity**

# **Component Information**

Sulfur, lump	
CAS-No.	7704-34-9

LD50/oral/rat = > 3000 mg/kg Oral LD50 Rat

**LD50/oral/mouse** = No information available

LD50/dermal/rabbit = 2000 mg/kg Dermal LD50Rabbit

**LD50/dermal/rat** = No information available

LC50/inhalation/rat = 9.23 mg/L Inhalation LC50 Rat 4 h

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = > 3000 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = > 2000 mg/kg

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available

**VALUE-Gas** = No information available

VALUE-Dust/Mist = >9.23 mg/l (4-hr.)

LC50/Inhalation/mouse

**VALUE-Vapor** = No information available

**VALUE - Gas =** No information available

**VALUE - Dust/Mist =** No information available

**Symptoms** 

**Skin Contact:** May cause skin irritation.

Product code: S1725 Product name: SULFUR, LUMP 8 / 14

Eye Contact: May cause eye irritation with trearing, burning, scratchy discomfort, and blurring of

vision, and possible eye damage (damage to the lens, formation of opacities,

cataracts, and focal chorioretinitis.

**Inhalation** Breathing sulfur can irrtate the nose, throat, lungs, causing coughing wheezing,

sneezing and /or shortness of breath/dyspnea. It may cause inflammation in the respiratory tract resulting in tracheobronchitis, inflammation of nasal mucosa with

increased secretions, pulmonary edema, pneumonia,.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sulfur is not particularly toxic when ingested. Ingestion of 60 grams has been survived. However, if not promptly eliminated, theoretically, ingestion of large doses may lead to hydrogen sulfide production in due to bacterial action in the

colon. Small particles are more toxic than large ones. It may affect

behavior/central nervous system/peripheral nervous system (headache, vertigo, amnesia, fatigue, seizures, agitation, peripheral neuropathy, coma), and kidneys.

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** Skin: Prolonged or repeated skin contact may cause allergic contact dermatitis,

which is rare.

Ingestion: Prolonged or repeated ingestion may cause metabolic acidosis. It may

also affect the liver (increase levels of liver enzymes)

Inhalation: Prolonged or repeated inhalation may cause bronchitis, various

bronchopulmonary diseases, including emphysema, bronchiectasis,

thiopneumoconiosis (sulfur pneumoconiosis), and asthma. It may also causes

changes in the thyroid gland.

**Sensitization:** No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Sulfur, lump	7704-34-9	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects:No information availableDevelopmental Effects:No information availableTeratogenic Effects:No information available

Specific Target Organ Toxicity

**STOT - single exposure**STOT - repeated exposure
No information available.
No information available.

Product code: S1725 Product name: SULFUR, LUMP 9 / 14

Target Organs: No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity effects:** Aquatic environment.

Sulfur, lump - 7704-34-9

Freshwater Fish Species Data: 866 mg/L LC50 Brachydanio rerio 96 h static 1 14 mg/L LC50 Lepomis

macrochirus 96 h static 1 180 mg/L LC50 Oncorhynchus mykiss 96 h static 1

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

# 13. DISPOSAL CONSIDERATIONS

### **Disposal Methods**

# Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sulfur, lump	7704-34-9	None	None	None	None

# 14. TRANSPORT INFORMATION

DOT

UN-No: International: UN1350 Domestic: NA1350

Domestic. NATSSU

Note that Sulfur which is transported domestically is not subject to the

requirements of 49 CFR (Transportation) if transported in a non-bulk packaging (less than 400 kg per package) or if formed into a specific shape (for example: prills, granules, pellets, pastilles, or flakes. Refer to 49 CFR 172.102 (c) (1) Special Provision #30 and the definition of "Bulk" quantities in 49 CFR 171.8. Spectrum Chemical Mfg. Corp does not ship this material domestically in bulk quantities as defined in 49 CFR. Therefore, shipment of this material is not DOT

regulated for transport per special provision #30.

Proper Shipping Name: Sulfur

**Hazard Class:** 4.1(For international shipments)

9 (for domestic shipments)

For Domestic Shipping in Bulk quantites CLASS 9. (DOT regulation for Domestic

shipping only applies only

to bulk quantities as defined in 49CFR. See note under "Special Provisions for

Transport")

Subsidiary Class No information available

Packing group:

Emergency Response Guide No information available

Number

Marine Pollutant No data available

Product code: S1725 Product name: SULFUR, LUMP 10 / 14

DOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: UN1350
Proper Shipping Name: Sulfur
Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

Marine PollutantNo Information availableDescription:No information available

ADR

UN-No: UN1350
Proper Shipping Name: Sulphur
Hazard Class: 4.1
Packing Group: III

Subsidiary Risk: No information available

**IMO / IMDG** 

UN-No: UN1350
Proper Shipping Name: Sulphur
Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

**RID** 

UN-No: UN1350 Proper Shipping Name: Sulphur Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group:

**ICAO** 

UN-No: UN1350 Proper Shipping Name: Sulphur Hazard Class: 4.1

TI AZATU CIASS. 4.1

Subsidiary Risk: No information available

Packing Group:

IATA

UN-No: UN1350
Proper Shipping Name: Sulphur
Hazard Class: 4.1

Subsidiary Risk: No information available

Packing Group: III ERG Code: 3L

Special Provisions No information available

### 15. REGULATORY INFORMATION

# **International Inventories**

ſ	Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines	Japan ENCS	CHINA	Australia	EINECS-No.
1					(PICCS)			(AICS)	

Product code: S1725 Product name: SULFUR, LUMP 11 / 14

Sulfur, lump	7704-34-9	Present	Present	Present	Not present	Present	Present	Present
			KE-32688					231-722-6

# **U.S. Regulations**

Sulfur, lump

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 1757

Pennsylvania RTK: Present

California Directors List of Hazardous Substances: Present

#### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Sulfur, lump	7704-34-9	Not Listed	Not Listed	Not Listed	Not Listed

#### **CERCLA/SARA**

	Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
S	ılfur, lump	7704-34-9	None	None	None	None	None

# U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Sulfur, lump	7704-34-9	Not Applicable	Not Applicable

#### Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification

Information:

Component Sulfur, lump 7704-34-9 ( 100 )

WHMIS 2015 Hazard Classification

Flammable solids - Category 2: H228 Flammable solid.; Skin corrosion/irritation - Category 2: H315 Causes skin irritation.; Combustible Dust - Category 1: May form combustible dust concentrations in air (if 5% or more by weight of its composition

has a particle size <500 µm)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

B4 Flammable solid

Components WHMIS 1988

Sulfur, lump B4

**Canada Controlled Products Regulation:** 

Product code: S1725 Product name: SULFUR, LUMP 12 / 14

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

#### Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)	
Sulfur, lump	7704-34-9	Present	Not Listed	

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Sulfur, lump	7704-34-9	Not listed
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Sulfur, lump	7704-34-9	Not listed

#### **EU Classification**

#### EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Sulfur, lump	7704-34-9	Skin corrosion/irritation - Skin Irrit. 2:
		H315 Causes skin
		irritation.016-094-00-1

#### EU - CLP (1272/2008)

### R-phrase(s)

R38 - Irritating to skin.

### S -phrase(s)

S 2 - Keep out of the reach of children.

S46 - If swallowed, seek medical advice immediately and show this container or label.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Sulfur, lump	7704-34-9	Xi; R38	No information	S2 S46

The product is classified in accordance with Annex VI to Directive 67/548/EEC

# Indication of danger:

Xi - Irritant.



# **16. OTHER INFORMATION**

Preparation Date:7/21/2017Revision Date:7/21/2017Prepared by:Sonia Owen

**Disclaimer:** All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications.

Product code: S1725 Product name: SULFUR, LUMP 13 / 14

Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: S1725 Product name: SULFUR, LUMP 14/14