



SAFETY DATA SHEET

Preparation Date: 12/10/2019 Revision date 12/10/2019 Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: S1935

Product Name: SILICA GEL, MICRONIZED

Other means of identification

Synonyms: Silicon Dioxide, chemically prepared.

Synthetic amorphous silica, not to be confused with crystalline silica such as quartz, cristobalite, or tridymite or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms

CAS #: 7631-86-9
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use:
Uses advised against
No information available.
No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person:Tom Tyner (USA - West Coast)Contact Person:Ibad Tirmiz (USA - East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified			

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Product code: S1935 Product name: SILICA GEL, Page 1/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Silicon Dioxide (Amorphous)	7631-86-9	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give

oxygen. Obtain medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous combustion products No information available.

Specific hazards No information available.

Special Protective Actions for Firefighters

Product code: S1935 Product name: SILICA GEL, Page 2/11

Specific Methods: No information available

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Protect from moisture. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong acids
Hydrogen fluoride
Chlorine trifluoride
Oxygen difluoride

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Silicon Dioxide (Amorphous)	7631-86-9	20mppcfTWA (80)/(% SiO2) mg/m³ TWA	6 mg/m³ TWA	None	None

Product code: S1935 Product name: SILICA GEL, Page 3 / 11
MICRONIZED

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Silicon Dioxide (Amorphous)	7631-86-9	None	None	None	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Silicon Dioxide (Amorphous)	7631-86-9	2 mg/m³ TWA	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use

ventilation to keep exposure to airborne contaminants

below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing

Chemical resistant apron

Gloves

Respiratory protection: Effective dust mask. or. Wear respirator with dust filter. Use a dust respirator

under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidPowder.White.

Odor: Taste Formula

Odorless. Tasteless. No information available

Molecular/Formula weight (g/mole): Flammability (solid, gas)

No information available

Flashpoint (°C/°F):

No information available

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Not applicable No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available 1710 °C/3110 °F No information available

Product code: S1935 Product name: SILICA GEL, Page 4/11

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

2230 °C/4046 °F No information available No information available

Specific gravity: pH Vapor pressure @ 20°C (kPa):

2.1-2.2 No information available No information available

Evaporation rate: Vapor density: VOC content (g/L):
No information available
No information available

Odor threshold (ppm): Partition coefficient Viscosity:

No information available (n-octanol/water): No information available

No information available

Miscibility: Solubility:

No information available Insoluble in water

Insoluble in Ethanol

Insoluble in acids except hydrofluoric

acid

Very Slightly soluble in alkali

Soluble in hot KOH or NaOH solutions

10. STABILITY AND REACTIVITY

Reactivity

Hygroscopic. It absorbs moisture from the air

Reactive with strong acids

Vinyl acetate vapor may react vigorously in contact with Silica gel

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Heat. Incompatible materials. Exposure to moist air. Exposure to moisture.

Incompatible Materials: Strong acids

Hydrogen fluoride Chlorine trifluoride Oxygen difluoride

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Product code: S1935 Product name: SILICA GEL, Page 5/11

Component Information

Silicon Dioxide (Amorphous)

CAS No 7631-86-9

LD50/oral/rat = 7900 mg/kg Oral LD50 Rat **LD50/oral/mouse** = No information available

LD50/dermal/rabbit = > 2000 mg/kg Dermal LD50 Rabbit

LD50/dermal/rat = No information available

LC50/inhalation/rat = > 2.2 mg/L Inhalation LC50 Rat 1 h

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

Value - Acute Toxicity = > 5000 mg/kg

LD50/oral/mouse =

Value - Acute Tox = No information available

LD50/dermal/rabbit

Value - Acute Toxicity = > 2000 mg/kg

LD50/dermal/rat

VALUE - Acute Tox = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available **VALUE-Gas** = No information available **VALUE-Dust/Mist** = >2.2 mg/l (1-hr)

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. May cause dryness of the skin in cases of severe

exposure.

Eye Contact: May cause eye irritation. May cause irritation of the eyes by mechanical action.

Inhalation May cause irritation of respiratory tract. May cause dryness and irritation to

mucous membranes and respiratory tract in cases of severe exposure.

Ingestion Health injuries are not known or expected under normal use. Not expected to be a

health hazard.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Repeated or prolonged skin contact may cause dryness and cracking of the skin.

Chronic inhalation of Amorphous silica may rarely cause Silicosis.

Pneumoconiosis, bronchitis, emphysema, asthma. Symptoms may include

Product code: S1935 Product name: SILICA GEL, Page 6 / 11
MICRONIZED

cough, and dfficulty breathing and shortness of breath (dyspnea). One case suggests a potential link between occupational exposure to silica and bronchiolitis

obliterans.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not classifiable as to its carcinogenicity to humans.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Silicon Dioxide (Amorphous)		Group 3 - Not classifiable - Monograph 68 [1997] Supplement 7 [1987	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects:No information availableDevelopmental Effects:No information availableTeratogenic Effects:No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.
Lungs. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Silicon Dioxide (Amorphous) - 7631-86-9

Algae/aquatic plants
440 mg/L EC50 Pseudokirchneriella subcapitata 72 h
5000 mg/L LC50 Brachydanio rerio 96 h static 1
7600 mg/L EC50 Ceriodaphnia dubia 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soilNo information availableOther adverse effectsNo information available.

Product code: S1935 Product name: SILICA GEL, Page 7 / 11
MICRONIZED

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Silicon Dioxide (Amorphous)	7631-86-9	None	None	None	None

14. TRANSPORT INFORMATION

DOT

Not Regulated UN-No:

Proper Shipping Name: No information available No information available **Hazard Class Subsidiary Class** No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine Pollutant No data available No information available DOT RQ (lbs): **Special Provisions** No Information available Symbol(s): No information available **Description:** No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name: No information available **Hazard Class** No information available No information available **Subsidiary Risk:** Packing Group: No information available **Marine Pollutant** No Information available **Description:** No information available

ADR

UN Number Not regulated

Proper Shipping Name: No information available Transport hazard class(es) No information available Packing group No information available **Subsidiary Risk:** No information available

IMDG

UN-No: Not Regulated

No information available **Proper Shipping Name: Hazard Class:** No information available **Subsidiary Risk:** No information available Packing Group: No information available No information available **Marine Pollutant**

RID

Product code: S1935 Product name: SILICA GEL, Page 8 / 11

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group

No information available
No information available
No information available

ICAO (air)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group
Precautionary Statements No information available
No information available
No information available
No information available

Response

Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Silicon Dioxide	7631-86-9	PresentACTIV	Present	Present	Present	Present	Present	Present
(Amorphous)		E	KE-31032		(1)-548			231-545-4

U.S. Regulations

Silicon Dioxide (Amorphous)

Massachusetts RTK: Present Pennsylvania RTK: Present

Minnesota - Hazardous Substance List: Present

California Directors List of Hazardous Substances: Present

FDA - Direct Food Additives 21 CFR 172.230, 21 CFR 172.480, 21 CFR 173.340

FDA - 21 CFR - Total Food Additives 160.105, 160.185, 172.230, 172.480, 173.340, 175.105, 175.300, 175.320, 176.170, **- List Sourced from EAFUS** 176.180, 176.200, 176.210, 177.1200, 177.2250, 177.2420, 177.2600, 178.3297, 182.90,

73.1, 73.575

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Silicon Dioxide (Amorphous)	7631-86-9	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component CAS No	CERCLA -	Section 302	Section 302	Section 313 -	Section 313 -
	Hazardous	Extremely	Extremely	Chemical Category	Reporting

Product code: S1935 Product name: SILICA GEL, Page 9/11
MICRONIZED

		Substances and their Reportable Quantities	Hazardous Substances and TPQs	Hazardous Substances and RQs		de minimis
Silicon Dioxide (Amorphous)	7631-86-9	None	None	None	None	None

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
		With Significant New Use Rules	Reporting
		(SNURŠ)	
Silicon Dioxide (Amorphous)	7631-86-9	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Silicon Dioxide (Amorphous)	7631-86-9	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Silicon Dioxide (Amorphous)	7631-86-9	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Silicon Dioxide (Amorphous)	7631-86-9	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Silicon Dioxide (Amorphous)	7631-86-9	

EU - CLP (1272/2008)

R-phrase(s)

none

S -phrase(s)

none

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Silicon Dioxide (Amorphous)	7631-86-9		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Product code: S1935 Product name: SILICA GEL, Page 10 / 11 MICRONIZED

Indication of danger:

Not dangerous

16. OTHER INFORMATION

Preparation Date: 12/10/2019
Revision date 12/10/2019
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: S1935 Product name: SILICA GEL, Page 11 / 11