



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
100	Health Hazard Fire Hazard 0	
	Reactivity	See Section 15.

Section 1. Chem	ical Product and Company Identification			Page Number: 1
Common Name/ Trade Name	Silica gel, grade 15, 30-60 mesh		Catalog Number(s).	SIL02
			CAS#	7631-86-9 (other related CAS numbers: 63231-67-4 or 112926-00-8)
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC.		RTECS	VV7565000
	14422 S. SAN PEDRO STREET GARDENA, CA 90248		TSCA	TSCA 8(b) inventory: Silica gel (Silica)
Commercial Name(s)	Not available.		CI#	Not available.
Synonym	Amorphous silicon dioxide, chemically prepared; Synthetic amorphous silica Synthetic amorphous silica, not to be confused with crystalline silica such as quartz, cristobalite, or tridymite or with diatomaceous earth or other naturally occuring forms of amorphous silica that frequently contain crystalline forms.			EMERGENCY (24hr) 800-424-9300
Chemical Name	Synthetic Amorphous Silica			
Chemical Family	nily Not available.		CALL (310) 5	16-8000
Chemical Formula	SiO2			
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

GARDENA, CA 90248						
Section 2.Composition and Information on Ingredients						
				Exposure Limits		
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Silica gel, grade 15, 30-60 mesh		7631-86-9	6			100
Toxicological Data on Ingredients	JACC report]. DERMAL (LD50):	Acute: >31600 ucted with finely-ground Acute: >2000 ucted with finely-grouport].	0 mg/kg [Rat. This is und silica gel.]. >500 mg/kg [Rabbit. This und silica gel. It is al	is data from a 48 so in LOLI.]. >500	hr. dermal test food mg/kg [Rabbit	or DOT hazard Data is from

Section	3	Hazarde	Identification	,
SECTION	J.	ı ıazaı us	Iuciillicalion	

Potential Acute Health Effects Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health

Effects

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.
DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged exposure is not known to aggravate medical condition.

Section 4. First A	id Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.
Serious Skin Contact	Not available.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Serious Inhalation	Not available.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Serious Ingestion	Not available.

Section 5. Fire and Ex	xplosion Data
Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Not available.
Fire Hazards in Presence of Various Substances	Not applicable.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Not applicable.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Substance can explode when wet and heated with powdered magnesium.

Section 6. Accidental Release Measures		
Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.	
Large Spill	Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.	

Section 7. Handling and Storage		
Precautions	Do not ingest. Do not breathe dust. If ingested, seek medical advice immediately and show the container or the label.	
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Hygroscopic	

Section 8. Exposure	Controls/Personal Protection
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	TWA: 10 (mg/m³) from ACGIH (TLV) [United States] Inhalation Total. TWA: 20 (mppcf) from OSHA (PEL) [United States] Inhalation Total. TWA: 6 (mg/m³) from NIOSH [United States] Inhalation Total. TWA: 3 (mg/m³) from ACGIH (TLV) [United States] Inhalation Respirable. TWA: 5 (mg/m³) [Canada] Inhalation Total. TWA: 2 (mg/m³) [Canada] Inhalation Respirable. TWA: 4 (mg/m³) [Canada] Inhalation Total. TWA: 1.5 (mg/m³) [Canada] Inhalation Respirable. TWA: 6 (mg/m³) [Canada] Inhalation Total. TWA: 10 (mg/m³) [Canada] Inhalation Total. Consult local authorities for acceptable exposure limits.

Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Solid. (Granular solid. Beads solid. Powdered solid.)	Odor	Odorless.
Molecular Weight	60.09 g/mole	Taste	Tasteless.
pH (1% soln/water)	Not applicable.	Color	White.
Boiling Point	Not available.		
Melting Point	Not available.		
Critical Temperature	Not available.		
Specific Gravity	2.1-2.2 (Water = 1)		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	Not available.		

Continued on Next Page

Silica gel, grade 15, 30-60 mesh		Page Number: 4
Solubility	Insoluble in cold water. Soluble in hot KOH and MaOH solutions. Insoluble in ethanol. Insoluble in acids except hydrofluoric acid	

Section 10. Stability	and Reactivity Data
Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Incompatible materials, moisture, excess dust generation.
Incompatibility with various substances	Not available.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Hygroscopic. Incompatible with hydrogen fluoride, zenon hexafluoride, oxygen difluoride, and chlorine trifluoride.
Special Remarks on Corrosivity	Not available.
Polymerization	Will not occur.

Section 11. Toxicological Information				
Routes of Entry	Inhalation. Ingestion.			
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): >5000 mg/kg [Rat. Date is from LOLI and in ECETOC JACC report]. Acute dermal toxicity (LD50): >2000 mg/kg [Rabbit. This is data from a 48 hr. dermal test for DOT hazard classification conducted with finely-ground silica gel. It is also in LOLI.]. Acute toxicity of the dust (LC50): >140 - >2000 mg/m³ 4 hours [Rat].			
Chronic Effects on Humans	CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.			
Other Toxic Effects on Humans	Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.			
Special Remarks on Toxicity to Animals	Not available.			
Special Remarks on Chronic Effects on Humans	Not available.			
Special Remarks on other Toxic Effects on Humans				

Silica gel, grade 15, 30-60 mesh Page I	Number: 5
---	-----------

Section 12. Ecological Information				
Ecotoxicity	Ecotoxicity in water (LC50): 440 mg/l 72 hours [Algae (Pseudokirchneriella subcapitata)]. 5000 mg/l 96 hours [Fish (Brachydanio rerio)]. 7600 mg/l 48 hours [Daphnia (Ceriodaphnia dubia)].			
BOD5 and COD	Not available.			
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.			
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.			
Special Remarks on the Products of Biodegradation	Not available.			

Section 13. Disposal Considerations

Waste Disposal Waste must be disposed of in accordance with federal, state and local environmental

control regulations.


Section 14. Transport Information DOT Classification Not a DOT controlled material (United States). Identification Not applicable. Special Provisions for Transport DOT (Pictograms)

Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations	Pennsylvania RTK: Silica gel, grade 15, 30-60 mesh Minnesota: Silica gel, grade 15, 30-60 mesh Massachusetts RTK: Silica gel, grade 15, 30-60 mesh New Jersey: Silica gel, grade 15, 30-60 mesh TSCA 8(b) inventory: Silica gel, grade 15, 30-60 mesh
	ISCA 8(b) inventory: Silica gel, grade 15, 30-60 mesh

	100A 0(b) inventory	7. Silica gel, grade 13, 30-00 mesh		
California Proposition 65		California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found.		
Warnings		California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.		
Other Regulations	No. 231-545-4). Canada: Listed on No. China: Listed on No. Japan: Listed on No. Korea: Listed on No. Philippines: Listed on No.	EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 231-545-4). Canada: Listed on Canadian Domestic Substance List (DSL). China: Listed on National Inventory. Japan: Listed on National Inventory (ENCS). Korea: Listed on National Inventory (KECI). Philippines: Listed on National Inventory (PICCS). Australia: Listed on AICS.		
Other Classifications	WHMIS (Canada)	Not controlled under WHMIS (Car	nada).	
	DSCL (EEC)	This product is not classified according to the EU regulations.	Not applicable.	

Continued on Next Page



Section 10. Other information		
MSDS Code	S3301	
References	Not available.	
Other Special Considerations	Not available.	
Validated by Sonia Owen on 1/23/2012.		Verified by Sonia Owen.
		Printed 1/23/2012.
CALL (310) 516-8000		

Continued on Next Page

Silica gel, grade 15, 30-60 mesh

Page Number: 7

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.