



# SAFETY DATA SHEET

Preparation Date: 12/08/2016 Revision Date: Not Applicable Revision Number: Not Applicable

### 1. IDENTIFICATION

**Product identifier** 

Product code: T2096

Product Name: TRIETHYLSILANE

Other means of identification

Synonyms: No information available

CAS #: 617-86-7
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** For manufacturing or laboratory use only.

Uses advised against Not for food or drug use.

<u>Supplier:</u> Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena. CA 90248

(310) 516-8000.

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2B
Flammable liquids	Category 2

#### **Label elements**

### Danger

### Hazard statements

Causes eye irritation

Highly flammable liquid and vapor



Product code: T2096 Product name: TRIETHYLSILANE 1 / 11

#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Causes mild skin irritation

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/ .? /equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves Wear eye/face protection

In case of fire: Use CO2, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Triethylsilane	617-86-7	100

### 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

**Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Mild skin irritation. Causes eye irritation. Mild eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

**Protection of first-aiders** 

Product code: T2096 Product name: TRIETHYLSILANE 2/11

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Alcohol-resistant

foam. Water spray.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Dioxide, Carbon Monoxide. Silicon oxides.

Specific hazards: Highly flammable

May be ignited by heat, sparks or flames

Vapor may travel considerable distance to source of

ignition and flash back

Vapors may form explosive mixtures with air

Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers,

basements, tanks)

Container explosion may occur under fire conditions or

when heated

Fire may produce irritating, corrosive and/or toxic gases

**Special Protective Actions for Firefighters** 

Specific Methods: Water mist may be used to cool closed containers. For

larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product code: T2096 Product name: TRIETHYLSILANE 3 / 11

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed

spaces.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Prevent entry into waterways, sewers, basements or confined areas.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Use only non-sparking tools. Clean contaminated surface

thoroughly.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

### Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

#### **Incompatible Materials:**

Oxidizing agents Bases Acids

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### National occupational exposure limits

#### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Triethylsilane	617-86-7	None	None	None	None

Product code: T2096 Product name: TRIETHYLSILANE 4/11

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Triethylsilane	617-86-7	None	None	None	None

#### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Triethylsilane	617-86-7	None	None

### **Appropriate engineering controls**

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

### Individual protection measures, such as personal protective equipment

### **Personal Protective Equipment**

**Eye protection:** Goggles

**Skin and body protection:** Chemical resistant apron. Long sleeved clothing. Gloves.

**Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:LiquidNo information available.Colorless.

Odor:TasteFormula:No information available.No information available.C6H16Si

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):116.28Highly Flammable- 6 to - 3 °C/21-26.6 °F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%): No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

107-108 °C/224.6-226.4 °F No information available No information available

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.72-0.73 No information available 3.1

Evaporation rate: Vapor density: VOC content (g/L):
No information available No information available No information available

Odor threshold (ppm): Partition coefficient

Product code: T2096 Product name: TRIETHYLSILANE 5/11

No information available (n-octanol/water): Viscosity:

No information available 
No information available

Miscibility: Solubility:
No information available Insoluble in water

#### 10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents Reactive with acids Reacts with strong bases

**Chemical stability** 

**Stability:** Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Heat. Ignition sources. Incompatible materials.

<u>Incompatible Materials:</u> Oxidizing agents

Bases Acids

Hazardous decomposition

products:

Carbon monoxide. Carbon dioxide. Silicon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Ingestion. Inhalation.

### **Acute Toxicity**

### **Component Information**

Triethylsilane

CAS-No. 617-86-7

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

**LD50/dermal/rabbit** = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

**LC50/inhalation/mouse** = No infomation available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

Product code: T2096 Product name: TRIETHYLSILANE 6/11

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

**VALUE-Acute Tox Dermal =** No information available

LD50/dermal/rat

**VALUE -Acute Tox Dermal =** No information available

LC50/inhalation/rat

**VALUE-Vapor** = No information available **VALUE-Gas** = No information available **VALUE-Dust/Mist** = No information available

LC50/Inhalation/mouse

**VALUE-Vapor** = No information available **VALUE - Gas** = No information available **VALUE - Dust/Mist** = No information available

**Symptoms** 

**Skin Contact:** Mild skin irritation.

**Eye Contact:** Causes eye irritation. Mild eye irritation.

**Inhalation** May cause irritation of respiratory tract.

**Ingestion** No information available.

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** No information available.

**Sensitization:** No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Triethylsilane	617-86-7	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Product code: T2096 Product name: TRIETHYLSILANE 7 / 11

### Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure Target Organs: No information available. No information available. No information available.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

### 13. DISPOSAL CONSIDERATIONS

### **Disposal Methods**

#### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Triethylsilane	617-86-7	None	None	None	None

# 14. TRANSPORT INFORMATION

DOT

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquids, n.o.s.

Hazard Class: 3

Subsidiary Class No information available

Packing group: II Emergency Response Guide 128

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsIB2, T7, TP1, TP8, TP28Symbol(s):No information available

**Description:** UN1993, Flammable liquids, n.o.s., 3, II

TDG (Canada)

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquid, n.o.s.

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

Product code: T2096 Product name: TRIETHYLSILANE 8 / 11

**Description:** UN1993, Flammable liquid, n.o.s., 3, II

**ADR** 

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquid, n.o.s.

Hazard Class: 3
Packing Group: ||

Subsidiary Risk: No information available

Special Provisions 274, 601, 640D

**Description:** UN1993, Flammable liquid, n.o.s., 3, II

IMO / IMDG

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquids, n.o.s.

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-E Special Provisions 274

**Description** UN1993, Flammable liquid, n.o.s. (TRIETHYLSILANE), 3, II

RID

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquid, n.o.s.

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

Special Provisions 274, 601, 640D

**Description:** UN1993, Flammable liquid, n.o.s., 3, II

**ICAO** 

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquid, n.o.s.

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group:

**Description:** UN1993, Flammable liquid, n.o.s., 3, II

Special Provisions A3

**IATA** 

**UN-No:** UN1993

**Proper Shipping Name:** Flammable liquid, n.o.s.

Hazard Class: 3

Subsidiary Risk: No information available

Packing Group: II ERG Code: 3H

**Special Provisions** No information available

**Description:** UN1993, Flammable liquid, n.o.s., 3, II

### 15. REGULATORY INFORMATION

#### International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Triethylsilane	617-86-7	Present	Present KE-34232	Present	Not present	Present	Present	Present 210-535-3

#### **U.S. Regulations**

Product code: T2096 Product name: TRIETHYLSILANE 9/11

#### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Triethylsilane	617-86-7	Not Listed	Not Listed	Not Listed	Not Listed

#### **CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Triethylsilane	617-86-7	None	None	None	None	None

#### U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules	
		(SNURS)	Reporting
Triethylsilane	617-86-7	Not Applicable	Not Applicable

#### Canada

### WHMIS hazard class:

B2 Flammable liquid

#### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

### Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Triethylsilane	617-86-7	Not Listed	Present
	•		

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Triethylsilane	617-86-7	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Triethylsilane	617-86-7	Not listed

# **EU Classification**

# R-phrase(s)

R11 - Highly flammable.

## S -phrase(s)

S16 - Keep away from sources of ignition - No smoking.

S33 - Take precautionary measures against static discharges.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Triethylsilane	617-86-7			

Product code: T2096 Product name: TRIETHYLSILANE 10 / 11

No information

### The product is classified in accordance with Annex VI to Directive 67/548/EEC

# Indication of danger:

F - Highly flammable.

F



### **16. OTHER INFORMATION**

Preparation Date: 12/08/2016
Revision Date: Not Applicable
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: T2096 Product name: TRIETHYLSILANE 11 / 11