

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name:

Product code:

Product use:

Restrictions on use:

Butyl Acetate [for Spectrophotometry] A0228

TCI AMERICA

SAFETY DATA SHEET

For laboratory research purposes. Not for drug or household use.

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Eye Damage/Irritation [Category 2B] Specific Target Organ Toxicity (Single Exposure) [Category 3] Flammable Liquids [Category 2] Aquatic Hazard (Acute) [Category 3]		
Signal word:	Danger!		
Hazard Statement(s):	Highly flammable liquid and vapor Causes eye irritation Harmful to aquatic life May cause respiratory irritation. May cause drowsiness or dizziness.		
Pictogram(s) or Symbol(s):			
Precautionary Statement(s): [Prevention]	Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wash hands and face thoroughly after handling. Wear protective gloves, eve protection.		
[Response]	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. In case of fire: Use dry chemical, dry sand or foam to extinguish.		
[Storage]	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
[Disposal]	Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).		
Hazards not otherwise classified:	None.		

ot otherwise classified: [HNOC]

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance				
Components:	Butyl Acetate [for Spectrophotometry]				
Percent: CAS RN:	>99.0%(GC)				
	123-86-4 116.16				
Molecular Weight: Chemical Formula:	110.10 C6H12O2				
•	Acetic Acid Butyl Ester				
Synonyms:	Acelic Acid Bulyi Eslei				
4. FIRST-AID MEASURES					
Description of first sid measures					
Description of first aid measures					
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON				
	CENTER or doctor/physician if you feel unwell.				
Skin contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation				
Fue contract.	or rash occurs: Get medical advice/attention.				
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.				
Instantion	Continue rinsing. If eye irritation persists: Get medical advice/attention.				
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.				
Symptoms/effects:					
Acute:	Redness.				
	May have effects on the respiratory tract.				

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)
Hazardous combustion products:	These products include: Carbon oxides
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.			
7. HANDLING AND STORAGE				
Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.			
Conditions for safe storage, including any incompatibilities				
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.			
Packaging material:	Comply with laws.			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV(TWA):	150 ppm
ACGIH TLV(STEL):	200 ppm
OSHA PEL(TWA):	150 ppm
JSOH OELs(TWA):	100 ppm
Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Colorless No data available No data available No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic viscosity:	-78°C (-108°F) 126°C (259°F) No data available 0.88 No data available	pH: Vapour pressure: Vapour density: Dynamic Viscosity:	No data available No data available. 4.0 No data available
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point: Flammability(solid, gas):	28°C (82°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: Upper:	425°C (797°F) 1.4% 7.5%
Solubility(ies): [Water] [Other solvents] Miscible:	Slightly soluble (1.4g/100mL, 20°C)		
10. STABILITY AND REACT			
Popotivity:	No data available		

Reactivity: Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products: No data available Stable under proper conditions. No special reactivity has been reported. Spark, Open flame, Static discharge Oxidizing agents, Strong bases, Reducing agents Carbon dioxide, Carbon monoxide **TCI AMERICA**

11. TOXICOLOGICAL INFORMATIC	DN
RTECS Number: AF7350000	
Acute Toxicity:	
orl-rat LD50:10768 mg/kg ihl-mus LC50:6g/m³/2H	skn-rbt LD50:>17600 mg/kg ihl-hmn TCLo:200 ppm
Skin corrosion/irritation:	
skn-rbt 500 mg/24H MOD	
Serious eye damage/irritation: eye-rbt 20 mg open SEV	
Respiratory or skin sensitization: No data available	
Germ cell mutagenicity: No data available	
Carcinogenicity: No data available	
IARC: No data available	NTP: No data available OSHA: No data available
Reproductive toxicity: ihl-rat TCLo:1500 ppm/7H (7-16D preg)	
Target organ(s): May cause respiratory irritation. May cause drowsiness or dizziness.	
12. ECOLOGICAL INFORMATION	
Ecotoxicity:	
Fish:	No data available No data available
Crustacea: Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative potential(BCF):	10
Mobility in soil	1.92
Log Pow: Soil adsorption (Koc):	1.82 200
Henry's Law (PaM ³ /mol):	28
13. DISPOSAL CONSIDERATIONS	
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.

Disposal of container: Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

<u>DOT (US)</u> UN number: UN1123	Proper Shipping Nat Butyl acetates	÷	Class or Division: 3 Flammable liquid	Packing Group:
IATA UN number: UN1123	Proper Shipping Nar Butyl acetates	:	Class or Division: 3 Flammable liquid	Packing Group:
IMDG UN UN1123 numb er:	Proper Shipping Nat Butyl acetates	:	Class or Division: 3 Flammable liquid	Packing Group:
EmS number: Reportable Quanti	tiy:	E, S-D 000 Pounds (2270	0 Kilograms)	

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regu			
	ous substance ar	nd Reportable Quantity: Not Listed	
SARA 313:			
SARA 302:		Not Listed	
State Regulations	5		
State Right-to-Kn	_		
Massachuse	tts	Listed	
New Jersey		Listed	
Pennsylvania	a	Listed	
California Proposition 65:		Not Listed	
Other Information	n		
NFPA Rating:	<u> </u>		HMIS Classification:
Health:	2		Health:
Flammability:	3		Flammability:
Instability:	0		Physical:
International Inve	entories		
Canada: DSL		On DSL	
EC-No:		204-658-1	

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

2 3 0