

TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Allyl Chloride Product code: C0274

Product use:For laboratory research purposes.Restrictions on use:Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681 Fax:

1 ax.

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.) +1-703-527-3887 (International)

Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

WHMIS 2015:

Acute Toxicity - Oral [Category 4]
Acute Toxicity - Inhalation [Category 3]
Eye Damage/Irritation [Category 1]
Germ Cell Mutagenicity [Category 2]
Carcinogenicity [Category 2]
Toxic to Reproduction [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Flammable Liquids [Category 2] Aquatic Hazard (Acute) [Category 3] Skin Corrosion/Irritation [Category 1B]

Signal word: Danger!

Hazard Statement(s): Highly flammable liquid and vapor

Harmful if swallowed Toxic if inhaled

Causes severe skin burns and eye damage Suspected of causing genetic defects

Suspected of causing cancer

Suspected of damaging fertility or the unborn child

Harmful to aquatic life

Causes damage to: Liver Respiratory System Nervous System Heart Kidney

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Liver Nervous System Heart

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on [Response]

skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison

center or doctor. In case of fire: Use dry chemical, dry sand or foam to extinguish.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. [Storage] [Disposal]

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

May cause polymerization. May be harmful if in contact with skin. Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance Components: Allyl Chloride Percent: >98.0%(GC) CAS RN: 107-05-1 Molecular Weight: 76.52 **Chemical Formula:** C₃H₅Cl

Synonyms: 3-Chloro-1-propene

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. Ingestion:

Symptoms/effects:

Acute: Dizziness. Pain. Redness. Drowsiness.

May cause heritable genetic damage in humans. Possibly carcinogenic to humans. Delayed:

Indication of any immediate medical attention:

Not available. Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.)

Specific hazards arising from the chemical:

Hazardous combustion products:

when heated. Combat fire from a sheltered position.

Other specific hazards:

These products include: Carbon oxides Halogenated compounds WARNING: Highly toxic HCl gas is produced during combustion.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

This substance may polimerize explosively when heated or involved in a fire. Container may explode

Environmental precautions:

Prevent product from entering drains.

Methods and materials for containment and cleaning up:

Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards:

Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

Allyl Chloride **TCI AMERICA** Page 3 of 5

7. HANDLING AND STORAGE

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent Precautions for safe handling:

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands

and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

May develop pressure. Open carefully. Confirm in advance if peroxides exist when operations involving

heating such as distillation are carried out.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in an explosion-poof refregerator. Storage conditions:

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Heat-sensitive

Packaging material: Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV(TWA): 1 ppm (skin) 2 ppm (skin) ACGIH TLV(STEL): **OSHA PEL(TWA):** 1 ppm

Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed Appropriate engineering controls:

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Respiratory protection:

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Eye protection: Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Colorless - Very pale yellow Colour:

Odour: Pungent

Odor threshold: No data available **Odour threshold:** No data available

Melting point/freezing point: No data available рН: No data available Boiling point/range: 45°C (113°F) Vapour pressure: No data available.

Decomposition temperature: No data available Vapour density: 2 64 **Dynamic Viscosity:** No data available

Relative density: 0.94

Kinematic viscosity: No data available

Log Pow: No data available **Evaporation rate(Butyl** No data available

Acetate=1):

-29°C (-20°F) Autoignition temperature: 392°C (738°F) Flash point:

Flammability(solid, gas): No data available Flammability or explosive limits:

3.3% Lower: Upper: 11.1%

Solubility(ies):

[Water] Very slightly soluble (0.36g/100mL, 20°C)

[Other solvents]

Miscible: Ether, Alcohols, Chloroform

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Polymerization may occur under the influences of heat, light or on contact with polymerization initiators

such as peroxides etc. May form explosive peroxides.

Possibility of hazardous reactions: No special reactivity has been reported.

Conditions to avoid: Heat, Spark, Open flame, Static discharge, Air, Light

Incompatible materials: Oxidizing agents, Acids, Bases, Aluminium, Zinc, Alkali metals, Alkaline earth metals, Magnesium

Carbon monoxide, carbon dioxide etc Hazardous decomposition products:

Allyl Chloride TCI AMERICA Page 4 of 5

11. TOXICOLOGICAL INFORMATION

RTECS Number: UC7350000

Acute Toxicity:

ihl-rat LC50:11 g/m³/2H orl-mus LD50:425 mg/kg orl-rat LD50:460 mg/kg skn-rbt LD50:2066 mg/kg

Skin corrosion/irritation: skn-rbt 10 mg/24H open

Serious eye damage/irritation:

eye-rat 290 ppm/6H eye-rbt 500 mg MOD eye-gpg 290 ppm/6H

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mmo-esc 20 uL/plate (-\$9) mmo-sat 938 ug/plate (+\$9)

Carcinogenicity:

ipr-mus TDLo:5880 mg/kg/8W-I orl-mus TDLo:50 g/kg/78W-I

IARC: Group 3 (Not classifiable as NTP: No data available OSHA: No data available

carcinogenic to humans).

Reproductive toxicity:

ihl-rat TCLo:300 ppm/7H (6-15D preg) ipr-rat TDLo:1200 mg/kg (1-15D preg)

Target organ(s):

Causes damage to: Liver Respiratory System Nervous System Heart Kidney

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Liver Nervous System Heart

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: 48h LC50:6.9 ppm (Oryzias latipes)

Crustacea: No data available
Algae: No data available

Persistence / degradability: 62% (by BOD), 66% (by TOC), 95% (by GC)
Bioaccumulative potential(BCF): 0.14 - 0.88 (conc. 0.5 ppm), 1.3 - 5.6 (conc. 0.05 ppm)

Mobility in soil

Log Pow: -0.24

Soil adsorption (Koc): No data available Henry's Law (PaM ³/mol): No data available

13. DISPOSAL CONSIDERATIONS

Listed waste U048/o-Chlorophenol

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Observe all federal, state and local regulations when disposing of the substance.

Allyl Chloride TCI AMERICA Page 5 of 5

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN1100 Allyl chloride 3 Flammable liquid 6.1 Toxic material.

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN1100 Allyl chloride 3 Flammable liquid 6.1 Toxic material.

IMDG

er:

Air Transport:

UN UN1100 Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

numb Allyl chloride 3 Flammable liquid 6.1 Toxic material.

Cargo Aircraft Only.

EmS number: F-E, S-D

Reportable Quantitiy: 1000 Pounds (454 Kilograms)

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Listed SARA 302: Not Listed

State Regulations
State Right-to-Know

Massachusetts
New Jersey
Pennsylvania
California Proposition 65:
Listed
Listed
Not Listed

Other Information

NFPA Rating:HMIS Classification:Health:2Health:2Flammability:3Flammability:3Instability:0Physical:0

International Inventories

 Canada: DSL
 On DSL

 EC-No:
 203-457-6

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.