

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

TCI AMERICA SAFETY DATA SHEET


Product name: Product code:	N,N-Dimethylformamide D0722	
Product use: Restrictions on use:	For laboratory research purposes. Not for drug or household use.	
Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com		Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624
2. HAZARD(S) IDENTIFICATION		

Causes damage to organs through prolonged or repeated exposure: Liver

OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Acute Toxicity - Oral [Category 4] Acute Toxicity - Inhalation [Category 3] Eye Damage/Irritation [Category 1] Germ Cell Mutagenicity [Category 2] Toxic to Reproduction [Category 1B] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Flammable Liquids [Category 3]
Signal word:	Danger!
Hazard Statement(s):	Flammable liquid and vapor Harmful if swallowed Toxic if inhaled Causes serious eye damage Suspected of causing genetic defects

Causes damage to: Liver

May damage fertility or the unborn child





Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection. If swallowed: Call a poison center or doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison center or doctor. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Ingestion:

TCI AMERICA

Hazards not otherwise classified: [HNOC]

May be harmful if in contact with skin.

Pain. Redness.

[HNOC]	
3. COMPOSITION/INFORM	ATION ON INGREDIENTS
Substance/mixture:	Substance
Components:	N,N-Dimethylformamide
Percent:	>99.5%(GC)
CAS RN:	68-12-2
Molecular Weight:	73.10
Chemical Formula:	C3H7NO
Synonyms:	DMF , Formyldimethylamine
4. FIRST-AID MEASURES	
Description of first aid measur	es
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
la secolo se	Orly - DOIOON OFNITED and a target have been as a start

Symptoms/effects: Acute: Delayed:

Indication of any immediate medical attention: Not available.

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, foam, water in large amounts, carbon dioxide.
Specific hazards arising from the chemical:	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Nitrogen oxides Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.

Call a POISON CENTER or doctor/physician. Rinse mouth.

May cause heritable genetic damage in humans.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions: Methods and materials for containment and cleaning up:	Prevent product from entering drains. Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Prevention of secondary hazards:	Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.
Conditions for safe storage, including a	Avoid all contact!
U 7 U	
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place.
	Store locked up.
	Store away from incompatible materials such as oxidizing agents.
Packaging material:	Comply with laws.

TCI AMERICA

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: ACGIH TLV(TWA): OSHA PEL(TWA): JSOH OELs(TWA):	5 ppm (skin) 10 ppm (skin) 10 ppm (skin)
Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting point/freezing point: -61°C (-78°F) pH: No data available Boiling point/range: 153°C (307°F) Vapour pressure: No data available Decomposition temperature: No data available Vapour density: 2.5 Relative density: 0.95 Dynamic Viscosity: 0.69mPa·s (40°C) Log Pow: No data available Evaporation rate(Butyl Accetate=1): No data available Flash point: 60°C (140°F) Autoignition temperature: 440°C (824°F) Flash point: 60°C (140°F) No data available 2.2% Vapour of explosive limits: Lower: 2.2% Ioutility(ies): Miscible Miscible 2.2% I/Water] Many organic solvents 15.2%	Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Colorless Slight Amine-like No data available No data available		
Decomposition temperature: No data available Vapour density: 2.5 Relative density: 0.95 Dynamic Viscosity: 0.69mPa · s (40°C) Kinematic viscosity: 7.97mm²/s (40°C) No data available Evaporation rate(Butyl Acetate=1): Flash point: 60°C (140°F) No data available Autoignition temperature: 440°C (824°F) Flash point: 60°C (140°F) No data available Lower: 2.2% Solubility(ies): Miscible Miscible Upper: 2.2% Many organic solvents Many organic solvents 440°C (824°F) 15.2%			•	
Relative density: 0.95 Dynamic Viscosity: 0.69mPa · s (40°C) Kinematic viscosity: 7.97mm²/s (40°C) Dynamic Viscosity: 0.69mPa · s (40°C) Log Pow: No data available Evaporation rate(Butyl Acetate=1): No data available Flash point: 60°C (140°F) Autoignition temperature: 440°C (824°F) Flash point: 60°C (140°F) Autoignition temperature: 2.2% Vipper: 15.2% Upper: 15.2%			• •	
Kinematic viscosity: 7.97mm²/s (40°C) Evaporation rate(Butyl Acetate=1): No data available Flash point: 60°C (140°F) Autoignition temperature: 440°C (824°F) Flash point: 60°C (140°F) Autoignition temperature: 440°C (824°F) Flammability(solid, gas): No data available Lower: 2.2% Vopper: 15.2% Solubility(ies): Miscible Many organic solvents				-
Log Pow: No data available Evaporation rate(Butyl Acetate=1): No data available Flash point: 60°C (140°F) No data available Autoignition temperature: Flammability or explosive limits: Lower: 440°C (824°F) Solubility(ies): No data available 2.2% Upper: 2.2% [Water] Miscible 15.2%	•		Dynamic Viscosity:	0.69mPa ⋅ s (40°C)
Flash point: 60°C (140°F) Autoignition temperature: 440°C (824°F) Flammability(solid, gas): No data available Flammability or explosive limits: Lower: 2.2% Upper: 15.2%	Kinematic viscosity:			
Flammability(solid, gas): No data available Flammability or explosive limits: Lower: 2.2% Upper: 15.2% Solubility(ies): Miscible [Water] Miscible [Other solvents] Many organic solvents	Log Pow:	No data available		No data available
Solubility(ies): Upper: 15.2% [Water] Miscible [Other solvents] Many organic solvents		· · · ·		440°C (824°F)
Solubility(ies): [Water] Miscible [Other solvents] Many organic solvents			Lower:	2.2%
[Water] Miscible [Other solvents] Miscible: Miscible: Many organic solvents			Upper:	15.2%
[Water] Miscible [Other solvents] Miscible: Miscible: Many organic solvents	Solubilitv(ies):			
Miscible: Many organic solvents		Miscible		
······································	[Other solvents]			
10. STABILITY AND REACTIVITY	Miscible:	Many organic solvents		
10. STABILITY AND REACTIVITY				
	10. STABILITY AND REACT	IVITY		

Reactivity: Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products: No data available Stable under proper conditions. No special reactivity has been reported. Spark, Open flame, Static discharge Oxidizing agents, Nitrates, Halogenated hydrocarbons Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) **TCI AMERICA**

11. TOXICOLOGICAL INFORMATION

RTECS Number: LQ2100000

Acute Toxicity: orl-rat LD50:2000 mg/kg ihl-rat LC50:1948 ppm/4H	skn-rbt LD50:4720 mg/kg ihl-mus LC50:9400 mg/m³/2H		
Skin corrosion/irritation: skn-hmn 100%/24H MLD			
Serious eye damage/irritation: eye-rbt 100 mg rinse SEV			
Respiratory or skin sensitization: No data available			
Germ cell mutagenicity: cyt-hmn-lym 100 nmol/L	mmo-sat 600 ug/plate (-S9)		
Carcinogenicity: orl-rat TDLo:32032mg/kg/104W-C	ihl-rat TCLo:200 ppm/6H/104W-I		
IARC: Group 3 (Not classifiable as carcinogenic to humans).	NTP: No data available OSHA: No data available		
Reproductive toxicity: skn-rat TDLo:20 g/kg (1-20D preg) ihl-rat TCLo:50 ppm/6H (13W male)	ihl-rat TCLo:300 ppm/6H (6-15D preg)		
Target organ(s): Causes damage to: Liver Causes damage to organs through pro	plonged or repeated exposure: Liver		
12. ECOLOGICAL INFORMATION			
Ecotoxicity: Fish: Crustacea: Algae:	48h LC50:9800 mg/L (Oryzias latipes) 96h LC50:>100 mg/L (Oryzias latipes) 48h EC50:>1000 mg/L (Daphnia magna) 72h EC50:>1000 mg/L (Selenastrum capricornutum)		
Persistence / degradability: Bioaccumulative potential(BCF): Mobility in soil Log Pow:	4.4 % (by BOD) , 8.8 % (by TOC) , 3.6 % (by GC) , 3.3 % (by UV-VIS) 0.3 - 0.8 (conc. 20 ppm) , 0.3 - 1.2 (conc. 2 ppm) -1.01		
Soil adsorption (Koc): Henry's Law (PaM ³/mol):	1 7.49 x 10 ⁻³		
13. DISPOSAL CONSIDERATIONS			
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal. State and		

Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not
	be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container: Other considerations:	Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.

TCI AMERICA

14. TRANSPORT INFORMATION

<u>DOT (US)</u> UN number: UN2265	Proper Shipping Name: N,N-Dimethylformamide	Class or Division: 3 Flammable liquid	Packing Group:
IATA UN number: UN2265	Proper Shipping Name: N,N-Dimethylformamide	Class or Division: 3 Flammable liquid	Packing Group:
IMDG UN UN2265 numb er:	Proper Shipping Name: N,N-Dimethylformamide	Class or Division: 3 Flammable liquid	Packing Group: III
EmS number: Reportable Quanti	F-E, S- 100 Pc	D unds (45.4 Kilograms)	

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

<u>US Federal Regu</u> CERCLA Hazardo SARA 313: SARA 302:	lations_ ous substance and Rep	portable Quantity: Listed Not Listed		
State Regulation State Right-to-Kr Massachuse New Jersey Pennsylvania California Propos	now tts a	Listed Listed Listed Not Listed		
Other Information NFPA Rating: Health: Flammability: Instability:	n_ 0 2 0		HMIS Classification: Health: Flammability: Physical:	0 2 0
International Inve Canada: DSL EC-No:		On DSL 200-679-5		

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.