

TCI AMERICA SAFETY DATA SHEET

Revision number: 1.1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Epichlorohydrin

Product code: E0012

Product use:For laboratory research purposes.Restrictions on use:Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

WHMIS 2015:

Acute Toxicity - Oral [Category 3]
Acute Toxicity - Dermal [Category 3]
Acute Toxicity - Inhalation [Category 2]
Eye Damage/Irritation [Category 1]
Sensitization - Skin [Category 1]
Germ Cell Mutagenicity [Category 2]
Carcinogenicity [Category 1B]
Toxic to Reproduction [Category 2]

Toxic to Reproduction [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 1]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Flammable Liquids [Category 3]
Aquatic Hazard (Acute) [Category 3]
Skin Corrosion/Irritation [Category 1B]

Signal word: Danger!

Hazard Statement(s): Flammable liquid and vapor

Fatal if inhaled

Toxic if swallowed or in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction Suspected of causing genetic defects

May cause cancer

Suspected of damaging fertility or the unborn child

Harmful to aquatic life

Causes damage to: Liver Respiratory System Kidney

Causes damage to organs through prolonged or repeated exposure: Respiratory System Kidney

Central Nervous System

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this

product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face

protection.

[Response] If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on

skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison

center or doctor.

[Storage] Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal] Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

May cause polymerization.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:SubstanceComponents:EpichlorohydrinPercent:>99.0%(GC)CAS RN:106-89-8Molecular Weight:92.52Chemical Formula:C₃H₅CIO

Synonyms: 1-Chloro-2,3-epoxypropane, 3-Chloropropylene Oxide, Chloromethyloxirane

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.Immediately call a POISON CENTER or doctor/physician.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms/effects:

Acute: Pain. Redness.

Delayed:May cause heritable genetic damage in humans. May cause skin sensitization. Possibly carcinogenic

to humans.

Indication of any immediate medical attention:

Not available.

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, water spray, carbon dioxide.

Unsuitable extinguishing media: Solid streams of water

Specific hazards arising from the

chemical:

This substance may polimerize explosively when heated or involved in a fire. Container may explode when heated. Combat fire from a sheltered position. Take care as it may decompose upon combustion

or in high temperatures to generate poisonous fume.

Hazardous combustion products:

Other specific hazards:

These products include: Carbon oxides Halogenated compounds WARNING: Highly toxic HCl gas is produced during combustion.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

Epichlorohydrin TCI AMERICA Page 3 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc.

Environmental precautions:

Methods and materials for containment

and cleaning up:

Prevent product from entering drains.

Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be

promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use

spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE

Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands

and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool, dark and well-ventilated place.

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV(TWA): 0.5 ppm (skin) OSHA PEL(TWA): 5 ppm (skin)

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Safety goggles. A face-shield, if the situation requires. Eye protection:

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear Colour: Colorless Odour. Chloroform-like Odor threshold: No data available No data available Odour threshold:

Melting point/freezing point: -26°C (-15°F) pH: No data available Boiling point/range: 117°C (243°F) Vapour pressure: No data available.

No data available **Decomposition temperature:** Vapour density: 3.2

Relative density:

No data available

Kinematic viscosity: Log Pow:

No data available **Evaporation rate(Butyl**

Dynamic Viscosity:

Acetate=1):

32°C (90°F) Flash point: Autoignition temperature: 385°C (725°F)

Flammability(solid, gas): No data available Flammability or explosive limits:

Lower: 3.8% Upper: 21%

No data available

No data available

Solubility(ies):

[Water] Soluble (6g/100mL) [Other solvents] Miscible: Many organic solvents Epichlorohydrin TCI AMERICA Page 4 of 6

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Polymerization may occur under the influences of heat, light or on contact with polymerization initiators

such as peroxides etc.

Possibility of hazardous reactions: No special reactivity has been reported.

Conditions to avoid: Heat, Spark, Open flame, Static discharge, Light

Incompatible materials: Oxidizing agents, Acids, Bases, Halogenated compounds, Magnesium, Their alloys, Metal powders,

Sodium

Hazardous decomposition products: Carbon dioxide, Carbon monoxide, Hydrogen chloride

11. TOXICOLOGICAL INFORMATION

RTECS Number: TX4900000

Acute Toxicity:

ihl-hmn TCLo:40 ppm/2H ihl-rat LC50:250 ppm/8H orl-rat LD50:90 mg/kg skn-rbt LD50:515 mg/kg

Skin corrosion/irritation: skn-rbt 10 mg/24H open

Serious eye damage/irritation:

eye-rbt 100 mg/24H MOD eye-rbt 100 mg SEV

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

dni-hmn-hla 2700 umol/L mmo-esc 1 uL/plate (+/-S9)

mmo-ssp 21 mmol/L (-S9)

Carcinogenicity:

ihl-rat TCLo:100 ppm/6H/30D-C ipr-mus TDLo:2400 mg/kg/8W-I

orl-rat TDLo:60 g/kg/81W-I

IARC: Group 2A (Probably carcinogenic NTP: b (Reasonably anticipated to be OSHA: No data available

to humans). carcinogens).

Reproductive toxicity:

scu-rat TDLo:75 mg/kg (1D male) ihl-rat TCLo:50 ppm/6H (50D male)

orl-rat TDLo:25 mg/kg (1D male)

Target organ(s):

Causes damage to: Liver Respiratory System Kidney

Causes damage to organs through prolonged or repeated exposure: Respiratory System Kidney Central Nervous System

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence / degradability: 68% (by BOD), 84% (by TOC), 93% (by GC)

Bioaccumulative potential(BCF):

Mobility in soil

Log Pow: 0.26 Soil adsorption (Koc): 40 Henry's Law (PaM³/mol): 3.0 Epichlorohydrin TCI AMERICA Page 5 of 6

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

Disposal of container:

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN2023 Epichlorohydrin 6.1 Toxic material. 3 Flammable liquid II

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

UN2023 Epichlorohydrin 6.1 Toxic material. 3 Flammable liquid II

<u>IMDG</u>

UN UN2023 Proper Shipping Name: Class or Division: Subrisk(s): Packing Group:

numb Epichlorohydrin 6.1 Toxic material. 3 Flammable liquid II

er:

Marine Pollutant:Marine PollutantEmS number:F-E, S-D

Reportable Quantitiy: 100 Pounds (45.4 Kilograms)

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Listed SARA 302: Listed

State Regulations

State Right-to-Know

MassachusettsListedNew JerseyListedPennsylvaniaListedCalifornia Proposition 65:Listed

Other Information

NFPA Rating:
Health: 4 Health: 3
Flammability: 3 Flammability: 3
Instability: 0 Physical: 0

International Inventories

Canada: DSL On DSL EC-No: 203-439-8

Epichlorohydrin TCI AMERICA Page 6 of 6

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1.1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.