

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

| T. IDENTIFICATION | | | |
|---|--|--|--|
| Product name: Product code: | 2-Methyl-1-propanol I0094 | | |
| Product use: Restrictions on use: | For laboratory research purposes. Not for drug or household use. | | |
| Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com | Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624 | | |
| 2. HAZARD(S) IDENTIFICATION | | | |
| OSHA Haz Com: CFR 1910.1200: WHMIS 2015: | Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Specific Target Organ Toxicity (Single Exposure) [Category 3] Flammable Liquids [Category 3] | | |
| Signal word: | Warning! | | |
| Hazard Statement(s): | Flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause respiratory irritation. May cause drowsiness or dizziness. | | |
| Pictogram(s) or Symbol(s): | | | |
| Precautionary Statement(s): [Prevention] | Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, vapors or spray. Use only outdoors or in a well-ventilated area. Wash | | |
| [Response] | hands and face thoroughly after handling. Wear protective gloves, eye protection. If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. In case of fire: Use dry chemical, dry | | |
| [Storage] [Disposal] | sand or foam to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.). | | |

TCI AMERICA

SAFETY DATA SHEET

Hazards not otherwise classified: [HNOC] May be harmful if swallowed and enters airways. May be harmful if in contact with skin. May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance/mixture: Components: Percent: CAS RN: Molecular Weight: Chemical Formula: | Substance 2-Methyl-1-propanol >99.0%(GC) 78-83-1 74.12 |
|--|--|
| Chemical Formula: Synonyms: | C4H10O Isobutanol , Isobutyl Alcohol |
| | |

4. FIRST-AID MEASURES

| Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON |
|--|
| CENTER or doctor/physician if you feel unwell. |
| Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If |
| skin irritation or rash occurs: Get medical advice/attention. |
| Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Get medical advice/attention if you feel unwell. Rinse mouth. |
| |
| Dizziness. Redness. Drowsiness. |
| May have effects on the respiratory tract. |
| attention: |
| |
| |

Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media: | Dry chemical, foam, carbon dioxide. |
|---------------------------------|--|
| Unsuitable extinguishing media: | Water (It may scatter and spread fire.) |
| Hazardous combustion products: | These products include: Carbon oxides |
| Other specific hazards: | Closed containers may explode from heat of a fire. |
| Advice for firefighters: | Wear self-contained breathing apparatus if possible. |

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures: Environmental precautions: Methods and materials for containment and cleaning up: Prevention of secondary hazards: | Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. | | | |
|--|---|--|--|--|
| 7. HANDLING AND STORAGE | | | | |
| Precautions for safe handling: | Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. | | | |
| Conditions for safe storage, including any incompatibilities | | | | |
| Storage conditions: | Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents. | | | |
| Packaging material: | Comply with laws. | | | |

TCI AMERICA

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Exposure limits: ACGIH TLV(TWA): OSHA PEL(TWA): JSOH OELs(TWA): | 50 ppm 100 ppm 50 ppm |
|--|---|
| Appropriate engineering controls: | Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath. |
| Personal protective equipment | |
| Respiratory protection: | Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations. |
| Hand protection: | Impervious gloves. |
| Eye protection: | Safety goggles. A face-shield, if the situation requires. |
| Skin and body protection: | Impervious protective clothing. Protective boots, if the situation requires. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold: | Liquid Clear Colorless Aromatic No data available No data available | | | |
|--|---|---|---|--|
| Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic viscosity: Log Pow: | -108°C (-162°F) 108°C (226°F) No data available 0.80 No data available No data available | pH: Vapour pressure: Vapour density: Dynamic Viscosity: Evaporation rate(Butyl Acetate=1): | No data available No data available. 2.55 No data available No data available | |
| Flash point: Flammability(solid, gas): | 30°C (86°F) No data available | Autoignition temperature: Flammability or explosive limits: Lower: Upper: | 415°C (779°F) 1.7% 10.9% | |
| Solubility(ies): [Water] [Other solvents] Miscible: Soluble: | Soluble (8.7g/100mL, 20°C) Ether, Alcohols Acetone | | | |
| 10. STABILITY AND REACTIVITY | | | | |
| Reactivity: | No data available | | | |

Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products: No data available Stable under proper conditions. No special reactivity has been reported. Spark, Open flame, Static discharge Oxidizing agents, Acid chlorides, Acid anhydrides, Aluminium Carbon dioxide, Carbon monoxide **TCI AMERICA**

11. TOXICOLOGICAL INFORMATION

RTECS Number: NP9625000

| Acute Toxicity: orl-hmn LDLo:428 mg/kg skn-rbt LD50:3400 mg/kg | | orl-rat LD50:2460 mg ihl-rat LC50:19200 m | | |
|--|---|--|--|--|
| Skin corrosion/irritation: No data available | | | | |
| Serious eye damage/irritation: No data available | | | | |
| Respiratory or skin sensitization: No data available | | | | |
| Germ cell mutagenicity: mmo-esc 25000 ppm (-S9) | | | | |
| Carcinogenicity: orl-rat TDLo:29 g/kg/71W-I | | scu-rat TDLo:9 g/kg/7 | 78w-I | |
| IARC: No data available | NTP: | No data available | OSHA: | No data available |
| Reproductive toxicity: No data available | | | | |
| Aspiration hazard: Target organ(s): May cause respiratory irritation. May cause drowsiness or dizziness. | May be harmful if | swallowed and enters airways. | | |
| 12. ECOLOGICAL INFORMATION | | | | |
| Ecotoxicity: Fish: Crustacea: Algae: Persistence / degradability: Bioaccumulative potential(BCF): Mobility in soil | No data available No data available No data available 90.0% (by BOD) , 3 | | C) | |
| Log Pow: Soil adsorption (Koc): Henry's Law (PaM ³/mol): | 0.8 62 1.0 | | | |
| 13. DISPOSAL CONSIDERATIONS | | | | |
| Disposal of product: | Local rules and re and burn in a cher intended to provid with this section e Identification and | de assistance but does not replace ensure regulatory compliance acc | ssolve or mix ma n afterburner an e these laws, no ording to the law isted in 40 CFR | Aterial with a combustible solvent d scrubber system. This section is r does compliance in accordance v. US EPA guidelines for Parts 261. The product should not |

Disposal of container: Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

be allowed to enter the environment, drains, water ways, or the soil.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

| DOT (US) UN number: UN1212 | Proper Shipping Na Isobutanol | | Division: able liquid | Packing Group: III |
|----------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------|
| IATA UN number: UN1212 | Proper Shipping Na Isobutanol | | Division: able liquid | Packing Group: III |
| IMDG UN UN1212 numb er: | Proper Shipping Na Isobutanol | | Division: able liquid | Packing Group: III |
| EmS number: Reportable Quanti | tiy: | E, S-D 000 Pounds (2270 Kilograms) | | |

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

| US Federal Regu | lations | | |
|--------------------|-------------|-----------------------------|----------------------|
| CERCLA Hazardo | ous substan | ce and Reportable Quantity: | |
| SARA 313: | | Not Listed | |
| SARA 302: | | Not Listed | |
| State Regulation | 5 | | |
| State Right-to-Kn | | | |
| Massachuse | | Listed | |
| New Jersey | | Listed | |
| Pennsylvania | 3 | Listed | |
| California Propos | sition 65: | Not Listed | |
| Other Information | n | | |
| NFPA Rating: | <u> </u> | | HMIS Classification: |
| Health: | 2 | | Health: |
| Flammability: | 3 | | Flammability: |
| Instability: | 0 | | Physical: |
| International Inve | entories | | |
| Canada: DSL | | On DSL | |
| EC-No: | | 201-148-0 | |
| | | | |

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

2 3 0