

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Product code:

Product use: Restrictions on use:

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION	
OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Eye Damage/Irritation [Category 1] Flammable Liquids [Category 4] Corrosive to Metals [Category 1] Skin Corrosion/Irritation [Category 1C]
Signal word:	Danger!
Hazard Statement(s):	Combustible liquid May be corrosive to metals Causes severe skin burns and eye damage
Pictogram(s) or Symbol(s):	
Precautionary Statement(s):	
[Prevention]	Keep away from flames and hot surfaces. – No smoking. Keep only in original container. Do not breathe dusts or mists. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.
[Response]	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. In case of fire: Use dry chemical, dry sand or foam to extinguish. Absorb spillage to prevent material damage.
[Storage]	Store in corrosive resistant bottle or metal container with a resistant inner liner. Store in a well-ventilated place. Keep cool. Store locked up.
[Disposal]	Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).
Hazards not otherwise classified:	May develop pressure

Hazards not otherwise classified: [HNOC] Isobutyric Anhydride I0111

For laboratory research purposes. Not for drug or household use.

Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

TCI AMERICA SAFETY DATA SHEET

TCI AMERICA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	Isobutyric Anhydride
Percent:	>95.0%(GC)(T)
CAS RN:	97-72-3
Molecular Weight:	158.20
Chemical Formula:	C8H14O3

4. FIRST-AID MEASURES

Description of first aid measures Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Skin contact: Remove Take off immediately all contaminated clothing. Genty wash with pienty of soap and water. Immediately call a POISON CENTER or doctor/physician. Eye contact: Rinse catiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue naing, inmediately call a POISON CENTER or doctor/physician. Ingestion: Symptoms/effects: Pain. Redness. Delayed: Pain. Redness. Not available. No data available Indication of any immediate call attention: Not available. Not available. No data available Indication of any immediate medical attention: Not available. S. FIRE-FIGHTING MEASURES Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Mazardous combustion products: These products include: Carbon oxides Other specific hazards: G. ACCIDENTAL RELEASE MEASURES Use presonal procautions: Prevent product from entering drains. Methods and materials for containners Personal precautions; protective equipment and emergency products: Prevent product from entering drains. Methods and materials for containners Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of afre. Use prevent product from entering drains. Methods and materials for containners P		
Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Skin contact: Remove/Take off immediately all contaminated clothing. Genthy wash with plenty of scap and water. Immediately call a POISON CENTER or doctor/physician. Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Symptoms/effects: Acute: Pain. Redness. No data available No data available Notes to physician: No data available Notes to physician: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products: carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Prevent production Personal precautions, protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate amount of spillage, contain a spill by bunding. Adhreed or coll	Description of first aid measures	
Skin contact: Remove/Take off immediately all contaminated clothing, Cently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. Eye contact: Rinse cautiously with water for several minutes. Remove CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Symptoms/effects: Acute: Acute: Pain. Redness. Delayed: No data available Indication of any immediate medical attention: No data available Notes to physician: No data available Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Hazardous combustion products: Ches do physics. Closed containers may explode from heat of a fire. Advice for frefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Use personal procedures: Personal precautions, protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate equipment and emergency procedures: Veneronal recontained breathing drains. Methods and materials for containement Abords pilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large and cleaning up:	•	
Eye contact: Immediately call a POISON CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Ingestion: Immediately call a POISON CENTER or doctor/physician. Symptoms/effects: Acute: Acute: Pain. Redness. Delayed: No data available Indication of any immediate medical attention: No data available Not available. No data available Symptoms/effects: Data available Indication of any immediate medical attention: No data available Not available. No data available Spring: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Closed containeers may explode from heat of a fire. Advice for firefighters: Vear self-contained breathing apparatus if possible. 6. Acctionerntal precautions: Prevent product from entering drains. Personal precautions: Prevent product from entering drains. Methods and materials for containent Absorb spilled materi	Skin contact:	
Ingestion: Continue rinsing.Immediately call a POISON CENTER or doctor/physician. Symptoms/effects: Acute: Acute: Pain. Redness. Delayed: No data available Indication of any immediate medical attention: Not data available Not available. Not available. Symptoms/effects: No data available Status Dispectation: No data available. Dry chemical, foam, carbon dioxide. Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal protective equipment. Keep people away from and upwind of spiil/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Environmental precautions: Prevent product from entering drains. Methods and materials for contained Freevent product from entering drains. Prevent product from entering drains. Remove all sources of ignition. Fire-extiguishing regulations. Prevention of secondary hazards: Remove all	Skill contact.	
Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. Symptoms/effects: Acute: Pain. Redness. No data available Indication of any immediate medical attention: Not available. Pain. Redness. No data available Notes to physician: No data available Pain. Redness. Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Hazardous combustion products: Other specific hazards: These products include: Carbon oxides Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: and cleaning up: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate etc. Prevention of secondary hazards: Use personal protective equipment. Fire extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Prevention of secondary hazards: Handling is performed in a well ventilated place. Wear suitable protective equipment. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Prevention of secondary hazards: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Kee	Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Symptoms/effects: Acute: Delayed: Pain. Redness. No data available Indication of any immediate medical attention: Not available. No data available Notes to physician: No data available Indication of any immediate medical attention: Not available Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Mater (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. <i>6. ACCIDENTAL RELEASE MEASURES</i> Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate equipment and emergency procedures: Prevent product from entering drains. Prevent product from entering drains. Methods and materials for containment: Absorb spilled material a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhread or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof	Indestion.	
Acute: Pain, Redness. No data available Indication of any immediate medical attention: No data available Not available. Notest ophysician: No data available Presentation: Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Vater (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment. Keep people away from and upwind of spiil/leak. Ensure adequate equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spiil/leak. Ensure adequate etc. Prevention of secondary hazards: Prevent product from entering drains. Methods and materials for containmedt Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of arge amount of spillage, contain a spill by bunding. Adhresed or collected material should be promptly disposed of in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepar	ingestion.	
Delayed: No data available Indication of any immediate medical attention: Not available. No data available Soles to physician: No data available Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Other specific hazards: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Prevention of secondary hazards: No sorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be propared in case of a fire. Use spark-proof tools and explosion-proof equipment. Z. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electros	Symptoms/effects:	
Indication of any immediate medical attention: Not available. Note available. Notes to physician: No data available S. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Hazardous combustion products: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: theritation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Environmental precautions: Methods and materials for containmed and cleaning up: Abcob spliled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of splilage, contain a splil by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Z. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use a ventilation, local exhaust if vapour or aerosol will be gener		
Not available:	Delayed:	No data available
Not available:	Indication of any immediate medical atte	ention:
No data available 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Personal precautions; Prevent product from entering drains. Methods and materials for containment and cleaning up: Prevent product from entering drains. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be proped in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Not available.	
5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate equipment and emergency procedures: Personal precautions: Ventificion. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Provention of secondary hazards: Prevent product from entering drains. Atender of spilled extra and spilled extra and spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. Z: HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughy afte handling. Z: HANDLING AN		
Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash	no data avaliable	
Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. (6. ACCIDENTAL RELEASE MEASURES Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Athered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. <i>I. HANDLING AND STORAGE</i> Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. <i>I. HANDLING AND STORAGE</i> Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	5. FIRE-FIGHTING MEASURES	
Unsuitable extinguishing media: Water (It may scatter and spread fire.) Hazardous combustion products: These products include: Carbon oxides Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. (6. ACCIDENTAL RELEASE MEASURES Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Athered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. <i>I. HANDLING AND STORAGE</i> Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. <i>I. HANDLING AND STORAGE</i> Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		
Hazardous combustion products: These products include: Carbon oxides Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. (b. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Prevent product from entering drains. Methods and materials for containment and cleaning up: Disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		
Other specific hazards: Closed containers may explode from heat of a fire. Advice for firefighters: Wear self-contained breathing apparatus if possible. Ø. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping of etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Unsultable extinguishing media.	water (it may scatter and spread fire.)
Advice for firefighters: Wear self-contained breathing apparatus if possible. (6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping offect. Environmental precautions: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping offect. Prevention signed and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		
6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Other specific hazards:	Closed containers may explode from heat of a fire.
Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Advice for firefighters:	Wear self-contained breathing apparatus if possible.
equipment and emergency procedures: ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Prevent product from entering drains. Prevention of secondary hazards: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	6. ACCIDENTAL RELEASE MEASU	RES
equipment and emergency procedures: ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc. Environmental precautions: Prevent product from entering drains. Methods and materials for containment and cleaning up: Prevent product from entering drains. Prevention of secondary hazards: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Personal precautions protective	Lise personal protective equipment. Keep people away from and upwind of shill/leak. Ensure adequate
etc.Environmental precautions: Methods and materials for containment and cleaning up:Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.7. HANDLING AND STORAGEPrecautions for safe handling:Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		
Methods and materials for containment and cleaning up: Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		etc.
and cleaning up: amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		
Prevention of secondary hazards: disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment. 7. HANDLING AND STORAGE Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly
The spark-proof tools and explosion-proof equipment. The spark-proo		disposed of, in accordance with appropriate laws and regulations.
7. HANDLING AND STORAGE Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Prevention of secondary hazards:	
Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		spark-proof tools and explosion-proof equipment.
generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	7. HANDLING AND STORAGE	
generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	Precautions for safe handling.	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent
build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.	resolutions for sale handling.	
Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.		build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly afte
		0

	Avoid contact with skin, eyes and clothing.
	May develop pressure. Open carefully. Use corrosive resistant equipment.
Conditions for safe storage, including a	ny incompatibilities
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place.
	Store under inert gas. Protect from moisture. Store locked up.
	Store away from incompatible materials such as oxidizing agents.
	Moisture-sensitive

Packaging material: Comply with laws. Keep only in original container.

TCI AMERICA

Page 3 of 5

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Colorless - Pale yellow No data available No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic viscosity:	No data available 182°C (360°F) No data available 0.95 No data available	pH: Vapour pressure: Vapour density: Dynamic Viscosity:	No data available No data available. No data available No data available
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point: Flammability(solid, gas):	64°C (147°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: Upper:	329°C (624°F) 1.1% 7.7%
Solubility(ies): [Water] [Other solvents]	No data available		
Soluble:	Ether IVITY		

Reactivity: Chemical stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products: No data available Stable under proper conditions. No special reactivity has been reported. Open flame Oxidizing agents Carbon dioxide, Carbon monoxide

Acute Toxicity: No data available				
Skin corrosion/irritation: No data available				
Serious eye damage/irritation: No data available				
Respiratory or skin sensitization: No data available				
Germ cell mutagenicity: No data available				
Carcinogenicity: No data available				
IARC: No data available	NTP:	No data available	OSHA:	No data available
Reproductive toxicity: No data available				
Target organ(s):	No data available			
12. ECOLOGICAL INFORMATION				
Ecotoxicity:				
Fish:	No data available			
Crustacea:	No data available			
Algae:	No data available			
Persistence / degradability:	No data available			
Bioaccumulative potential(BCF): Mobility in soil	No data available			
Log Pow:	No data available			
Soil adsorption (Koc):	No data available			
Henry's Law (PaM ³/mol):	No data available			
13. DISPOSAL CONSIDERATIONS	5			
Disposal of product:	Recycle to process Local rules and re- and burn in a cher intended to provid with this section er Identification and I	gulations. You may be able nical incinerator equipped e assistance but does not r nsure regulatory compliance	to dissolve or mix ma with an afterburner and replace these laws, no re according to the law are listed in 40 CFR	Parts 261. The product should not

Disposal of container: Other considerations: be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 14. TRANSPORT INFORMATION

<u>DOT (US)</u> UN number: UN3265	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group:
IATA UN number: UN3265	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group: III
IMDG UN UN3265 numb er:	Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group: III
EmS number:	F-A, S-B		

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regu	lations			
CERCLA Hazardo	ous substance	and Reportable Quantity:		
SARA 313:		Not Listed		
SARA 302:		Not Listed		
State Regulations	<u>s</u>			
State Right-to-Kn	ow			
Massachuse	tts	Listed		
New Jersey		Listed		
Pennsylvania	a	Not Listed		
California Propos	sition 65:	Not Listed		
Other Information	<u>1</u>			
NFPA Rating:			HMIS Classification:	
Health:	3		Health:	;
Flammability:	2		Flammability:	2
Instability:	0		Physical:	(
International Inve	entories			
Canada: DSL		On DSL		
EC-No:		202-603-6		

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

3 2 0