

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

TCI AMERICA SAFETY DATA SHEET

٦

Product name: Product code:	Osmium Tetroxide (4% in Water) O0308		
roduct use: estrictions on use:	For laboratory research purposes. Not for drug or household use.		
Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com		Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624	
. HAZARD(S) IDENTIFICATION			
OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 1] Specific Target Organ Toxicity (Single Exposur Specific Target Organ Toxicity (Repeated Expo Specific Target Organ Toxicity (Repeated Expo Skin Corrosion/Irritation [Category 1B]	osure) [Category 1]	
Signal word:	Danger!		
Hazard Statement(s):	Harmful if inhaled Causes severe skin burns and eye damage Causes damage to: Liver Respiratory System K Causes damage to organs through prolonged of May cause damage to organs through prolonge System Spleen Adrenal Gland	Kidney Spleen Adrenal Gland or repeated exposure: Respiratory System ad or repeated exposure: Liver Kidney Hematopoietic	
Pictogram(s) or Symbol(s):			
Precautionary Statement(s):	•		
[Prevention]		outdoors or in a well-ventilated area. Do not eat, drinl s and face thoroughly after handling. Wear protective	
[Response]	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison center or doctor.		
[Storage]	Store locked up.		
	Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).		
[Disposal]			

	N INGREDIENTS
Substance/mixture: Components:	Mixture Osmium Tetroxide (4% in Water)
Percent:	
CAS RN:	20816-12-0
Molecular Weight:	254.23
Chemical Formula: Hazardous ingredient(s):	OsO4 Osmium Tetroxide (4%) CAS# 20816-12-0
nazardous ingredient(s).	Water (96%) CAS# 7732-18-5
Synonyms:	Osmium(VIII) Oxide (4% in Water)
4. FIRST-AID MEASURES	
Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a
Skin contact:	POISON CENTER or doctor/physician. Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
Eye contact:	Immediately call a POISON CENTER or doctor/physician. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Ingestion:	Continue rinsing.Immediately call a POISON CENTER or doctor/physician. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Symptoms/effects:	
Acute:	Pain. Redness.
Delayed:	No data available
Notes to physician: No data available 5. FIRE-FIGHTING MEASURES	
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
Hazardous combustion products: Other specific hazards:	These products include: Metallic oxides Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.
6. ACCIDENTAL RELEASE MEASU	RES
Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
equipment and emergency procedures: Environmental precautions:	ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains.
equipment and emergency procedures:	ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains.
equipment and emergency procedures: Environmental precautions: Methods and materials for containment	ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly
equipment and emergency procedures: Environmental precautions: Methods and materials for containment and cleaning up:	 ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.
equipment and emergency procedures: Environmental precautions: Methods and materials for containment and cleaning up: 7. HANDLING AND STORAGE	 ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: ACGIH TLV(TWA): ACGIH TLV(STEL): OSHA PEL(TWA):	0.0002 ppm (Os) 0.0006 ppm (Os) 0.002 mg (Os)/m³
Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.
Respiratory protection:	Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Slightly pale yellow - Yellow No data available No data available No data available	1	
Melting point/freezing point:	No data available	pH:	No data available
Boiling point/range:	No data available	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	No data available
Relative density:	1.04	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point:	No data available	Autoignition temperature:	No data available
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
, , , , , , , , , , , , , , , , , , ,		Lower:	No data available
		Upper:	No data available
Solubility(ies):			
[Water]	No data available		
[Other solvents]	No data available		

10. STABILITY AND REACTIVITY

Reactivity: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition products:

No data available Stable under proper conditions. No special reactivity has been reported. Acids, Bases, Reducing agents, Metals Carbon monoxide, carbon dioxide etc

TCI AMERICA

11. TOXICOLOGICAL INFORMATION

RTECS Number: RN1140000

Acute Toxicity: No data available					
Skin corrosion/irritation No data available	:				
Serious eye damage/irri No data available	tation:				
Respiratory or skin sens No data available	sitization:				
Germ cell mutagenicity: No data available					
Carcinogenicity: No data available					
IARC: No data av	ailable	NTP:	No data available	OSHA:	No data available
Reproductive toxicity:					

No data available

Target organ(s):

Causes damage to: Liver Respiratory System Kidney Spleen Adrenal Gland Causes damage to organs through prolonged or repeated exposure: Respiratory System May cause damage to organs through prolonged or repeated exposure: Liver Kidney Hematopoietic System Spleen Adrenal Gland

12. ECOLOGICAL INFORMATION

Ecotoxicity: Fish: Crustacea: Algae:	No data available No data available No data available
Persistence / degradability: Bioaccumulative potential(BCF): Mobility in soil	No data available No data available
Log Pow: Soil adsorption (Koc): Henry's Law (PaM³/mol):	No data available No data available No data available

13. DISPOSAL CONSIDERATIONS

Disposal of product:Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and
Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent
and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is
intended to provide assistance but does not replace these laws, nor does compliance in accordance
with this section ensure regulatory compliance according to the law. US EPA guidelines for
Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not
be allowed to enter the environment, drains, water ways, or the soil.Disposal of container:
Other considerations:Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN2471	Proper Shipping N Osmium tetroxide	ame:	Class or Division: 6.1 Toxic material.	Packing Group:
<u>IATA</u> UN number: UN2471	Proper Shipping N Osmium tetroxide	ame:	Class or Division: 6.1 Toxic material.	Packing Group:
IMDG UN UN2471 numb er:	Proper Shipping N Osmium tetroxide	ame:	Class or Division: 6.1 Toxic material.	Packing Group: I
EmS number: Reportable Quant	itiy:	F-A, S-A 1000 Pounds (454	Kilograms)	

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regu	lations						
CERCLA Hazardo	ous substance	and Reportable Quantity:					
SARA 313:		Listed					
SARA 302:		Not Listed					
State Regulation	<u>S</u>						
State Right-to-Kr	ow						
Massachuse	tts	Listed					
New Jersey		Listed					
Pennsylvania	a	Listed					
California Propos		Not Listed					
Other Information	n						
NFPA Rating:			HMIS Classification:				
Health:	4		Health:	4			
Flammability:	0		Flammability:	0			
Instability:	0		Physical:	0			
International Inve	entories						
Canada: DSL		On DSL					
EC-No:		244-058-7					
		1/ OTHER INFORMATION					

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.