

TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Bis(2-ethylhexyl) Phthalate

Product code: P0297

Product use: For laboratory research purposes. Restrictions on use: Not for drug or household use.

Company: TCI America 9211 N. Harborgate Street

Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681 Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TClchemicals.com www.TClchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Eye Damag

WHMIS 2015:

Eye Damage/Irritation [Category 2B] Carcinogenicity [Category 2] Toxic to Reproduction [Category 1B] Aquatic Hazard (Acute) [Category 1]

Signal word: Danger!

Hazard Statement(s): Causes eye irritation

Suspected of causing cancer

May damage fertility or the unborn child

Very toxic to aquatic life

Pictogram(s) or Symbol(s):





Precautionary Statement(s): [Prevention]

[Response]

[Prevention] Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Avoid release to the environment. Wash hands and face thoroughly after handling. Wear

protective gloves, protective clothing, face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed or

concerned: Get medical advice or attention. Collect spillage.

[Storage] Store locked up.

[Disposal] Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

Causes mild skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance

Components: Bis(2-ethylhexyl) Phthalate

 Percent:
 >98.0%(GC)

 CAS RN:
 117-81-7

 Molecular Weight:
 390.56

 Chemical Formula:
 C24H38O4

Synonyms: DEHP, Di(2-ethylhexyl) Phthalate, Dioctyl Phthalate, DOP, Phthalic Acid Bis(2-ethylhexyl) Ester,

Phthalic Acid Di(2-ethylhexyl) Ester, Phthalic Acid Dioctyl Ester

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Get medical advice/attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get

medical advice/attention.

Ingestion: Get medical advice/attention.Rinse mouth.

Symptoms/effects:

Acute: Redness.

Delayed: Possibly carcinogenic to humans.

Indication of any immediate medical attention:

Not available.

Notes to physician:
No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media: Water (It may scatter and spread fire.)

Hazardous combustion products: These products include: Carbon oxides

Other specific hazards: Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off,

etc.

Environmental precautions:

Methods and materials for containment

and cleaning up:

Be careful not to let it flow into rivers, etc., since adverse effects on the environment are concerned. Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly

disposed of, in accordance with appropriate laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent

generation of vapour or mist. Wash hands and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool and dark place.

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

 ACGIH TLV(TWA):
 5 mg/m³

 OSHA PEL(TWA):
 5 mg/m³

 OSHA PEL(STEL):
 10 mg/m³

 JSOH OELs(TWA):
 5 mg/m³

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection: Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc.

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Eye protection: Safety goggles. A face-shield, if the situation requires.

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Colour: Colorless - Very pale yellow Odour: Slight Characteristic Odor threshold: No data available Odour threshold: No data available

Melting point/freezing point:-50°C (-58°F)pH:No data availableBoiling point/range:361°C (682°F)Vapour pressure:No data available

Decomposition temperature: No data available Vapour density: 13.45

Relative density: 0.99 Dynamic Viscosity: No data available

Kinematic viscosity: No data available

Log Pow: No data available Evaporation rate(Butyl No data available Acetate=1):

Flash point: 218°C (424°F) Autoignition temperature: 390°C (734°F)

Flammability(solid, gas): No data available Flammability or explosive limits:

Lower: 0.3%

Upper: No data available

Solubility(ies):

[Water] Insoluble (0.285mg/L, 24°C)

[Other solvents]

Miscible: Hexane, Mineral oil

Very soluble: Ether, Benzene, Ethanol

Slightly soluble: Carbon tetrachloride

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Stable under proper conditions.

Possibility of hazardous reactions:
Incompatible materials:
Hazardous decomposition products:

No special reactivity has been reported.
Oxidizing agents, Acids, Bases, Nitrates
Carbon dioxide, Carbon monoxide

11. TOXICOLOGICAL INFORMATION

RTECS Number: TI0350000

Acute Toxicity:

orl-rat LD50:30 g/kg orl-mus LD50:1500 mg/kg skn-rbt LD50:25 g/kg ivn-rat LD50:250 mg/kg

Skin corrosion/irritation: skn-rbt 500 mg/24H MLD

Serious eye damage/irritation:

eye-rbt 500 mg/24H MLD

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity: dns-rat-lvr 500 umol/L mmo-sat 5 mg/plate (-S9)

mmo-mus-lym 40 mg/L (+S9)

Carcinogenicity:

orl-mus TDLo:260 g/kg/2Y-C orl-rat TDLo:216 g/kg/2Y-C

IARC: Group 2B (Possibly carcinogenic NTP: b (Reasonably anticipated to be OSHA: No data available

to humans). carcinogens).

Reproductive toxicity:

ipr-mus TDLo:12780 mg/kg (1D male) ipr-rat TDLo:5 g/kg (5-15D preg)

orl-mus TDLo:1.6 g/kg (17D preg)

Target organ(s): No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Fish: 96h LC50:75 mg/L (Oryzias latipes)
48h LC50:>3000 ppm (Oryzias latipes)

Crustacea: 48h EC50:>100 mg/L (Daphnia magna)
Algae: 72h EC50:>100 mg/L (Selenastrum capricornutum)

Persistence / degradability: 69 % (by BOD), 89 % (by HPLC)

Bioaccumulative potential(BCF): 1.0 - 3.4 (conc. 1 ppm), 0.7 - 29.7 (conc. 0.1 ppm)

Mobility in soil

Log Pow: 7.54

Soil adsorption (Koc): 87420 - 510000 **Henry's Law (PaM** ³/**mol):** 2.7 x 10⁻²

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN3082 Environmentally hazardous substance, 9 Miscellaneous hazardous I

liquid, n.o.s material

IATA

UN number: Proper Shipping Name:

UN3082 Environmentally hazardous substance,

liquid, n.o.s

Class or Division: Packing Group:

9 Miscellaneous hazardous I

material

<u>IMDG</u>

UN UN3082 Proper Shipping Name:

numb Environmentally hazardous substance,

er: liquid, n.o.s

Class or Division: Packing Group:

9 Miscellaneous hazardous II

material

EmS number: F-A, S-F

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Listed SARA 302: Not Listed

State Regulations

State Right-to-Know

Massachusetts
New Jersey
Pennsylvania
California Proposition 65:
Listed

Other Information

NFPA Rating:HMIS Classification:Health:0Health:0Flammability:1Flammability:1Instability:0Physical:0

International Inventories

Canada: DSL On DSL **EC-No:** 204-211-0

16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.