

Revision number: 1 Revision date: 07/06/2018

1. IDENTIFICATION

TCI	AMERICA	1
SAFE	TY DATA SHEET	

Product name: Product code:	Propargyl Chloride (70% in Toluene, ca. 9.2mol/L) P1273	
Product use: Restrictions on use:	For laboratory research purposes. Not for drug or household use.	
Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com		Emergency telephone number: Chemical Emergencies: TCl America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCl America Environmental Health Safety and Security +1- 503-286-7624
2. HAZARD(S) IDENTIFICATION		
OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Acute Toxicity - Oral [Category 3] Acute Toxicity - Dermal [Category 3] Acute Toxicity - Inhalation [Category 3] Eye Damage/Irritation [Category 1] Toxic to Reproduction [Category 1A] Specific Target Organ Toxicity (Single Exposure) [Categor Specific Target Organ Toxicity (Single Exposure) [Categor Specific Target Organ Toxicity (Repeated Exposure) [Categor Aspiration Hazard [Category 1] Flammable Liquids [Category 2] Aquatic Hazard (Acute) [Category 1B]	ory 3]
Signal word:	Danger!	
Hazard Statement(s):	Highly flammable liquid and vapor Toxic if swallowed, in contact with skin or if inhaled Causes severe skin burns and eye damage May damage fertility or the unborn child May be fatal if swallowed and enters airways Toxic to aquatic life Causes damage to: Central Nervous System May cause respiratory irritation. May cause drowsiness of Causes damage to organs through prolonged or repeate System	



Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on

Propargyl Chloride (70% in Toluene, ca. 9.2mol/L)

[HNOC]

TCI AMERICA

[Storage] [Disposal]	skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison center or doctor. In case of fire: Use dry chemical, dry sand or foam to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).
Hazards not otherwise classified:	May develop pressure

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Mixture
Components:	Propargyl Chloride (70% in Toluene, ca. 9.2mol/L)
Percent:	·····
CAS RN:	624-65-7
Molecular Weight:	74.51
Chemical Formula:	C3H3CI
Hazardous ingredient(s):	Propargyl Chloride (70%) 624-65-7
	Toluene (30%) 108-88-3
Synonyms:	3-Chloro-1-propyne (70% in Toluene, ca. 9.2mol/L)
4. FIRST-AID MEASURES	
Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Symptoms/effects:	
Acute:	Cough. Dizziness. Pain. Redness. Drowsiness.
Delayed:	May have effects on the respiratory tract.

Indication of any immediate medical attention: Not available. Notes to physician: No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Unsuitable extinguishing media:	Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.)
Specific hazards arising from the chemical: Hazardous combustion products: Other specific hazards:	Explosion risk in case of fire. Fight fire remotely due to the risk of explosion. Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume. These products include: Carbon oxides Halogenated compounds WARNING: Highly toxic HCI gas is produced during combustion.
Advice for firefighters:	Wear self-contained breathing apparatus if possible. Combat fire from a sheltered position.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for containment and cleaning up:	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
Prevention of secondary hazards:	Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE				
Precautions for safe handling:	cause leakage, ov heat/sparks/open f electrostatic charg before breaks and Use a closed syste Avoid all contact!	erflow, or dispersion. Steam s flame/hot surfacesNo smok e. Use explosion-proof equip immediately after handling th	Wear suitable protective equipment. Be careful not to should not be generated unnecessarily. Keep away from ing. Take measures to prevent the build up of ment. Avoid shock and friction. Wash hands and face he product. on, local exhaust if vapour or aerosol will be generated.	
Conditions for safe storage, inclu				
Storage conditions:	Keep container tig Store under inert g falling down or falli	htly closed. Store in a cool, d jas. Store locked up. Be sure ing off. icompatible materials such as	ark and well-ventilated place. not to give the container unexpected impacts, such as s oxidizing agents.	
Packaging material:	Comply with laws.	Scholuve		
8. EXPOSURE CONTROLS / F	PERSONAL PROTECTION	γ_N		
Exposure limits:	(Toluene) ACGIH TLV(TWA) OSHA PEL(TWA): OSHA PEL(CL):30	200 ppm		
Appropriate engineering controls		Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.		
Personal protective equipment				
Respiratory protection:		Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.		
Hand protection:	Impervious gloves			
Eye protection:	Safety goggles. A	face-shield, if the situation re	equires.	
Skin and body protection:				
9. PHYSICAL AND CHEMICAL	PROPERTIES			
Physical state (20°C):	Liquid			
Form:	Clear			
Colour:	Colorless - Reddis	sh vellow		
Odour:	Characteristic	- , - ·· - ··		
Odor threshold:	No data available			
Odour threshold:	No data available			
Melting point/freezing point:	No data available (Toluene) -95°C	pH:	No data available	

Boiling point/range:

Decomposition temperature: Relative density: Kinematic viscosity: Log Pow:

Log Pow:

Flash point: Flammability(solid, gas):

Solubility(ies):[Water]No data available[Other solvents]No data available

63°C (145°F)

0.98

(Toluene) 110°C No data available

No data available

No data available

No data available

(Toluene) 2.69

-14°C (7°F)

Vapour pressure: No data available. No data available Vapour density: Dynamic Viscosity: No data available Evaporation rate(Butyl No data available Acetate=1): Autoignition temperature: No data available Flammability or explosive limits: No data available Lower: No data available Upper:

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical stability:	Stable under proper conditions.
Possibility of hazardous reactions:	May explosively decompose on heating, shock, friction, etc.
Conditions to avoid:	Heat, Spark, Open flame, Static discharge, Shock, Friction
Incompatible materials:	Oxidizing agents, Ammonia
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide, Hydrogen chloride

11. TOXICOLOGICAL INFORMATION

Acute Toxicit No data availa						
Skin corrosio No data availa						
Serious eye o No data availa	damage/irritation: able					
Respiratory of No data availa	or skin sensitization: able					
Germ cell mu No data availa						
Carcinogenic No data availa						
IARC:	No data available	NTP:	No data available	OSHA:	No data available	
Reproductive No data availa						
Aspiration hazard: May be fatal if swallowed and enters airways. Target organ(s): Causes damage to: Central Nervous System May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure: Liver Kidney Central Nervous System						
12. ECOLO	GICAL INFORMATION					
Ecotoxicity: Fish:		No data available				

Fish:	No data available
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative potential(BCF): Mobility in soil	No data available
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³ /mol):	No data available

13. DISPOSAL CONSIDERATIONS

Describe to present if preside to the presentation representation of the present south Easternal. Otate and
Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and
Local rules and regulations. Consult an expert of disposal. You may be able to dissolve or mix material
with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner
, , , , , , , , , , , , , , , , , , , ,
and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.
This section is intended to provide assistance but does not replace these laws, nor does compliance in
accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for
Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not
be allowed to enter the environment, drains, water ways, or the soil.
Dispose of as unused product. Do not re-use empty containers.
Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN3286	Proper Shipping Name: Flammable liquid, toxic, corrosive,	Class or Division: , n.o.s 3 Flammable liquid	Subrisk(s): 6.1 Toxic material. 8 Corrosive material	Packing Group: II			
IATA UN number: UN3286	Proper Shipping Name: Flammable liquid, toxic, corrosive,	Class or Division: , n.o.s 3 Flammable liquid	Subrisk(s): 6.1 Toxic material. 8 Corrosive material	Packing Group: II			
IMDG UN UN3286 numb er:	Proper Shipping Name: Flammable liquid, toxic, corrosive,	Class or Division: , n.o.s 3 Flammable liquid	Subrisk(s): 6.1 Toxic material. 8 Corrosive material	Packing Group: II			
EmS number:	F-E, S-C						
15. REGULATOR	Y INFORMATION						
This product is ON t							
State Regulations State Right-to-Know Massachusetts New Jersey Pennsylvania California Proposit	Not Listed Not Listed Not Listed						
Other Information NFPA Rating: Health: () Flammability: () Instability: () Instability: () International Invent Canada: DSL EC-No:	3	HMIS Classification: Health: Flammability: Physical:	0 3 0				
16. OTHER INFO	16. OTHER INFORMATION						

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.