



TCI AMERICA

SAFETY DATA SHEET

Revision number: 1
Revision date: 07/06/2018

1. IDENTIFICATION

Product name: Toluene-2,4-diisocyanate
Product code: T0263

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborgate Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Inhalation [Category 2]
WHMIS 2015: Skin Corrosion/Irritation [Category 2]
Eye Damage/Irritation [Category 2A]
Sensitization - Respiratory [Category 1]
Sensitization - Skin [Category 1]
Carcinogenicity [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 2]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Signal word: Danger!

Hazard Statement(s): Fatal if inhaled
Causes skin irritation
Causes serious eye irritation
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
Suspected of causing cancer
May cause damage to organs: Respiratory System
Causes damage to organs through prolonged or repeated exposure: Blood System Respiratory System

Pictogram(s) or Symbol(s):



Precautionary Statement(s):
[Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face protection.

[Response]

If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice or attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed or concerned: Call a poison center or doctor.

[Storage]

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal]

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:
[HNOC] None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	Tolylene-2,4-diisocyanate
Percent:	>98.0%(GC)
CAS RN:	584-84-9
Molecular Weight:	174.16
Chemical Formula:	C ₉ H ₆ N ₂ O ₂
Synonyms:	2,4-Diisocyanatotoluene , 4-Methyl-1,3-phenylene Diisocyanate , 4-Methyl-m-phenylene Diisocyanate , TDI , Toluene-2,4-diisocyanate

4. FIRST-AID MEASURES

Description of first aid measures	
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.
Ingestion:	Call a POISON CENTER or doctor/physician. Rinse mouth.
Symptoms/effects:	
Acute:	Redness.
Delayed:	May cause skin sensitization. Possibly carcinogenic to humans.

Indication of any immediate medical attention:

Not available.

Notes to physician:

No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, foam, water spray, carbon dioxide.
Specific hazards arising from the chemical:	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
Hazardous combustion products:	These products include: Carbon oxides Nitrogen oxides
Other specific hazards:	Closed containers may explode from heat of a fire.
Advice for firefighters:	Wear self-contained breathing apparatus if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for containment and cleaning up:	Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a local exhaust if dust or aerosol will be generated. Avoid all contact!
Conditions for safe storage, including any incompatibilities	
Storage conditions:	Keep container tightly closed. Store in a refrigerator. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Heat-sensitive Light-sensitive Moisture-sensitive
Packaging material:	Comply with laws.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV(TWA):	0.001 ppm (skin)
ACGIH TLV(STEL):	0.005 ppm (skin)
OSHA PEL(CL):	0.02 ppm

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection:	Dust respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Solid		
Form:	Crystal - Lump		
Colour:	White		
Odour:	Pungent		
Odor threshold:	No data available		
Odour threshold:	No data available		
Melting point/freezing point:	20°C (Freezing point) (68°F)	pH:	No data available
Boiling point/range:	251°C (484°F)	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	6.0
Relative density:	No data available	Dynamic Viscosity:	No data available
Kinematic viscosity:	No data available		
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point:	No data available	Autoignition temperature:	620°C (1148°F)
Flammability(solid, gas):	No data available	Flammability or explosive limits:	
		Lower:	0.9%
		Upper:	9.5%
Solubility(ies):			
[Water]	No data available		
[Other solvents]			
Miscible:	Ether, Benzene, Acetone, Carbon tetrachloride, Chlorobenzene, Kerosene		
Soluble:	Ethyl acetate		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical stability:	Stable under proper conditions.
Possibility of hazardous reactions:	No special reactivity has been reported.
Incompatible materials:	Oxidizing agents, Acids, Bases, Water, Alcohols, Amines
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

RTECS Number: CZ6300000

Acute Toxicity:ivn-mus LD50:5800 mg/kg
orl-rat LD50:5800 mg/kgihl-rat LC50:14 ppm/4H
skn-rbt LD50:>16 mL/kg**Skin corrosion/irritation:**

skn-rat 500 mg/24H MOD

skn-rbt 500 mg open SEV

Serious eye damage/irritation:

eye-rbt 100 mg SEV

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

mmo-sat 0.033 mg/plate (+S9)

mmo-sat 100 ug/plate (-S9)

Carcinogenicity:

No data available

IARC: Group 2B (Possibly carcinogenic to humans) .**NTP:** No data available**OSHA:** No data available**Reproductive toxicity:**

No data available

Target organ(s):

May cause damage to organs: Respiratory System

Causes damage to organs through prolonged or repeated exposure: Blood System Respiratory System

12. ECOLOGICAL INFORMATION**Ecotoxicity:**

Fish:	48h LC50:>0.100 mg/L (Oryzias latipes) 96h LC50:>0.100 mg/L
Crustacea:	No data available
Algae:	No data available

Persistence / degradability:

0 % (by BOD) , 100 % (by GC)

Bioaccumulative potential(BCF):

180 (conc. 0.8 ug/L) , 130 (conc. 0.08 ug/L)

Mobility in soil

Log Pow:	0.21
Soil adsorption (Koc):	No data available
Henry's Law (PaM³/mol):	No data available

13. DISPOSAL CONSIDERATIONS**Disposal of product:**

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container:

Dispose of as unused product. Do not re-use empty containers.

Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: UN2078	Proper Shipping Name: Toluene diisocyanate	Class or Division: 6.1 Toxic material.	Packing Group: II
-----------------------------	--	--	-----------------------------

IATA

UN number: UN2078	Proper Shipping Name: Toluene diisocyanate	Class or Division: 6.1 Toxic material.	Packing Group: II
-----------------------------	--	--	-----------------------------

IMDG

UN number: UN 2078	Proper Shipping Name: Toluene diisocyanate	Class or Division: 6.1 Toxic material.	Packing Group: II
------------------------------	--	--	-----------------------------

EmS number: F-A, S-A
Reportable Quantity: 100 Pounds (45.4 Kilograms)

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313: Listed

SARA 302: Listed

State Regulations**State Right-to-Know**

Massachusetts Listed

New Jersey Listed

Pennsylvania Listed

California Proposition 65: Not Listed

Other Information**NFPA Rating:**

Health: 4
Flammability: 1
Instability: 0

HMIS Classification:

Health: 4
Flammability: 1
Physical: 0

International Inventories

Canada: DSL On DSL
EC-No: 209-544-5

16. OTHER INFORMATION

Revision date: 07/06/2018

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.