



1/13

SAFETY DATA SHEET

Revision Date: 07/31/2015 **Revision Number: G1** Preparation Date: 07/31/2015

1. IDENTIFICATION

Product identifier

Product code: TR120

Product Name: TRITON(R) X-114, ELECTROPHORESIS GRADE

Other means of identification

tert-Octylphenoxy poly(oxyethylene)ethanol; Octylphenoxypoly(ethoxy ethanol); Synonyms:

> Octylphenoxypoly(ethoxyethanol); Octylphenoxypoly(ethyleneoxy)ethanol; Polyethylene glycol octylphenyl ether; Poly(ethylene oxide)octylphenyl ether; Polyoxyethylene monooctylphenyl ether; Poly(oxyethylene)octylphenol ether;

Poly(oxyethylene)octylphenyl ether; Polyethylene glycol mono(1,1,3,3-

tetramethylbutyl)phenyl ether

9036-19-5 CAS #: MD0907600 RTECS # Not available CI#:

Recommended use of the chemical and restrictions on use

Recommended use: Used as a solubilizing agent for proteins in gel electrophoresis and as a surfactant in

liquid scintillation counting.

Uses advised against No information available

Spectrum Chemical Mfg. Corp Supplier:

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Chemtrec 1-800-424-9300 **Emergency telephone number**

Contact Person: Martin LaBenz (West Coast) **Contact Person:** Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Product code: TR120

Product name: TRITON(R) X-114,

Danger

Hazard statements

Causes skin irritation Causes serious eye damage



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if swallowed

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves
Wear eye/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Polyethylene glycol octylphenyl ether 9036-19-5	9036-19-5	> 97%	*
Polyethylene Glycol 25322-68-3	25322-68-3	< 3	*
1,4-Dioxane 123-91-1	123-91-1	0.002	*

4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eye with water for 15 minutes. Immediate medical attention is required. Call a physician

immediately.

Product code: TR120 Product name: TRITON(R) X-114, 2 / 13

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. Causes skin irritation. May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product code: TR120

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Water spray. Foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: May be ignited by heat, sparks or flames

When heated to decompositon it emits acrid smoke and

irritating fumes

Fine dust dispersed in air in sufficient concentrations, and in

the presence of an ignition source is a potential dust

explosion hazard

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

Product name: TRITON(R) X-114, ELECTROPHORESIS GRADE

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal

protective equipment. Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite,

dry sand or earth), then place in a suitable chemical waste container.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste disposal

container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Do not smoke. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents. Acids. Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Polyethylene glycol octylphenyl ether	None	None	None	None
9036-19-5				
Polyethylene Glycol	None	None	None	10 mg/m³ TWA
25322-68-3				-
1,4-Dioxane	100 ppm TWA	1 ppm Ceiling	20 ppm TWA	Not determined
123-91-1	360 mg/m³ TWA	3.6 mg/m ³ Ceiling		

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Polyethylene glycol octylphenyl ether 9036-19-5	None	None	None	None

Product code: TR120 Product name: TRITON(R) X-114, 4/13

Polyethylene Glycol	None	None	None	None
25322-68-3				
1,4-Dioxane	20 ppm TWA	20 ppm TWA	20 ppm TWA	20 ppm TWAEV
123-91-1	72 mg/m ³ TWA			72 mg/m³ TWAEV

Australia and Mexico

Components	Australia	Mexico
Polyethylene glycol octylphenyl ether	None	None
9036-19-5		
Polyethylene Glycol	None	None
25322-68-3		
1,4-Dioxane	10 ppm TWA	25 ppm TWA
123-91-1	36 mg/m³TWA	90 mg/m³ TWA
		100 ppm STEL
		360 mg/m³ STEL

Appropriate engineering controls

Engineering measures to reduce exposure: Provide exhaust ventilation or other engineering controls to

keep the airborne concentrations of vapors and mist below

their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Product code: TR120

Eye protection: Goggles

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Product name: TRITON(R) X-114, ELECTROPHORESIS GRADE

5/13

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance:

Liquid. Viscous. Colorless to pale yellow.

Odor: **Taste** Molecular/Formula weight:

No information available 515-559 Characteristic.

Formula: Flammability: Flash point (°C):

C14H22O(C2H4O)7-8 No information available 254°C

279°C

Flashpoint (°C/°F): Flash Point Tested according to: Lower Explosion Limit (%): No information available

254°C/489.2°F Closed cup Open cup 279°C/534.2°F

Autoignition Temperature (°C/°F): **Upper Explosion Limit (%):** pH:

No information available No information available 6-7.5 (1% aqueous solution)

Melting point/range(°C/°F): Boiling point/range(°C/°F): Decomposition temperature(°C/°F):

> 200°C/ > 392°F No information available -5°C/23°F

Vapor pressure @ 20°C (kPa): **Bulk density:** Specific gravity:

No information available No information available 1.058

Density (g/cm3): **Evaporation rate:** Vapor density:

No information available No information available No information available

Partition coefficient VOC content (g/L): Odor threshold (ppm): No information available

No information available (n-octanol/water):

2.7

Viscosity: Miscibility: Solubility:

No information available No information available Easily soluble in hot water

Soluble in cold water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Reactive with acids Reactive with alkalis

Avoid strong bases at high temperatures, strong acids, strong oxidizing agents, and materials reactive with hydroxyl compounds

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents. Acids. Alkalis.

Hazardous decomposition products: Carbon oxides.

Other Information

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Corrosivity: No information available

Product code: TR120 6/13 Product name: TRITON(R) X-114,

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Eyes.

Acute Toxicity

Component Information

Polyethylene glycol octylphenyl ether - 9036-19-5

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Polyethylene Glycol - 25322-68-3

LD50/oral/rat = = 22 g/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

1,4-Dioxane - 123-91-1

LD50/oral/rat = = 5170 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rat = =46mg/LInhalation LC50Rat

=7600µL/kgDermal LD50Rabbit

=5170mg/kgOral LD50Rat

LD50/dermal/rabbit = 7600 μL/kg Dermal LD50Rabbit

LC50/inhalation/rat = 46 g/m³ Inhalation LC50 Rat 2 h

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 1700mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 3500mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

Product code: TR120 Product name: TRITON(R) X-114, 7/13
ELECTROPHORESIS GRADE

VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available **VALUE - Gas** = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation with moderate to severe redness, edema, possible burns.

Prolonged or widespread contact may result in the absorption of potentially harmful

amounts. It may be absorbed through the skin.

Eye Contact: Causes moderate to severe eye irritation. Symptoms include discomfort, pain,

excess blinking tear production, marked redness and swelling of the conjunctiva, and

possible burns of the eyes.

Inhalation Inhalation of mist may cause respiratory tract irritation. Symptoms may include nasal

discomfort and discharge, chest pain, and coughing. Due to it's low vapor, inhalation of vapor is not expected to be a hazard under normal handling conditions at room

temperature..

Ingestion May cause abdominal pain or discomfort, nausea, vomiting, diarrhea. Aspiration into

the lungs may occur during ingestion or vomiting, resulting in lung injury.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated skin contact may cause allergic reaction.

Sensitization: No information available

Mutagenic Effects: May affect genetic material

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Polyethylene glycol octylphenyl ether	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Polyethylene Glycol	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
1,4-Dioxane	[1999] Supplement 7 [1987]		Anticipated To Be A Human		Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects:

Developmental Effects:
No information available
No information available
No information available

Product code: TR120 **Product name:** TRITON(R) X-114, ELECTROPHORESIS GRADE

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available
No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

1,4-Dioxane - 123-91-1

Freshwater Fish Species Data: 10306 - 14742 mg/L LC50 Pimephales promelas 96 h static 1

9850 mg/L LC50 Pimephales promelas 96 h 1

9850 mg/L LC50 Pimephales promelas 96 h flow-through 1 10000 mg/L LC50 Lepomis macrochirus 96 h semi-static 1 10000 mg/L LC50 Lepomis macrochirus 96 h static 1

Water Flea Data: 163 mg/L EC50 water flea 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Polyethylene glycol octylphenyl ether	None	None	None	None
Polyethylene Glycol	None	None	None	None
1,4-Dioxane	None	None	None	U108

14. TRANSPORT INFORMATION

DOT

Product code: TR120

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available

Packing Group: None

ERG No: No information available
Marine Pollutant No data available

DOT RQ (lbs): No information available

Product name: TRITON(R) X-114, ELECTROPHORESIS GRADE

14. TRANSPORT INFORMATION

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
Classification Code:
Description:
No information available

IMO / IMDG

UN-No: Not Regulated

No information available **Proper Shipping Name: Hazard Class:** No information available **Subsidiary Risk:** No information available Packing Group: No information available **Description:** No information available **IMDG Page:** No information available Marine Pollutant No information available MFAG: No information available **Maximum Quantity:** No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

IATA

Product code: TR120

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

Product name: TRITON(R) X-114, ELECTROPHORESIS GRADE

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines	Japan ENCS	CHINA	Australia	EINECS-No.
			(PICCS)			(AICS)	
Polyethylene glycol octylphenyl ether	Not Listed	Not present	Not present	Not present	Not present	Not present	Not present
Polyethylene Glycol	Present XU	Present KE- 20228	Present	Present (8)- 429 (7)-129	Not present	Present	Not present
1,4-Dioxane	Present	Present KE- 10463	Present	(2)-441 Present (5)- 839	Present	Present	Present 204-661-8

U.S. Regulations

Polyethylene Glycol

Minnesota - Hazardous Substance List: Present

FDA - Direct Food Additives 21 CFR 172.210 21 CFR 172.820 21 CFR 173.310 21 CFR 173.340

FDA - 21 CFR - Total Food Additives 172.210 172.820 173.310 173.340 175.105 175.300 176.180 178.3750 73.1

1,4-Dioxane

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0789

New Jersey (EHS) List: 0789 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Special hazardous substance

Pennsylvania RTK - Environmental Hazard List Present
Pennsylvania RTK - Special Hazardous Substances Present

Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

100 lb RQ 1 lb RQ

Louisana Reportable Quantity List for Pollutants: 100lbfinal RQ

45.4kgfinal RQ

California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

WARNING: This product contains a chemical known to the State of California to cause cancer. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive	Female Reproductive
			Toxicity	Toxicity:
Polyethylene glycol octylphenyl ether	Not Listed	Not Listed	Not Listed	Not Listed
Polyethylene Glycol	Not Listed	Not Listed	Not Listed	Not Listed
1,4-Dioxane	carcinogen	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their		Section 302 Extremely Hazardous	Section 313 - Chemical Category	Section 313 - Reporting de minimis
	Reportable Quantities	Substances and TPQs	Substances and RQs	0 ,	
Polyethylene glycol octylphenyl ether	None	None	None	None	None
Polyethylene Glycol	None	None	None	None	None
,	100 lb final RQ 45.4 kg final RQ	None	None		0.1 % de minimis concentration

U.S. TSCA

Product code: TR120 Product name: TRITON(R) X-114, 11 / 13

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Polyethylene glycol octylphenyl ether	Not Applicable	Not Applicable
Polyethylene Glycol	Not Applicable	Not Applicable
1,4-Dioxane	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

D2B Toxic materials

1,4-Dioxane

B2 D2A D2B

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
11 4-I)INYANA	0.1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Polyethylene glycol octylphenyl ether	Not Listed	Not Listed
Polyethylene Glycol	Present	Not Listed
1,4-Dioxane	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Manditory	
		Reporting	
Polyethylene glycol octylphenyl ether	Not listed	Not listed	
Polyethylene Glycol	Not listed	Not listed	
1,4-Dioxane	Not listed	Not listed	

EU Classification

R-phrase(s)

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36 - Wear suitable protective clothing.

Components	Classification	Concentration Limits:	Safety Phrases
Polyethylene glycol octylphenyl ether		No information	-
Polyethylene Glycol		No information	
	F; R11-19 Xi; R36/37 Carc.Cat.3; R40 R66	No information	S2 S9 S16 S36/37 S46

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Product code: TR120 Product name: TRITON(R) X-114, 12 / 13

Indication of danger:

Xi - Irritant.



16. OTHER INFORMATION

Preparation Date: 07/31/2015
Revision Date: 07/31/2015
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet