



SAFETY DATA SHEET

Preparation Date: 8/31/2017 Revision Date: 6/11/2018 Revision Number: G2

1. IDENTIFICATION

Product identifier

Product code: W1012

Product Name: YELLOW WAX, BEES, YELLOW, CAKE, NF

Other means of identification

Synonyms: Yellow Beeswax

CAS #: 8012-89-3
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use:
Uses advised against
No information available.
No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not Hazardous Not classified										

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards
Not available

Product code: W1012 Product name: YELLOW WAX, 1/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Beeswax	8012-89-3	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use

Ingestion of large amounts may cause gastrointestinal/digestive irritation or upset.

May cause constipation

Ingestion of large quantities may cause intestinal obstruction

May cause nausea and vomiting

Abdominal pain

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of

contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Water spray, mist, or

foam. The product is not flammable.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter

and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Monoxide, Carbon Dioxide.

Specific hazards: May be combustible at high temperatures.

Product code: W1012 Product name: YELLOW WAX, 2 / 11

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents Strong acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

1	Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
	Beeswax	8012-89-3	None	None	None	None

Product code: W1012 Product name: YELLOW WAX, BEES, YELLOW, CAKE, NF

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Beeswax	8012-89-3	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Beeswax	8012-89-3	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation, especially in confined areas.

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure

limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Safety glasses with side-shields

Skin and body protection: Chemical resistant apron

Gloves

Long sleeved clothing

Respiratory protection: In well ventilated areas or if used in a fume hood, respiratory protection is not

normally required.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color

Solid Waxy, Cake. Yellow, Grayish-brown.

Odor: Taste Formula:

Odorless. No information available. No information available

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):No information availableNo information available204.4-265°C/400-509°F

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Not available No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available 62-65°C/144-149°F No information available

Boiling point/range(°C/°F): Bulk density: Density (g/cm3):

Product code: W1012 Product name: YELLOW WAX, 4/11

Specific gravity: pH: Vapor pressure @ 20°C (kPa):

0.95-0.96 No information available No information available

Evaporation rate: Vapor density: VOC content (a/L):

No information available No information available No information available

Partition coefficient Odor threshold (ppm): Viscosity:

Solubility:

No information available No information available (n-octanol/water):

No information available

Miscibility: No information available Insoluble in water

Soluble in most organic solvents

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents, strong acids, and strong bases.

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents

Strong acids

Hazardous decomposition

products:

Carbon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion.

Acute Toxicity

Component Information

Beeswax CAS-No. 8012-89-3

LD50/oral/rat = >5000 mg/kg oral LD50 rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Product code: W1012 Product name: YELLOW WAX, 5/11

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = > 5000 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Not likely to cause skin irritation. Although this material is not known to be an

irritant, it may be midly irritating in sensitive individuals.

Eye Contact: Not likely to cause eye irritation.

Inhalation It is a waxy solid in the form of a cake and it not expected to cause irritation of the

respiratory tract. Vapors emitted from molten wax are expected to have a low

degree of irritation by inhalation.

Ingestion Health injuries are not known or expected under normal use. Ingestion of very

large quantities may cause gastrointestinal upset or indigestion. May cause constipation. Although it is generally considered nonirritating, ingestion of large amounts may cause gastrointestinal (digestive) tract irritation and may cause intestinal obstruction. Ingestion may cause nausea, vomiting. May cause

abdominal pain.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH -	NTP	OSHA HCS -	Australia -	Australia -
-			Carcinogens		Carcinogens	Notifiable	Prohibited

Product code: W1012 Product name: YELLOW WAX, 6 / 11

						Carcinogenic Substances	Carcinogenic Substances
Beeswax	8012-89-3	Not listed	Not listed				

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure
STOT - repeated exposure
Target Organs:

No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal. Do not re-use empty containers Dispose of as unused product.

Components	CAS-No.	RCRA - F Series	RCRA - K Series	RCRA - P Series	RCRA - U Series
		Wastes	Wastes	Wastes	Wastes
Beeswax	8012-89-3	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available Hazard Class: No information available

Product code: W1012 Product name: YELLOW WAX, BEES, YELLOW, CAKE, NF

Subsidiary Class
Packing group:
No information available
Emergency Response Guide
No information available

Number

Marine Pollutant No data available

DOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
No information available
No information available
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

IATA

Product code: W1012

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

15. REGULATORY INFORMATION

Product name: YELLOW WAX, BEES, YELLOW, CAKE, NF

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Beeswax	8012-89-3	PresentACTIV E	Present KE-02113	Present	Present (8)-429	Present	Present	Present 232-383-7

U.S. Regulations

Beeswax

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1973

FDA - 21 CFR - Total Food Additives 101.4, 184.1973

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
		_		Reproductive	Reproductive
				Toxicity	Toxicity:
Beeswax	8012-89-3	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Beeswax	8012-89-3	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Beeswax	8012-89-3	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Product code: W1012 Product name: YELLOW WAX, 9 / 11

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Beeswax	8012-89-3	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances	
Beeswax	8012-89-3	Not listed	
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting	
Beeswax	8012-89-3	Not listed	

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Beeswax	8012-89-3	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Beeswax	8012-89-3		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Not dangerous

None.

16. OTHER INFORMATION

Preparation Date: 8/31/2017
Revision Date: 6/11/2018
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

Product code: W1012 Product name: YELLOW WAX, 10 / 11

End of Safety Data Sheet

Product code: W1012