

SAFETY DATA SHEET

Preparation Date: 12/16/2014

Revision Date: Not Applicable

Revision Number: Not Applicable

Product identifier

Product code: X1022
Product Name: p-Xylylenediamine

Other means of identification

Synonyms: a,a-Diamino-p-xylene; p-Xylene Diamine; 4-(Aminomethyl)benzylamine
CAS #: 539-48-0
RTECS # PF9000000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Label elements

Danger**Hazard statements**

Causes severe skin burns and eye damage

**Hazards not otherwise classified (HNOC)**

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Specific treatment (see .? on this label)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER or doctor/physician.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Components	CAS-No.	Weight %	Trade Secret
p-Xylylenediamine 539-48-0	539-48-0	100	*

4. FIRST AID MEASURES

First aid measures**General Advice:**

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician or Poison Control Centre immediately. Toxic in contact with skin.

Eye Contact:

Flush eye with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. Toxic if swallowed.

Most important symptoms and effects, both acute and delayed

Symptoms Causes eye burns. Eye contact may result in redness or pain. Causes skin burns. Skin contact may result in redness, pain, inflammation, itching, scaling.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Water spray.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon oxides, Nitrogen oxides

Specific hazards: May be combustible at high temperatures
Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Hygroscopic. Store under inert gas.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
p-Xylylenediamine 539-48-0	None	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
p-Xylylenediamine 539-48-0	None	None	None	None

Australia and Mexico

Components	Australia	Mexico
------------	-----------	--------

p-Xylylenediamine 539-48-0	None	None
-------------------------------	------	------

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses. Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Effective dust mask. Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Crystals. Powder.	Color: White. Pale Yellow.
Odor: No information available	Taste No information available	Molecular/Formula weight: 136.20
Formula: C8H12N2	Flammability: No information available	Flash point (°C): No data available
Flashpoint (°C/°F): 142°C/288°F	Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Autoignition Temperature (°C/°F): No information available	pH: No information available
Melting point/range(°C/°F): 60.0°-64.0°C/140.0°-147.2°F	Boiling point/range(°C/°F): 125.0°C/257°F @ 0.4 kPa	Decomposition temperature(°C/°F): No information available
Bulk density: No information available	Specific gravity: No information available	Vapor pressure @ 20°C (kPa): No information available
Density (g/cm3): No information available	Evaporation rate: No information available	Vapor density: No information available
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Miscibility: No information available	Solubility: Soluble in Methanol Soluble in Water Slightly soluble in Propylene glycol

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Exposure to air. Exposure to moisture.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Carbon oxides. Nitrogen oxides (NOx).

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Ingestion. Inhalation. Skin.

Acute Toxicity

Component Information

p-Xylylenediamine - 539-48-0

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = 50 µg/24H, eye, rabbit, irritation;
750 µg/24H, skin, rabbit, irritation

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat**VALUE-Vapor** = No information available**VALUE-Gas** = No information available**VALUE-Dust/Mist** = No information available**LC50/Inhalation/mouse****VALUE-Vapor** = No information available**VALUE - Gas** = No information available**VALUE - Dust/Mist** = No information available**Symptoms****Skin Contact:** Causes skin burns.**Eye Contact:** Causes eye burns.**Inhalation** May cause irritation of respiratory tract.
Ingestion Health injuries are not known or expected under normal use.**Aspiration hazard** No information available**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Chronic Toxicity** No information available**Sensitization:** No information available**Mutagenic Effects:** No information available**Carcinogenic effects:** Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
p-Xylylenediamine	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available**Reproductive Effects:** No information available**Developmental Effects:** No information available**Teratogenic Effects:** No information available**Specific Target Organ Toxicity****STOT - single exposure** No information available**STOT - repeated exposure** No information available**Target Organs:** No information available**12. ECOLOGICAL INFORMATION****Ecotoxicity****Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
p-Xylylenediamine	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN3259
Proper Shipping Name: Amines, solid, corrosive, n.o.s. (p-Xylylenediamine)
Hazard Class: 8
Subsidiary Risk:
Packing Group: II
ERG No: 154
Marine Pollutant: No data available
DOT RQ (lbs): No information available
Symbol(s): G

TDG (Canada)

UN-No: UN3259
Proper Shipping Name: Amines, solid, corrosive, n.o.s.
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: No information available

ADR

UN-No: UN3259
Proper Shipping Name: Amines, solid, corrosive, n.o.s.
Hazard Class: 8
Packing Group: II
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: UN3259
Proper Shipping Name: Amines, solid, corrosive, n.o.s.
Hazard Class: 8

14. TRANSPORT INFORMATION

Subsidiary Risk: No information available
Packing Group: II
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available
EMS: F-A
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: UN3259
Proper Shipping Name: Amines, solid, corrosive, n.o.s.
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Classification Code: No information available
Description: No information available

ICAO

UN-No: UN3259
Proper Shipping Name: Polyamines, solid, corrosive, n.o.s.
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: No information available

IATA

UN-No: UN3259
Proper Shipping Name: Polyamines, solid, corrosive, n.o.s.
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
ERG Code: 8L
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>p</i> -Xylylenediamine	Present	Not present	Not present	Present (3)-308 (3)-2888	Present	Not present	Present 208-719-3

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
<i>p</i> -Xylylenediamine	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
p-Xylylenediamine	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
p-Xylylenediamine	Not Applicable	Not Applicable

Canada**WHMIS hazard class:**

E Corrosive material

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
p-Xylylenediamine	Not Listed	Present

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
p-Xylylenediamine	Not listed	Not listed

EU Classification**R-phrase(s)**

not determined (not applicable)

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
p-Xylylenediamine		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date: 12/16/2014
Revision Date: Not Applicable
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet