

Scientific Documentation

Benzyl Alcohol, NF

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp
769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300



Table of Contents

Product Specification
Certificate of Analysis
Safety Data Sheet (SDS)
Certification of Current Good Manufacturing Practices (cGMP)
Manufacturing Process Flowchart
Technical Statements
Elemental Impurities Statement
Residual Solvents Statement
General Label Information – Sample Label

Specification for Benzyl Alcohol, NF (BE158)

Item Number	BE158
Item	Benzyl Alcohol, NF
CAS Number	100-51-6
Molecular Formula	C ₇ H ₈ O
Molecular Weight	108.14
MDL Number	
Synonyms	Benzenemethanol ; alpha-Hydroxytoluene

Test	Specification	
	Min	Max
ASSAY	98.0	100.5 %
CLARITY OF SOLUTION	NO MORE OPALESCENCE THAN STANDARD	
COLOR OF SOLUTION	SAME COLOR AS WATER	
REFRACTIVE INDEX @ 20°C	1.538	1.541
PEROXIDE VALUE		5
ACIDITY		1 ml
RESIDUE ON EVAPORATION		0.05 %
ORGANIC IMPURITIES		
BENZALDEHYDE		0.15 %
CYCLOHEXYLMETHANOL		0.10 %
SUM OF ANY PEAK WITH A RELATIVE RETENTION TIME LESS THAN THAT OF BENZYL ALCOHOL		0.04 %
SUM OF ANY PEAK WITH RELATIVE RETENTION TIME GREATER THAN BENZYL ALCOHOL		0.3 %
ELEMENTAL IMPURITIES	AS REPORTED	
IDENTIFICATION (FTIR)	SPECTRUM MATCHES REFERENCE	
CERTIFIED HALAL		
RETEST DATE		
DATE OF MANUFACTURE		
APPEARANCE		

Test	Specification	
	Min	Max
RESIDUAL SOLVENTS	AS REPORTED	

Spectrum Chemical Mfg Corp

<i>Corporate Headquarters:</i>	<i>West Coast Facility:</i>
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000

Certificate Of Analysis

Item Number	BE158	Lot Number	2NC0147
Item	Benzyl Alcohol, NF	CAS Number	100-51-6
Molecular Formula	C ₇ H ₈ O	Molecular Weight	108.14

TEST	SPECIFICATION		RESULT
	MIN	MAX	
ASSAY	98.0	100.5 %	99.9 %
CLARITY OF SOLUTION	NO MORE OPALESCENCE THAN STANDARD		NO MORE OPALESCENCE
COLOR OF SOLUTION	SAME COLOR AS WATER		SAME COLOR AS WATER
REFRACTIVE INDEX @ 20°C	1.538	1.541	1.540
PEROXIDE VALUE		5	0
ACIDITY		1 ml	0.0 ml
RESIDUE ON EVAPORATION		0.05 %	<0.05 %
ORGANIC IMPURITIES			.
BENZALDEHYDE		0.15 %	0.00 %
CYCLOHEXYLMETHANOL		0.10 %	0.00 %
SUM OF ANY PEAK WITH A RELATIVE RETENTION TIME LESS THAN THAT OF BENZYL ALCOHOL		0.04 %	0.03 %
SUM OF ANY PEAK WITH RELATIVE RETENTION TIME GREATER THAN BENZYL ALCOHOL		0.3 %	0.0 %
ELEMENTAL IMPURITIES	AS REPORTED		NO ELEMENTAL IMPURITIES PRESENT
IDENTIFICATION (FTIR)	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE
CERTIFIED HALAL			CERTIFIED HALAL
RETEST DATE			05-DEC-2025

TEST	SPECIFICATION		RESULT
	MIN	MAX	
DATE OF MANUFACTURE			05-DEC-2023
APPEARANCE			COLORLESS LIQUID
RESIDUAL SOLVENTS	AS REPORTED		.
CLASS 1 (solvent) / BENZENE			<2 ppm
CLASS 2 (solvent) / TOLUENE			<890 ppm
MONOGRAPH EDITION			NF 2023

Certificate of Analysis Results Entered By:

MCAMACHO
Matheu Camacho
22-MAR-24 05:42:47

Certificate of Analysis Results Approved By:

GHERRERA
Genaro Herrera
22-MAR-24 06:21:50

Spectrum Chemical Mfg Corp
755 Jersey Avenue
New Brunswick 08901 NJ



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

SAFETY DATA SHEET

spectrum®



Revision date 23-December-2021

Revision Number 2

1. Identification

Product identifier

Product Name BENZYL ALCOHOL, NF

Other means of identification

Product Code(s) BE158

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Warning

Hazard statements

Harmful if swallowed

Harmful in contact with skin
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction



Appearance Clear

Physical state Liquid

Odor Slight Aromatic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Contaminated work clothing must not be allowed out of the workplace
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of water and soap
Call a POISON CENTER or doctor if you feel unwell
Take off contaminated clothing and wash it before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

Other information

No information available.

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Benzyl Alcohol	100-51-6	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
Skin contact	May cause an allergic skin reaction. Wash off immediately with soap and plenty of water for at least 15 minutes. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon Monoxide, Carbon Dioxide.
Explosion data	
Sensitivity to mechanical impact	none.
Sensitivity to static discharge	none.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Sensitive to light. Store in light-resistant containers. Air sensitive. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Flushed with nitrogen.
---------------------------	---

8. Exposure controls/personal protection

Control parameters

Exposure Limits	The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.
------------------------	--

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear

Color	Colorless
Odor	Slight Aromatic
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	no data available	None known
Melting point / freezing point	-15.2 °C / 4.6 °F	None known
Boiling point / boiling range	205.3 °C / 401.5 °F	None known
Flash point	100 °C / 212 °F	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	3.72	None known
Relative density	1.042	None known
Water solubility	Soluble in water	None known
Solubility(ies)	Soluble in Acetone Soluble in Benzene Soluble in Ethanol Soluble in Ether Soluble in Chloroform	None known
Partition coefficient	1.1	None known
Autoignition temperature	436 °C / 816.8 °F	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	108.14	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).

Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing.
----------	--

Acute toxicity

Numerical measures of toxicity

Unknown acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl Alcohol 100-51-6	EC50: =35mg/L (3h, Anabaena variabilis)	LC50: =10mg/L (96h, Lepomis macrochirus) LC50: =460mg/L (96h, Pimephales promelas)	-	EC50: =23mg/L (48h, water flea)

Persistence and degradability	No information available.
Bioaccumulation	Inherently biodegradable.

Component Information

Chemical name	Partition coefficient
Benzyl Alcohol 100-51-6	1.1

Other adverse effects	No information available.
-----------------------	---------------------------

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

<u>DOT</u>	not regulated
<u>TDG</u>	not regulated
<u>MEX</u>	not regulated
<u>ICAO (air)</u>	not regulated
<u>IATA</u>	not regulated
<u>IMDG</u>	not regulated
<u>RID</u>	not regulated
<u>ADR</u>	not regulated
<u>ADN</u>	not regulated

15. Regulatory information

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzyl Alcohol 100-51-6	-	Present	Present

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information**NFPA**

Health hazards 4

Flammability 1

Instability 0

Physical and chemical properties -

HMIS

Health hazards 3

Flammability 1

Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 23-December-2021
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
BE158	Benzyl Alcohol, NF

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com


Sincerely,

A handwritten signature in black ink, appearing to read "Oralia Chavez", written in a cursive style.

Oralia Chavez
Quality Assurance Specialist

Manufacturing Process Flowchart

Benzyl Alcohol, NF – BE158



CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843

BE158, Benzyl Alcohol, NF

Source Statement

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Latex
- Sulfites > 10 ppm

GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

Animal Testing Statement

The above mentioned catalog item has been tested on animals for regulatory compliance purposes only.

Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 24 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Antibiotics
- Parabens
- Pesticides
- Phthalates



RE: Elemental Impurities - Benzyl Alcohol, NF (Cat# BE158)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. No Class 1, Class 2A, Class 2B or Class 3 elemental impurities are likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843



RE: Residual Solvents - Benzyl Alcohol, NF (Cat# BE158)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of USP <467> Residual Solvents and ICH Q3C Residual Solvents Guideline. The following solvents are likely to be present:

Residual Solvent	Class	Expected Concentration
Benzene	1	< 2 ppm
Toluene	2	< 890 ppm

No Class 3 or other solvents are used or produced in the manufacturing process of this material.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

WARNING

- Harmful if swallowed, in contact with skin or if inhaled • Causes serious eye irritation • Causes skin irritation • May cause an allergic skin reaction.
- Do not eat, drink or smoke when using this product
- Wear protective gloves, protective clothing, eye protection, face protection • Avoid breathing mist or vapors • Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling • Contaminated work clothing must not be allowed out of the workplace.

FIRST AID: Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth.

KEEP FROM CHILDREN

spectrum®
CHEMICAL MFG CORP

BE158 **4 L**

Benzyl Alcohol
(Benzenemethanol;
α-Hydroxytoluene)

N.F.

CAS 100-51-6

CAUTION: For manufacturing, processing or repacking.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300
www.SpectrumChemical.com

C_7H_8O **F.W. 108.14**

Assay 98.0-100.5%
Clarity of Solution To pass test
Color of Solution To pass test
Refractive Index @ 20°C 1.538-1.541

MAXIMUM LIMITS

Peroxide Value 5
Acidity To pass test
Residue on Evaporation 0.05%
Organic Impurities, Benzaldehyde and Other Related Substances To pass test
Elemental Impurities As reported
Residual Solvents To pass test

LIGHT SENSITIVE: Keep tightly closed in light-resistant containers.

FLUSHED WITH NITROGEN

G 13/G10GHS **Lot No. 062233**

SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|---|---|---|
| <p>A Bar Code</p> <p>B GHS Hazard Pictograms</p> <p>C Warning, Safety Data and Precautionary Information</p> <p>D Product Catalog Number</p> <p>E Item Name, Form, Grade</p> <p>F Size/Quantity</p> | <p>G Chemical Abstracts Service (CAS) Registry Number</p> <p>H Caution Information</p> <p>I DOT Shipping Information</p> <p>J Toll-Free 24-Hour Chemical Emergency Telephone Number</p> | <p>K Empirical Formula, Formula Weight and Technical Specifications Panel</p> <p>L Expiration Information</p> <p>M Lot Number</p> <p>N Kosher Certified by Kosher Supervision of America (KSA).</p> <p>O Storage Color Band</p> <p>P Halal Certified by IFANCA</p> <p>Q bioCertified</p> |
|---|---|---|

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

Spectrum Chemical Mfg Corp

Corporate Headquarters:
769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:
14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive