

# Scientific Documentation

## Light Mineral Oil, NF

Not appropriate for regulatory submission.

Please visit [www.spectrumchemical.com](http://www.spectrumchemical.com) or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp  
769 Jersey Avenue  
New Brunswick, NJ 08901  
Phone 732.214.1300



## **Table of Contents**

Product Specification  
Certificate of Analysis  
Safety Data Sheet (SDS)  
Certification of Current Good Manufacturing Practices (cGMP)  
Manufacturing Process Flowchart  
Technical Statements  
Elemental Impurities Statement  
Residual Solvents Statement  
General Label Information – Sample Label

## Specification for Light Mineral Oil, NF (MI501)

Item Number	MI501
Item	Light Mineral Oil, NF
CAS Number	8042-47-5
Molecular Formula	
Molecular Weight	
MDL Number	
Synonyms	

Test	Specification	
	Min	Max
APPEARANCE		
SPECIFIC GRAVITY @ 25°C	0.818	0.880
VISCOSITY @40.0°C	3.0	34.4 mm <sup>2</sup> /s
ACIDITY		1.0 ml
READILY CARBONIZABLE SUBSTANCES	LESS COLOR THEN STANDARD	
POLYCYCLIC AROMATIC HYDROCARBONS	LESS ? STANDARD	
SOLID PARAFFIN	BLACK LINE IS CLEARLY VISIBLE	
SULFUR COMPOUNDS	NO DARK BROWN DEVELOPS	
ELEMENTAL IMPURITIES	AS REPORTED	
IDENTIFICATION (A)	SPECTRUM MATCHES REFERENCE	
IDENTIFICATION (B)	3.0 -34.4 mm <sup>2</sup> /s	
EXPIRATION DATE		
DATE OF MANUFACTURE		
MONOGRAPH EDITION		
RESIDUAL SOLVENTS	AS REPORTED	

***Spectrum Chemical Mfg Corp***

**Corporate Headquarters:** West Coast Facility:  
769 Jersey Ave. 14422 S. San Pedro St.

***Spectrum Chemical Mfg Corp***

---

***Corporate Headquarters:***    ***West Coast Facility:***

New Brunswick, NJ 08901    Gardena, CA 90248

732.214.1300

310.516.8000

## Certificate Of Analysis

Item Number	MI501	Lot Number	1NA0181
Item	Light Mineral Oil, NF	CAS Number	8042-47-5

TEST	SPECIFICATION		RESULT
	MIN	MAX	
APPEARANCE			CLEAR, COLORLESS LIQUID
SPECIFIC GRAVITY @ 25°C	0.818	0.880	0.8420
VISCOSITY @40.0°C	3.0	34.4 mm²/s	12.72 mm²/s
ACIDITY		1.0 ml	<1.0 ml
READILY CARBONIZABLE SUBSTANCES	LESS COLOR THEN STANDARD		LESS COLOR THAN STANDARD
POLYCYCLIC AROMATIC HYDROCARBONS	LESS ⅓ STANDARD		LESS ⅓ STANDARD
SOLID PARAFFIN	BLACK LINE IS CLEARLY VISIBLE		BLACK LINE IS CLEARLY VISIBLE
SULFUR COMPOUNDS	NO DARK BROWN DEVELOPS		NO DARK BROWN DEVELOPS
ELEMENTAL IMPURITIES	AS REPORTED		NO ELEMENTAL IMPURITIES PRESENT
IDENTIFICATION (A)	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE
IDENTIFICATION (B)	3.0 -34.4 mm²/s		12.72 mm²/s
EXPIRATION DATE			30-NOV-2026
DATE OF MANUFACTURE			30-NOV-2023
MONOGRAPH EDITION			(USP-NF) 2023
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS PRESENT

Certificate of Analysis Results Entered By:

HBERMUDEZ  
Hernan Bermudez  
31-JAN-24 17:05:18

Certificate of Analysis Results Approved By:

AMENDEZ  
Ana Mendez  
01-FEB-24 13:35:20

Spectrum Chemical Mfg Corp  
14422 South San Pedro Street  
Gardena 90248 CA



**All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.**

**Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.**

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# SAFETY DATA SHEET

# spectrum®



Revision date 25-October-2022

Revision Number 2

## 1. Identification

### Product identifier

Product Name LIGHT MINERAL OIL, NF

### Other means of identification

Product Code(s) MI501

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

### Details of the supplier of the safety data sheet

#### Supplier Address

Spectrum Chemical Mfg. Corp.  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000

### Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

### Classification

Aspiration hazard	Category 1
-------------------	------------

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

Danger

### Hazard statements

May be fatal if swallowed and enters airways



**Appearance** Clear

**Physical state** Oily liquid

**Odor** No information available

#### Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor  
Do NOT induce vomiting

#### Precautionary Statements - Storage

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed.

### 3. Composition/information on ingredients

#### Substance

Chemical name	CAS No	Weight-%
Light Mineral Oil	8042-47-5	100

### 4. First-aid measures

#### Description of first aid measures

##### General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

##### Inhalation

Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.

##### Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

##### Skin contact

Wash skin with soap and water.

##### Ingestion

ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

##### Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed



**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

## **5. Fire-fighting measures**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Carbon Monoxide, Carbon Dioxide.

**Explosion data**

**Sensitivity to mechanical impact** none.

**Sensitivity to static discharge** none.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## **7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials. Protect from light.

## **8. Exposure controls/personal protection**

**Control parameters**

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

#### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Skin and body protection** No special protective equipment required.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## **9. Physical and chemical properties**

#### Information on basic physical and chemical properties

**Physical state** Oily liquid  
**Appearance** Clear  
**Color** Colorless  
**Odor** No information available  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	no data available	None known
<b>Melting point / freezing point</b>	no data available	None known
<b>Boiling point / boiling range</b>	> 220 °C / 428 °F	None known
<b>Flash point</b>	no data available	None known
<b>Evaporation rate</b>	no data available	None known
<b>Flammability (solid, gas)</b>	no data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	no data available	None known
<b>Relative density</b>	0.85	None known
<b>Water solubility</b>	Insoluble in water	None known
<b>Solubility(ies)</b>	Soluble in most organic solvents	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	no data available	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>	no data available	None known
<b>Dynamic viscosity</b>	No data available	None known

#### Other information

**Explosive properties** No information available  
**Oxidizing properties** No information available  
**Softening point** No information available  
**Molecular weight** No information available  
**VOC Content (%)** No information available

Liquid Density No information available  
Bulk density No information available

## 10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

### Acute toxicity

### **Numerical measures of toxicity**

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Light Mineral Oil 8042-47-5	> 5000 mg/kg ( Rat )	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## 12. Ecological information

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Light Mineral Oil 8042-47-5	-	LC50: >10000mg/L (96h, Lepomis macrochirus)	-	-

**Persistence and degradability** No information available.

**Bioaccumulation** Inherently biodegradable.

### Component Information

Chemical name	Partition coefficient
Light Mineral Oil 8042-47-5	>6

**Other adverse effects** No information available.

## 13. Disposal considerations

### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

**DOT** not regulated

**TDG** not regulated

**MEX** not regulated

**ICAO (air)** not regulated

**IATA** not regulated

**IMDG** not regulated

**RID** not regulated

**ADR** not regulated

**ADN** not regulated

## 15. Regulatory information

### International Inventories

**TSCA** Complies

<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	This product complies with ENCS:
<b>IECSC</b>	This product complies with China:
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

**NFPA**

**Health hazards** 2

**Flammability** 0

**Instability** 0

**Physical and chemical properties** -

**HMIS****Health hazards** 2**Flammability** 0**Physical hazards** 0**Personal protection** X**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

**Revision date**

25-October-2022

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**



**Certification of Compliance with current Good Manufacturing Practices**

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
MI501	Light Mineral Oil, NF

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632  
Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com)


Sincerely,

A handwritten signature in black ink, appearing to read "Oralia Chavez", written in a cursive style.

Oralia Chavez  
Quality Assurance Specialist

## Manufacturing Process Flowchart

### Light Mineral Oil, NF - MI501



#### ***Spectrum Chemical Mfg Corp***

***Corporate Headquarters:***

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

***West Coast Facility:***

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000



## MI501, Light Mineral Oil, NF

### Source Statement

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

### BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

### Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

### EU Fragrance Allergen Statement

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

### GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

### Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

## Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

## Animal Testing Statement

The above mentioned catalog item has not been tested on animals.

## Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

## Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

## Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- |                     |                 |
|---------------------|-----------------|
| • Aflatoxins        | • Parabens      |
| • Antibiotics       | • Pesticides    |
| • Bisphenol A (BPA) | • Phthalates    |
| • CMR Substances    | • Preservatives |



**RE: Elemental Impurities - Light Mineral Oil, NF (Cat# MI501)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. No Class 1, Class 2A, Class 2B or Class 3 elemental impurities are likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue  
New Brunswick, NJ 08901  
PHONE 732.214.1300  
FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street  
Gardena, California 90248  
PHONE 310.516.8000  
FAX 310.516.9843



**RE: Residual Solvents - Light Mineral Oil, NF (Cat# MI501)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000

FAX 310.516.9843

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

**DANGER**

- May be fatal if swallowed and enters airways.

**FIRST AID:** IF SWALLOWED: Immediately call a POISON CENTER or physician. DO NOT induce vomiting.

**KEEP FROM CHILDREN**



**MI501                      SIZ SY**

**Light Mineral Oil**

**NF**

CAS 8042-47-5

**CAUTION:** For manufacturing, processing or repacking.  
Read and understand the label and Safety Data Sheet (SDS) prior to use.

**Chemical Emergency: (800)424-9300**

[www.SpectrumChemical.com](http://www.SpectrumChemical.com)

Viscosity Range:  
65-75 SUS @ 100°F  
DL- $\alpha$ -Tocopherol (Vitamin E) added as a stabilizer.

Specific Gravity .....	0.818-0.880
Viscosity @ 40.0°C .....	3.0-34.4 mm <sup>2</sup> /s
Acidity .....	To pass test
<b>MAXIMUM LIMITS</b>	
Readily Carbonizable Substances.....	To pass test
Polycyclic Aromatic Hydrocarbons .....	To pass test
Solid Paraffin .....	To pass test
Sulfur Compounds.....	To pass test
Elemental Impurities .....	As reported
Residual Solvents .....	To pass test

LIGHT SENSITIVE: Keep tightly closed in light-resistant containers.

FLUSHED WITH NITROGEN

Exp. Date: 00-00-0000



G 14/H7GHS    ?    Lot No. XQ####

### Spectrum Chemical Mfg Corp

#### Corporate Headquarters:

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

#### West Coast Facility:

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000