

# Scientific Documentation

## Petrolatum, White, USP

Not appropriate for regulatory submission.

Please visit [www.spectrumchemical.com](http://www.spectrumchemical.com) or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp  
769 Jersey Avenue  
New Brunswick, NJ 08901  
Phone 732.214.1300



## **Table of Contents**

Product Specification  
Certificate of Analysis  
Safety Data Sheet (SDS)  
Certification of Current Good Manufacturing Practices (cGMP)  
Manufacturing Process Flowchart  
Technical Statements  
Elemental Impurities Statement  
Residual Solvents Statement  
General Label Information – Sample Label

## Specification for Petrolatum, White, USP (PE125)

Item Number	PE125
Item	Petrolatum, White, USP
CAS Number	8009-03-8
Molecular Formula	
Molecular Weight	
MDL Number	
Synonyms	Petroleum Jelly ; Soft Paraffin

Test	Specification	
	Min	Max
SPECIFIC GRAVITY @60 C	0.815	0.880
MELTING RANGE	38	60°C
CONSISTENCY	100 - 300	
STABILIZERS:	.	
BUTYL HYDROXYTOLUENE (BHT)		25 ppm
TOCOPHEROLS		10 ppm
RESIDUE ON IGNITION		0.05 %
COLOR	LESS COLOR THAN STANDARD	
ACIDITY	NO RED OR PINK COLOR	
ALKALINITY	NO PINK COLOR	
ORGANIC ACIDS		400 µL
FIXED OILS, FATS AND ROSIN	NO OILY OR SOLID MATTER SEPARATES	
ELEMENTAL IMPURITIES		AS REPORTED
IDENTIFICATION	SPECTRUM MATCHES REFERENCE	
RETEST DATE		
DATE OF MANUFACTURE		
APPEARANCE		
RESIDUAL SOLVENTS		AS REPORTED

---

<b><i>Corporate Headquarters:</i></b>	<b><i>West Coast Facility:</i></b>
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000

## Certificate Of Analysis

Item Number	PE125	Lot Number	1MI0232
Item	Petrolatum, White, USP	CAS Number	8009-03-8

TEST	SPECIFICATION		RESULT
	MIN	MAX	
SPECIFIC GRAVITY @60 C	0.815	0.880	0.837
MELTING RANGE	38	60°C	56.7°C
CONSISTENCY	100 - 300		187
STABILIZERS:	.		.
BUTYL HYDROXYTOLUENE (BHT)		25 ppm	<25 ppm
TOCOPHEROLS		10 ppm	<10 ppm
RESIDUE ON IGNITION		0.05 %	0.00 %
COLOR	LESS COLOR THAN STANDARD		LESS COLOR THAN STANDARD
ACIDITY	NO RED OR PINK COLOR		NO RED OR PINK COLOR
ALKALINITY	NO PINK COLOR		NO PINK COLOR
ORGANIC ACIDS		400 µL	<400 µL
FIXED OILS, FATS AND ROSIN	NO OILY OR SOLID MATTER SEPARATES		NO OILY OR SOLID MATTER SEPARATES
ELEMENTAL IMPURITIES		AS REPORTED	NO ELEMENTAL IMPURITIES PRESENT
IDENTIFICATION	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE
RETEST DATE			22-OCT-2024
DATE OF MANUFACTURE			22-OCT-2021
APPEARANCE			FAINTLY YELLOW MASS
RESIDUAL SOLVENTS		AS REPORTED	NO RESIDUAL SOLVENTS USED
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ  
Hernan Bermudez  
27-SEP-23 15:52:50

Certificate of Analysis Results Approved By:

SHANSEN  
Selin Hansen  
27-SEP-23 16:22:26

Spectrum Chemical Mfg Corp  
14422 South San Pedro Street  
Gardena 90248 CA



**All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.**

**Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.**

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# SAFETY DATA SHEET

# spectrum®



Revision date 25-April-2022

Revision Number 2

## 1. Identification

### Product identifier

**Product Name** WHITE PETROLATUM, WHITE, USP

### Other means of identification

**Product Code(s)** PE125

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** No information available

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Supplier Address

Spectrum Chemical Mfg. Corp.  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000

### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Physical state** Grease

**Odor** No information available

**Other information**

May be harmful in contact with skin.

**3. Composition/information on ingredients****Substance**

Chemical name	CAS No	Weight-%	Trade secret
Petrolatum, white	8009-03-8	100	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures****Description of first aid measures**

<b>General advice</b>	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	none.
<b>Sensitivity to static discharge</b>	none.
<b>Special protective equipment for</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout



fire-fighters

gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls/personal protection

### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Grease
Appearance	No information available
Color	White to yellowish
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	no data available	None known
Melting point / freezing point	36 - 60 °C / 96.8 - 140 °F	None known
Boiling point / boiling range	no data available	None known
Flash point	185 °C / 365 °F	CC (closed cup)
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	0.85	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	Soluble in Oils Soluble in diethyl ether Soluble in Petroleum Ether Soluble in Carbon Disulfide Soluble in Benzene Soluble in Chloroform Practically insoluble in alcohol Practically insoluble in Glycerol	None known
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known

### Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	May cause redness and tearing of the eyes.
-----------------	--

### Acute toxicity

#### Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petrolatum, white 8009-03-8	-	> 3600 mg/kg ( Rabbit )	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.
<b>Other adverse effects</b>	No information available.
<b>Interactive effects</b>	No information available.

## 12. Ecological information

<b>Ecotoxicity</b>	The environmental impact of this product has not been fully investigated.
<b>Persistence and degradability</b>	No information available.
<b>Bioaccumulation</b>	Inherently biodegradable.
<b>Other adverse effects</b>	No information available.

## 13. Disposal considerations

### Waste treatment methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Do not reuse empty containers.

## 14. Transport information

<b>DOT</b>	not regulated
<b>TDG</b>	not regulated
<b>MEX</b>	not regulated
<b>ICAO (air)</b>	not regulated
<b>IATA</b>	not regulated
<b>IMDG</b>	not regulated
<b>RID</b>	not regulated
<b>ADR</b>	not regulated
<b>ADN</b>	not regulated

## 15. Regulatory information

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	This product complies with ENCS:
<b>IECSC</b>	This product complies with China:
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## **16. Other information**

### **NFPA**

**Health hazards** 2

**Flammability** 1

**Instability** 0

**Physical and chemical properties** -

### **HMIS**

**Health hazards** 2 \*

**Flammability** 1

**Physical hazards** 0

**Personal protection** X

*Chronic Hazard Star Legend*

*\* = Chronic Health Hazard*

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value		

### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 25-April-2022  
**Revision Note** No information available.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**



**Certification of Compliance with current Good Manufacturing Practices**

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
PE125	Petrolatum, White, USP

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632  
Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com)


Sincerely,

A handwritten signature in black ink, appearing to read "Oralia Chavez", written in a cursive style.

Oralia Chavez  
Quality Assurance Specialist

## Manufacturing Process Flowchart

### Petrolatum, White, USP - PE125



#### ***Spectrum Chemical Mfg Corp***

***Corporate Headquarters:***

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

***West Coast Facility:***

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000



## PE125, Petrolatum, White, USP

### Source Statement

The above mentioned catalog item is manufactured by using petroleum hydrocarbons. No animal or plant derived products are used in the manufacturing process.

### BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

### Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

### GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

### Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

### Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

## **Animal Testing Statement**

The above mentioned catalog item has not been tested on animals.

## **Organic Compliance Statement**

The above mentioned catalog item has not been produced using GMOs, irradiation or ethylene oxide (EtO).

## **Shelf Life Statement**

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

## **Other Chemicals Statement**

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- |                     |                  |
|---------------------|------------------|
| • Aflatoxins        | • CMR Substances |
| • Antibiotics       | • Pesticides     |
| • Bisphenol A (BPA) | • Phthalates     |



**RE: Elemental Impurities - Petrolatum, White, USP (Cat# PE125)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. No Class 1, Class 2A, Class 2B or Class 3 elemental impurities are likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue  
New Brunswick, NJ 08901  
PHONE 732.214.1300  
FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street  
Gardena, California 90248  
PHONE 310.516.8000  
FAX 310.516.9843



**RE: Residual Solvents - Petrolatum, White, USP (Cat# PE125)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue  
New Brunswick, NJ 08901  
PHONE 732.214.1300  
FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street  
Gardena, California 90248  
PHONE 310.516.8000  
FAX 310.516.9843

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

**USE CARE:** This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

**KEEP FROM CHILDREN**

**PE125** **SIZ SY**  
**Petrolatum**  
(Petroleum Jelly)  
White  
USP  
CAS 8009-03-8

**CAUTION:** For manufacturing, processing or repacking.

**Read and understand the label and Safety Data Sheet (SDS) prior to use.**

**Chemical Emergency: (800)424-9300**

[www.SpectrumChemical.com](http://www.SpectrumChemical.com)

White petrolatum is a purified mixture of semisolid hydrocarbons obtained from petroleum and decolorized.

Specific Gravity @ 60°C ..... 0.815-0.880  
Melting Range ..... 38°-60°C  
Consistency ..... 100 - 300

### MAXIMUM LIMITS

Stabilizers:  
Butylated Hydroxytoluene (BHT) ..... 25 ppm  
Tocopherols ..... 10 ppm  
Residue on Ignition ..... 0.05%  
Color ..... Not darker than standard  
Acidity ..... No red or pink color  
Alkalinity ..... Does not turn pink  
Organic Acids ..... 400 µL of 0.1 N NaOH  
Fixed Oils, Fats and Rosin .....  
..... No separation of oily or solid matter  
Elemental Impurities ..... As reported  
Residual Solvents ..... To pass test

G 12/19GHS

?

Lot No. XQ####

## Spectrum Chemical Mfg Corp

### Corporate Headquarters:

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

### West Coast Facility:

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000