

Scientific Documentation

Poloxamer 407, NF

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp
769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300



Table of Contents

Product Specification
Certificate of Analysis
Safety Data Sheet (SDS)
Certification of Current Good Manufacturing Practices (cGMP)
Manufacturing Process Flowchart
Technical Statements
Elemental Impurities Statement
Residual Solvents Statement
General Label Information – Sample Label

Specification for Poloxamer 407, NF (P1166)

Item Number	P1166
Item	Poloxamer 407, NF
CAS Number	9003-11-6
Molecular Formula	$\text{HO}(\text{C}_2\text{H}_4\text{O})_a(\text{C}_3\text{H}_6\text{O})_b(\text{C}_2\text{H}_4\text{O})_a\text{H}$
Molecular Weight	AV. M.W. 12,500
MDL Number	
Synonyms	Pluronic F127 ; Polyethylene-Polypropylene Glycol

Test	Specification	
	Min	Max
AVERAGE MOLECULAR WEIGHT	9,840	14,600
WEIGHT PERCENT OXYETHYLENE	73.2 +/-1.7 %	
pH OF A 1 IN 40 SOLUTION	5.0	7.5
ELEMENTAL IMPURITIES		AS REPORTED
UNSATURATION		0.065 mEq/g
FREE ETHYLENE OXIDE		1 µg/g
FREE PROPYLENE OXIDE		5 µg/g
FREE 1,4-DIOXANE		5 µg/g
IDENTIFICATION	SPECTRUM MATCHES REFERENCE	
CERTIFIED HALAL		
EXPIRATION DATE		
DATE OF MANUFACTURE		
APPEARANCE		
RESIDUAL SOLVENTS		AS REPORTED

Spectrum Chemical Mfg Corp

Corporate Headquarters:	West Coast Facility:
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000

Certificate Of Analysis

Item Number	P1166	Lot Number	INC0178
Item	Poloxamer 407, NF	CAS Number	9003-11-6
Molecular Formula	HO(C ₂ H ₄ O) _a (C ₃ H ₆ O) _b (C ₂ H ₄ O) _a H	Molecular Weight	AV. M.W. 12,500

TEST	SPECIFICATION		RESULT
	MIN	MAX	
AVERAGE MOLECULAR WEIGHT	9,840	14,600	12,065
WEIGHT PERCENT OXYETHYLENE	73.2 +/-1.7 %		72.5 %
pH OF A 1 IN 40 SOLUTION	5.0	7.5	6.7
ELEMENTAL IMPURITIES		AS REPORTED	NO ELEMENTAL IMPURITIES PRESENT
UNSATURATION		0.065 mEq/g	0.040 mEq/g
FREE ETHYLENE OXIDE		1 µg/g	<1 µg/g
FREE PROPYLENE OXIDE		5 µg/g	<1 µg/g
FREE 1,4-DIOXANE		5 µg/g	<1 µg/g
IDENTIFICATION	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE
CERTIFIED HALAL			CERTIFIED HALAL
EXPIRATION DATE			23-FEB-2026
DATE OF MANUFACTURE			24-FEB-2023
APPEARANCE			WHITE GRANULES
RESIDUAL SOLVENTS		AS REPORTED	MEETS REQUIREMENTS IN USP <467>
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ
Hernan Bermudez
29-MAR-24 07:49:32

Certificate of Analysis Results Approved By:

SHANSEN
Selin Hansen
01-APR-24 14:35:34

Spectrum Chemical Mfg Corp
14422 South San Pedro Street
Gardena 90248 CA



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

SAFETY DATA SHEET

spectrum®



Revision date 01-February-2022

Revision Number 2

1. Identification

Product identifier

Product Name POLOXAMER 407, NF

Other means of identification

Product Code(s) P1166

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use or

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Spectrum Chemical Mfg. Corp.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance granules

Physical state Solid

Odor No information available

Other information

No information available.

3. Composition/information on ingredients**Substance**

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Poloxamer 407	9003-11-6	100	*
Propylene oxide	75-56-9	<0.1	*
1,4-Dioxane	123-91-1	<0.1	*
Ethylene oxide	75-21-8	<0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures**Description of first aid measures**

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
----------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon Monoxide, Carbon Dioxide.
Explosion data	
Sensitivity to mechanical impact	none.

Sensitivity to static discharge none.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene oxide 75-56-9	No data available	100 ppm TWA 240 mg/m ³ TWA	400 ppm IDLH
1,4-Dioxane 123-91-1	No data available	100 ppm TWA 360 mg/m ³ TWA	500 ppm IDLH
Ethylene oxide 75-21-8	No data available	1 ppm TWA 5 ppm STEL	800 ppm IDLH

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	granules
Color	White
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	no data available	None known Close to neutral
Melting point / freezing point	53 °C / 127.4 °F	None known
Boiling point / boiling range	no data available	None known
Flash point	>150 °C / °F	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	1.06	None known
Water solubility	Soluble in water	None known
Solubility(ies)	no data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known

Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	500 kg/m ³

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
----------	---------------------------

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Poloxamer 407 9003-11-6	= 5700 mg/kg (Rat)	-	-
Propylene oxide 75-56-9	= 520 mg/kg (Rat)	= 1244 mg/kg (Rabbit)	= 9.48 mg/L (Rat) 4 h
1,4-Dioxane 123-91-1	= 4200 mg/kg (Rat)	= 7600 mg/kg (Rabbit)	= 46 mg/L (Rat) 2 h
Ethylene oxide 75-21-8	= 72 mg/kg (Rat)	-	= 800 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Poloxamer 407 9003-11-6	>970 mg/l 72 h EC50 algae	>10,000 mg/l 96 h LC50 Brachydanio rerio	-	-
Propylene oxide 75-56-9	EC50: =240mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =215mg/L (96h, Lepomis macrochirus)	-	EC50: =350mg/L (48h, Daphnia magna)

1,4-Dioxane 123-91-1	-	LC50: 10306 - 14742mg/L (96h, Pimephales promelas) LC50: =9850mg/L (96h, Pimephales promelas) LC50: >10000mg/L (96h, Lepomis macrochirus)	-	EC50: =163mg/L (48h, water flea)
Ethylene oxide 75-21-8	-	LC50: 73 - 96mg/L (96h, Pimephales promelas)	-	LC50: 137 - 300mg/L (48h, Daphnia magna)

Persistence and degradability No information available.
Bioaccumulation Inherently biodegradable.

Chemical name	Partition coefficient
Propylene oxide 75-56-9	0.08
1,4-Dioxane 123-91-1	-0.42
Ethylene oxide 75-21-8	-0.3

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT not regulated

TDG not regulated

MEX not regulated

ICAO (air) not regulated

IATA not regulated

IMDG not regulated

RID not regulated

ADR not regulated

ADN not regulated

15. Regulatory information

International Inventories

TSCA Complies

DSL/NDL	Complies
EINECS/ELINCS	Does not Comply
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Propylene oxide - 75-56-9	0.1
1,4-Dioxane - 123-91-1	0.1
Ethylene oxide - 75-21-8	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Propylene oxide 75-56-9	-	-	-	Present

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Propylene oxide 75-56-9	100 lb final RQ 45.4 kg final RQ	-
1,4-Dioxane 123-91-1	100 lb final RQ 45.4 kg final RQ	-
Ethylene oxide 75-21-8	10 lb final RQ 4.54 kg final RQ	-

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
1,4-Dioxane - 123-91-1	carcinogen
Propylene oxide - 75-56-9	carcinogen

Ethylene oxide - 75-21-8	female reproductive toxicity developmental toxicity male reproductive toxicity carcinogen
--------------------------	----------------------------------------------------------------------------------------------------

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene oxide 75-56-9	1615	Present	Environmental hazard Special hazardous substance
1,4-Dioxane 123-91-1	0789	Present	Environmental hazard Special hazardous substance
Ethylene oxide 75-21-8	0882	Present	Environmental hazard Special hazardous substance

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 0

Flammability 0

Instability 0

Physical and chemical properties -

HMIS

Health hazards 0

Flammability 0

Physical hazards 0

Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AELG(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

01-February-2022

Revision Note

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
P1166	Poloxamer 407, NF

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com


Sincerely,

A handwritten signature in black ink, appearing to read "Oralia Chavez".

Oralia Chavez
Quality Assurance Specialist

Manufacturing Process Flowchart

Poloxamer 407, NF - P1166



Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

P1166, Poloxamer 407, NF

Source Statement

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

EU Fragrance Allergen Statement

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs.

Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Phthalates



RE: Elemental Impurities - Poloxamer 407, NF (Cat# P1166)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. No Class 1, Class 2A, Class 2B or Class 3 elemental impurities are likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue
New Brunswick, NJ 08901
PHONE 732.214.1300
FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street
Gardena, California 90248
PHONE 310.516.8000
FAX 310.516.9843



RE: Residual Solvents - Poloxamer 407, NF (Cat# P1166)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of USP <467> Residual Solvents and ICH Q3C Residual Solvents Guideline. The following solvents are likely to be present:

Residual Solvent	Class	Expected Concentration
1,4-Dioxane	2	< 5 ppm

No Class 1, Class 3 or other solvents are used or produced in the manufacturing process of this material.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue
New Brunswick, NJ 08901
PHONE 732.214.1300
FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street
Gardena, California 90248
PHONE 310.516.8000
FAX 310.516.9843

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

KEEP FROM CHILDREN

P1166 **SIZ SY**
Poloxamer 407
 (Pluronic® F127;
 Polyethylene–Polypropylene Glycol)

NF
 CAS 9003-11-6



CAUTION: For manufacturing, processing or repackaging. Not for pesticide use.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

$\text{HO}(\text{C}_2\text{H}_4\text{O})_a(\text{C}_3\text{H}_6\text{O})_b(\text{C}_2\text{H}_4\text{O})_a\text{H}$
 Av. M.W. 12,500

Block copolymer of ethylene oxide and propylene oxide. Stabilized with 100 ppm BHT. Pluronic® is a registered trademark of BASF Corporation.

Average Molecular Weight 9,840-14,600
 Weight Percent Oxyethylene 73.2 ± 1.7%
 pH of a 1 in 40 Solution 5.0-7.5

MAXIMUM LIMITS

Elemental Impurities As reported
 Unsaturation 0.065 mEq/g
 Free Ethylene Oxide 1 µg/g
 Free Propylene Oxide 5 µg/g
 Free 1,4-Dioxane 5 µg/g
 Residual Solvents To pass test

WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

G 15/K12GHS ? Lot No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
 New Brunswick, NJ 08901
 732.214.1300

West Coast Facility:

14422 S. San Pedro St.
 Gardena, CA 90248
 310.516.8000